

Better Homes and Gardens®

WOOD

NEW!
FURNITURE
BY THE ROOMFUL
Page 44

THE #1 MAGAZINE FOR HOME WOODWORKERS

JANUARY 1992 • ISSUE NO.49
Please display until January 14

**WOOD GOES TO
FINISHING SCHOOL**

**HEARD ABOUT
ACRYLIC WOOD?**
Page 50

STEP-BY-STEP


**HOW TO MAKE
CABRIOLE LEGS**

**SENSATIONAL
PROJECTS**

**Cheval mirror
Shaker wall clock
Quilt hanger
Grand old flag
Carved cookie molds
3-D Scrollsawed scene**

**CRAFT THIS
LOVELY TABLE**

See page 42



**...AND 3
MORE PIECES**



\$4.95



IMPORTS, INC.

"IMPORTERS OF FINE MACHINERY"

LOOK
PRICES HELD
FOR 1992!



**10" HEAVY DUTY
TABLE SAW
MODEL G1022**
Reg. \$365. **SALE \$355⁰⁰**
F.O.B. BELLINGHAM, WA or WILLIAMSPORT, PA



**SUPER HEAVY DUTY
TABLE SAW
MODEL G1023**
ONLY \$895⁰⁰
F.O.B. BELLINGHAM, WA or WILLIAMSPORT, PA



**16" BAND SAW
MODEL G1538**
ONLY \$525⁰⁰
F.O.B. BELLINGHAM, WA or WILLIAMSPORT, PA



**2 H.P. DUST
COLLECTOR
MODEL G1029**
ONLY \$295⁰⁰
F.O.B. BELLINGHAM, WA or WILLIAMSPORT, PA



**1 1/2 H.P. SHAPER
MODEL G1035**
ONLY \$495⁰⁰
F.O.B. BELLINGHAM, WA or WILLIAMSPORT, PA



**3 H.P.
SHAPER
MODEL G1026**
ONLY \$850⁰⁰
F.O.B. BELLINGHAM, WA or WILLIAMSPORT, PA



**6" x 47" HEAVY DUTY
JOINTER
MODEL G1182**
Reg. \$375. **SALE \$345⁰⁰**
F.O.B. BELLINGHAM, WA or WILLIAMSPORT, PA



**8" x 65" SUPER
HEAVY DUTY JOINTER
MODEL G1018**
Reg. \$695. **SALE \$650⁰⁰**
F.O.B. BELLINGHAM, WA or WILLIAMSPORT, PA



**12" PLANER
MODEL G1017**
ONLY \$385⁰⁰
F.O.B. BELLINGHAM, WA or WILLIAMSPORT, PA



(Stand
Optional)

**15" PLANER
MODEL G1021**
ONLY \$735⁰⁰
F.O.B. BELLINGHAM, WA or WILLIAMSPORT, PA



**20" PLANER
MODEL G1033**
ONLY \$1,295⁰⁰
F.O.B. BELLINGHAM, WA or WILLIAMSPORT, PA



**6" x 48" COMB.
SANDER
MODEL G1014**
ONLY \$195⁰⁰
F.O.B. BELLINGHAM, WA or WILLIAMSPORT, PA



If you live **WEST** of the Mississippi:
1-800-541-5537 ORDERS
(206) 647-0801 CUSTOMER SERVICE
P.O. BOX 2069
BELLINGHAM, WA 98227



**CALL FOR YOUR
FREE CATALOG!**

92-103

If you live **EAST** of the Mississippi:
1-800-523-4777 ORDERS
(717) 326-3806 CUSTOMER SERVICE
2406 REACH RD.
WILLIAMSPORT, PA 17701



THE EDITOR'S ANGLE

Something new for you...



FURNITURE BY THE ROOMFUL

Print this article

Changes just keep coming here at **WOOD**® magazine. First, we increased our production from six issues per year to nine, and added The Craft Shop section. In March, we published our first book, *335 Great Shop Tips*, and another one, *Favorite Toys You Can Make*, in the fall. And in November, we launched a new magazine, *Decorative Woodcrafts*™.

Now, we're testing the waters on a new service that may address a long-standing concern of ours. Every time we plan a furniture piece for you, we're faced with the same dilemma—"What's a person going to do with one piece of furniture that doesn't match the rest of the decor?" Sometimes, we've enticed you with design options, but that's not enough.

With *Furniture by the Roomful*, we're offering you additional, related plans tied to a how-to furniture project. Let me refer you to the Cabriole-Leg Coffee Table article on page 42. There we show you how to construct one of the most gracious coffee tables you'll ever run across. But that's not all.

We also showcase three other projects—an end table, a hall table, and a footstool—all with nearly identical construction details. Only the dimensions change.

Although we don't have enough space in the magazine to do justice to all four projects, we have done the next best thing for people who want a roomful of beautiful Queen Anne-style furniture. We built all of the pieces in our workshop—as is our custom—to make sure we worked out all the bugs. Then, we turned over the projects to our technical illustrators who prepared a complete set of working drawings and a bill of materials for each. Expensive, yes, but it's the only way we know to get everything right.

If you're interested in ordering the working drawings for these marvelous-looking projects, see the box titled "More Queen Anne Furniture" on page 44. Drop me a note and let me know if you'd like to see more sets of furniture from us in future issues. 🌲

Larry Clayton

COCKER DOG

An adorable mutt with a wind-up music box that plays "How Much Is That Doggie In The Window" while his tail wags. Parts Kit includes all necessary parts - no lumber.
#01576 Plans 4.00
#04576Z Plans & Parts 11.50
#04576 Parts Only: 8.00/Ea, 21.90/3, 65.90/10



TURNINGS

- #16001 3-1/2" Shaker Peg 8.00/50, 14.00/100
- #16021 2-1/2" Shaker Peg 7.50/50, 13.75/100
- #16041 1-3/4" Shaker Peg 7.50/100, 15.00/250
- #16081 1" Shaker Peg 5.50/100, 23.75/500
- #18031 Large Candle Cup 9.50/50, 17.00/100
- #18091 Brass Inserts 5.50/50, 9.00/100
- #13106 3/4" dia. Wood Ball 5.20/50, 7.90/100
- #13108 1" dia. Wood Ball 6.70/50, 10.90/100
- #13112 1-1/2" dia. Wood Ball 15.25/50, 29.00/100
- #13116 2" dia. Wood Ball 8.90/10, 42.00/50

WHEELS

- #10648 1" x 3/8" Wheel 5.50/100
- #10710 1-1/4" x 7/16" Wheel 7.50/100
- #10812 1-1/2" x 1/2" Wheel 6.00/50, 10.50/100
- #10914 1-3/4" x 9/16" Wheel 8.50/50, 15.00/100
- #11016 2" x 5/8" Wheel 9.50/10, 17.00/100
- #12001 7/32" Axle Peg ... 2.00/50, 3.10/100, 14.00/500

MISC. PARTS

- #62501 Door Harp Tuning Pens ... 10.00/50, 17.00/100
- #13156 3/4" Drilled Clapper Balls 5.00/50, 8.00/100
- #62515 1/4-lb. #4 Door Harp Wire (540-ft.) 9.95
- #33018 1-1/4"x1/8" Hrdwd. Heart . 5.50/100, 12.50/250
- #50321 1/2"x1-7/8" Pic. Hanger 4.00/100, 17.50/500
- #50021 Self-Fastening Sawtooth .. 4.00/100, 17.00/500
- #11601 2-1/2"x3/4" Flip-Flop Wheel . 3.50/10, 15.00/50 (Made from White Birch)

CRAFTER'S MART

Box 2342-W • Greeley, CO 80632
64-Page CATALOG: \$2 with credit towards first order, Free with any order. Check, MasterCard or VISA (include daytime phone, card no., exp. date & signature).
PROCESSING CHARGE: Continental U.S. \$4;
AK, HI, APO & FPO \$10; Canada \$16; Foreign 20% plus \$10 (U.S. Funds). CO Res. add 3% tax. No C.O.D.s.
PHONE ORDERS: 8am-5pm Mon-Fri, Mountain Time.
Information:
(303) 351-0876 **1 - 800 - 999-3445**

You've ordered the rest,
now buy the BEST!

SUNGOLD®
SANDING BELTS

BUY 12 Belts
GET 13 FREE!

Full resin, 65% polyester... belts last longer with less stretching. SUNGOLD quality, every belt size, every grit, EVERY ORDER!

FREE SHIPPING
EVERY
ORDER!



BELT SIZE	PRICE/25 or 13* Belts
1x30	\$16.99
1x42	17.99
2½x16	17.99
3x18	17.99
3x21	18.99
3x24	19.99
4x21	24.99
4x21¾	24.99
4x24	25.99
4x36*	24.99
6x48*	35.99

NOTE: Belts are available in 40, 60, 80, 100, 120, 150, and 220 grits. An assortment will be supplied if grit sizes are not specified.

For Rush Orders
1-800-776-5467
 VISA CHECK
 MASTERCARD
PA Residents add
6% Sales Tax.

Quaker State WOODWORKING SUPPLY
4434 KUTZTOWN RD. • READING, PA 19560

EDITORIAL MAILING ADDRESS: WOOD magazine, P.O. Box 11454, Des Moines, IA 50336-1454. **WE CARE!**
SUBSCRIPTION SERVICE (including change of address): WOOD Customer Service, P.O. Box 10628, Des Moines, IA 50336-0628. Please enclose your address label from a current issue. If you wish, call toll-free 800/374-9663.
CUSTOMER-SERVICE TEAM: Marjene Cline, Velma Williams, Tom Ackert, Andrea Gilbert.

The Dependable Source Since 1976

Woodworkers SALE

EXPIRES
2-7-92

	SALE
3-1/2" Shaker Peg	\$12.50 / 100
2-7/16" Medium Peg	\$12.00 / 100
1-3/4" Mini Peg	\$ 6.00 / 100
1-3/8" Candle Cup	\$14.00 / 100
1" Toy Wheel	\$ 4.00 / 100
1-1/4" Toy Wheel	\$ 6.50 / 100
1-1/2" Toy Wheel	\$ 8.00 / 100
Axle Peg for Above	\$ 3.00 / 100
3/4" Round Ball	\$ 7.00 / 100
1" Round Ball	\$10.00 / 100
1-1/2" Round Ball	\$ 3.00 / 10
3/8" or 1/2" Birch Button	\$ 1.50 / 100
5/8" Picture Hanger	\$ 1.50 / 100
1-5/8" Sawtooth Hanger	\$ 3.00 / 100

1-800-722-0311

To receive sale prices use Sale #B12

Catalog \$1.00 (FREE With Order)
We accept M/C, VISA, Check, or M.O.
All orders add \$4.00 handling.
TX add 7% tax. (Canada add 30% -
Money Order Only) Alaska, Hawaii
add 15% for freight.



Woodworks

P.O. Box 14507 Ft. Worth, TX 76117

Anytime Anywhere Anywood

CURVED or STRAIGHT MOLDINGS

Both are yours with a W&H
Molder/Planer

Thousands of professionals and serious woodworkers use our American-made cast iron molder/planers to produce smooth moldings, raised panels, crowns and curved molding.

In the shop or at the job site, W&H meets your needs every day with quick knife changeover and ultimate versatility with all kinds of wood.

Over 40 years of experience supports our products with a 5 year warranty! Call or write today for our FREE information kit!

800-258-1380 (USA) 603-654-6828
FAX 603-654-5446

Williams & Hussey
Machine Co., Inc.

Dept. 232AM
P.O. Box 1149 Wilton, NH 03086



Better Homes and Gardens®

WOOD®

THE #1 MAGAZINE FOR HOME WOODWORKERS

This issue's cover wood grain: sycamore

Cover photo: Wm. Hopkins

JANUARY 1992

ISSUE NO. 49

WOOD PROFILE

Sycamore: The ghost of the bottomland 23

This robust North American species once provided the wood for fur traders' canoes, manufacturers' crates, cigar boxes, and barrels.



CRAFTSMAN CLOSE-UP

Grand turnings on a small scale 25

Meet Washington state's Bonnie Klein, an enterprising woodturner who developed her lathe design and knack for turning miniatures into a successful small business.

CARVING

Hand-carved cookie molds 30

Make cookies the old-fashioned way with our cookie-board design, eight low-relief mold patterns, and Better Homes and Gardens® recipe.



SHOP-TESTED
TECHNIQUES

Cabriole legs 34

Master the shaping of elegant cabriole legs by using our detailed step-by-step instructions and patterns. You'll be amazed at how easy it is.



NOW YOU CAN BUILD IT

Cabriole leg coffee table 42

Add a distinctive air to your living room with this striking Queen Anne cabriole-leg project. Or, better yet, build a roomful of the furniture (see our special offer inside).

WOOD magazine goes to finishing school 46

Travel with Senior Editor Pete Stephano as he visits a Minnesota technical school to uncover the secrets of fine furniture finishing.

Acrylic-impregnated wood 50

Learn about a unique process to harden and preserve even the softest of woods for such projects as pistol grips and knife handles.

FAMILY HEIRLOOM PROJECT

Charming cheval mirror 52

Build this handsome full-length tilting mirror for your bedroom or some other room in the home, and then tip your hat to the able woodworker reflected in it.



TOOL BUYMANSHIP

Airbrushes 56

You can breeze through the finishing of spindles, slats, intricate pieces, and small projects with one of these under-appreciated applicators.

COLLECTOR'S EDITION*

Scratch awl... a craftsman's marking tool 58

The next time you need to scribe a line on wood or mark a screw hole, do it in style with this finely crafted hand tool.



THE CRAFT SHOP

Country quilt hanger 60

With this on-wall shelf project, you can display Grandma's colorful patchwork where the whole family can enjoy it.

Winter wonderland 62

You can almost feel Jack Frost nipping at the nose of the kids in this delightful 3-D scrollsaw scene.

It's a grand old flag 64

Salute Old Glory by crafting and painting a wall plaque of our beloved flag, using the full-sized pattern inside.

Simply stated Shaker wall clock 66


At the end of a hallway, or on a dining room wall, this timeless time-piece will surely attract its share of admirers.

SHORT-SUBJECT FEATURES

Editor's Angle	1	Great Ideas For Your Shop	20
Talking Back	6	Wood Anecdote	21
Tips From Your Shop	12	Squaring Up Stock	71
More Great Toys	18	Finishing Touches	80

Mobile Machine Bases

to put your entire shop on wheels



EXPANDS YOUR WORKING AREA
MAKES CLEAN-UP A SNAP

- Over 1000 models to choose from
- Designed for correct machine fit
- Constant 3-wheel suspension insures tool stability
- Dual wheel locks for positive positioning
- No lifting needed to move or dropping to use
- Protects machine settings and components
- All steel and precision welded
- Lifetime warranty

Work Supports

to do your best safely and accurately

Model HRT-18



UNIQUE TAPERED WEDGE ELIMINATES SLIP DOWN. TESTED TO 1000 lbs.

44"-26½" height range

Adjustable levelling feet

HEAVY DUTY

DESIGNED TO HELP YOU SUPPORT AND SAFELY MOVE WORK PIECES THRU YOUR MACHINES

- No tools needed for simple, positive height adjustments
- Top quality, galvanized, ball-bearing rollers
- 4 heavy duty threaded rubber-tipped levelling feet.
- Heavy gauge steel components
- Lifetime warranty

Available at better tool stores



FREE CATALOG



HTC Products, Inc.
120 E. Hudson • P.O. Box 839
Royal Oak, Michigan 48068-0839

1-800-624-2027



TOOL CO.

Precision tools for skillful woodworkers



INDUSTRIAL QUALITY TOOLS AT DISCOUNT PRICE

TUNGSTEN CARBIDE TIPPED TOOLS

Try The Difference
Double Ball Bearings **



*Better Balance Routing
*Less Wood Burning
*Longer Ball Bearing's Life

**Not available for every bits, call for detail

30 Days Satisfaction Warranty

CUTTER	TOOL #	CUT DIA.	CUT L.	SNK D.	PRICE
Straight	ST206	1/4	3/4	1/4	5.50
	ST208	5/16	3/4	1/4	5.50
	ST210	3/8	1	1/4	5.50
	ST213	1/2	1	1/4	5.50
	ST216	5/8	1	1/4	6.25
Straight	ST219	3/4	3/4	1/4	8.95
	ST406	1/4	3/4	1/2	5.50
	ST408	5/16	3/4	1/2	5.50
	ST410	3/8	1	1/2	5.50
	ST413	1/2	1	1/2	5.50
Straight	ST413L	1/2	1-3/16	1/2	6.95
	ST413E	1/2	2"	1/2	13.95
	ST416	5/8	1-3/16	1/2	7.50
	ST419	3/4	1-3/16	1/2	6.95
	ST422	7/8	1-3/16	1/2	10.50
Flush Trim	FT210P	3/8	1/2	1/4	6.50
	FT210	3/8	1	1/4	6.50
	FT213	1/2	1	1/4	6.95
	FT213L	1/2	1-1/2	1/4	10.50
	FT410	3/8	1-3/16	1/2	6.50
Dovetail	FT413	1/2	1-3/16	1/2	6.95
	FT413L	1/2	1-1/2	1/2	10.50
	DV210	3/8	3/8	1/4	4.95
	DV213	1/2	1/2	1/4	4.95
	DV410	3/8	3/8	1/2	4.95
Core Box	DV413	1/2	1/2	1/2	4.95
	DV416	5/8	3/4	1/2	6.50
	DV419	3/4	1/2	1/2	6.95
	DV425	1	7/8	1/2	8.95
	45° Chamfer	CB206	1/4	1/4	1/4
CB210		3/8	1/4	1/4	6.95
CB213		1/2	5/16	1/4	11.00
CB216		5/8	3/8	1/4	12.50
CB219		3/4	1/2	1/4	14.00
Rabbit	CB413	1/2	5/16	1/2	11.00
	CB416	5/8	3/8	1/2	12.50
	CB419	3/4	1/2	1/2	14.00
	CB422	7/8	5/8	1/2	16.95
	CB425	1-1/4	3/4	1/2	17.95
Rabbit	CB432	1-1/4	3/4	1/2	25.95
	CB438	1-1/2	7/8	1/2	28.95
	CH210	1	3/8	1/4	12.00
	CH213	1-3/16	1/2	1/4	12.00
	CH216	1-3/8	5/8	1/4	13.50
Rabbit	CH416	1-3/8	5/8	1/2	14.00
	CH419	1-5/8	3/4	1/2	16.00
	CH422	1-7/8	7/8	1/2	19.00
	CH425	2-1/8	1	1/2	24.00
	Rabbit	RB232	1-1/4	1/2	1/4
RB432		1-1/4	1/2	1/2	12.00
SL203-2		1-1/4	1/8	1/4	10.00
SL205-2		1-1/4	3/16	1/4	11.00
SL206-2		1-1/4	1/4	1/4	11.00
Rabbit	SL210-2	1-1/4	3/8	1/4	12.00
	CR201	1/16	3/8	1/4	10.00
	CR203	1/8	3/8	1/4	10.00
	CR205	3/16	7/16	1/4	10.00
	CR206	1/4	2/1	1/4	11.00
Rounding Over	CR208	5/16	9/16	1/4	12.95
	CR210	3/8	5/8	1/4	16.00
	CR213	1/2	3/4	1/4	16.00
	CR406	1/4	1/2	1/2	11.95
	CR410	3/8	5/8	1/2	14.00
Roman Ogee	CR413	1/2	3/4	1/2	16.00
	CR416	5/8	7/8	1/2	19.00
	CR419	3/4	1	1/2	20.00
	CR425	1-1/4	1-1/4	1/2	32.50
	CR432	1-1/4	1-3/4	1/2	42.95
Cove	RO204	5/32	1/2	1/4	15.00
	RO206	1/4	3/4	1/4	16.00
	RO404	1/8	1/2	1/2	15.00
	RO406	1/4	3/4	1/2	16.00
	Classical	CV201	3/8	3/8	1/4
CV205		1/16	7/16	1/4	11.00
CV206		1/4	1/2	1/4	11.00
CV208		5/16	1/2	1/4	12.00
CV210		3/8	1/2	1/4	12.00
Half Round	CV213	1/2	5/8	1/4	13.00
	CV406	1/4	1/2	1/2	12.00
	CV410	3/8	1/2	1/2	12.50
	CV413	1/2	1/2	1/2	13.50
	CV419	3/4	7/8	1/2	27.00
Classical	CS203	1/8	5/8	1/4	18.00
	CS206	1/4	7/8	1/4	19.00
	CS403	1/8	5/8	1/2	18.00
	CS406	1/4	7/8	1/2	19.00
	Half Round	HR203	1/4 D	5/8	1/4
HR205		3/8 D	13/16	1/4	13.50
HR206		1/2 D	3/4	1/4	14.50
HR208		5/8 D	1	1/4	16.00
HR210		3/4 D	1-1/8	1/4	16.00
Half Round	HR410	3/4 D	1-1/8	1/2	17.00
	HR413	1 D	1-3/8	1/2	18.00
	HR416	1-1/4 D	1-5/8	1/2	35.00
	HR419	1-1/2 D	1-7/8	1/2	40.00

NET 30 DAYS TO GOVERNMENT AGENCIES, SCHOOLS.

SAME DAY SHIPPING Count on us!

Shipping is FREE for orders over \$60 and is only \$2 for smaller orders.

SEND YOUR CHECK TO: AMMAX TOOLS CO.

P.O. BOX 520
POWAY, CA 92074

CALL TOLL FREE

1-800-782-6629 (NATIONWIDE)

(619)535-8940 (CALIFORNIA)



HORIZONTAL PANEL RAISING

\$49 EACH

* Industrial Quality Grade C3 Tungsten Carbide Tipped
* 3 mm Thickness Carbide Offer Longer Life.



3/4" BORE C931 C984 C985 C986 C987
1-1/8" BORE C1084 C1085 C1086 C1087


REDUCING BUSHING: \$2 / PAIR

SHAPER CUTTERS / CABINET SETS
3/4" BORE BUSHED TO 1/2"

FOR TWO SIDES.
Decorative design
work thickness
1 1/8" - 1 3/4"

FOR ONE SIDE
Decorative design

work thickness
1 1/8" - 3/4"



\$150

CABINET MOULDING SET



\$160

COVE & BEAD SET

C940 CONCAVE STILE & RAIL SET



\$140

C994 OGEE STILE & RAIL SET



\$140

C945 CONVEX STILE & RAIL SET

3/4" BORE 3 WINGS SHAPER CUTTERS



C903 \$32 C904 \$32 C966 \$38 C967 \$38 C998 \$42



C961 \$69 C901 \$32 C933 \$30 C965 \$45 C911 \$32



1/4 C918 \$23 1/4 C973 \$28 1/4 C971 \$26
3/8 C953 \$25 3/8 C974 \$30 3/8 C972 \$29
1/2 C954 \$27 1/2 C925 \$32 1/2 C926 \$32
3/4 C912 \$29 3/4 C927 \$35 3/4 C928 \$34
1 C955 \$32 1 C929 \$39 1 C930 \$37

Top of the line Made In U.S.A.

Nicholson



Carbide Tipped

3 WINGS, 9 CUTTING EDGES

FINGER JOINTER
FJ463
1/2" shank \$53


LOCK MITRE
ML470 \$34
1/2" shank

FOR 5/8" TO 1-1/8" STOCK

MULTI-MOULDING
MM454
1/2" shank \$39

TONGUE & GROOVE
1/4" SHANK \$28
FOR 5/8" TO 3/4" STOCK
1/2" SHANK \$29
FOR 5/8" TO 1" STOCK

FACE MOULDING CUTTERS
(1/2" SHANK)



BEST BUY GUARANTEED

BUY ANY 3 PCS \$ 78.00

ANY 4 PCS \$ 95.00

ALL 5 PCS \$115.00

STILE & RAIL
Reversible
RS248
1/4" shank \$37
RS448
1/2" shank \$37

OGEE FILLET PANEL RAISING
1/2" SHANK ONLY
OF466 2-5/8" \$24.00
OF476 3-1/4" \$39.00

DRAW PULL
DP435
1/2" shank \$29

KEY HOLE
KH210
1/4" shank \$6.50

YOUR BEST CHOICE

SLOT CUTTERS --- 4 WINGS ASSEMBLY

SL	KIRF	SHANK DIA.	PRICE
SL203	1/8"	1/4"	\$16
SL403	1/8"	1/2"	\$16
SL204	5/32"	1/4"	\$17
SL404	5/32"	1/2"	\$17
SL205	3/16"	1/4"	\$18
SL405	3/16"	1/2"	\$18
SL206	1/4"	1/4"	\$20
SL406	1/4"	1/2"	\$20



3 PCS 1/4" SHANK CABINET MAKER SET

SAVE YOUR TIME ON ADJUSTMENTS & SET-UP

ALL 3 BITS COME WITH 2 BALL BEARINGS.

FOR STABLE AND BALANCE ROUTING.

2 PC STILE & RIAL SET (#DGO1)

+

2" COVE PANEL RAISING BIT (#CV250)



CABINET SET SPECIAL

\$85.00 / SET

FREE

* Complete catalog sent upon order.

* Plastic caliper (\$4.00 value) for any order.

1-800-782-6629

HOURS: MON thru FRI 7 AM to 6 PM
NEW: SAT 8 AM - 2 PM

Better Homes and Gardens®
WOOD

THE #1 MAGAZINE FOR HOME WOODWORKERS

January 1992 • Vol. 9, No. 1 • Issue No. 49

Editorial/Art Staff

Editor **LARRY CLAYTON**
Managing Editor **JIM HARROLD**
Art Director **C. L. GATZKE**
Assistant Art Director **PERRY A. MCFARLIN**
Graphic Designer **CHERYL A. CIBULA**
Design Editor **JAMES R. DOWNING**
Senior Editor **PETER J. STEPHANO**
How-To Editor **MARLEN KEMMET**
Products/Techniques Editor **BILL KRIER**
Special-Interest Editor **LARRY JOHNSTON**
Copy/Production Editor **JOHN D. HOFHEIMER**
Project Builder **JAMES E. BOELLING**
Administrative Assistant **DARLENE REYNOLDS**
Business Office Clerk **MARGARET CLOSNER**
Secretary **ROSEMARIE BURCH**

Technical Consultants: Product Testing **GEORGE GRANSETH**,
BOB MCFARLIN; Products That Perform **STEVE OSWALT**;
Wood Science **PAUL McCLURE**; Carving **HARLEY REFSAL**

Publisher **WILLIAM R. REED**
Advertising Director **CHRIS W. SCHRIFT**
Advertising Representatives **CRAIG KAPLAN**,
BRENDEN DELANEY, **ANDREA CHERNUS**
Promotion/Research Director **EILEEN SULLIVAN**
Advertising/Marketing Services Manager **SIGRID FOLKERS**
Publisher's Assistant **NANCY LOPEZ**
Advertising Assistant **KIMBERLY DAVIS**
ADVERTISING OFFICES: 750 Third Ave., New York,
NY 10017. Phone 212/551-6903.

Circulation Manager **ALAN BRUSH**
Newsstand Circulation Director **MICHAEL SENIOR**
Business Manager **TERRY UNSWORTH**
Production Director **ROBERT C. FURSTENAU**
Public Relations **SONDY DAGGETT**

Magazine Group Officers

Group President **WILLIAM T. KERR**
SVP, Publishing Director **ADOLPH AUERBACHER**
SVP, Editorial Director **DORIS EBY**
SVP, Operations **DEAN PIETERS**
Group VPs: Publishing Directors **MYRNA BLYTH**,
BURTON H. BOERSMA, **CHRISTOPHER M. LEHMAN**
Group VP, Circulation Director **CLEM SEVDE**
Controller **MAX RUNCIMAN**

Corporate Officers

Chairman of Executive Committee **E.T. MEREDITH III**
Chairman of the Board **ROBERT A. BURNETT**
President and Chief Executive Officer **JACK D. REHM**
Executive Vice President **WILLIAM T. KERR**
Group Presidents: Broadcasting **PHILIP A. JONES**;
Magazine **WILLIAM T. KERR**; Real Estate **ALLEN SABBAG**

Better Homes and Gardens® **WOOD**® (ISSN-0743-894X) is published nine times a year in January, February, April, June, August, September, October, November, and December by Meredith Corporation, 1716 Locust St., Des Moines, IA 50309-3023. Second-class postage paid at Des Moines, Iowa and at additional mailing offices. Better Homes and Gardens trademark registered in Canada and Australia. Marca Registrada en Mexico. **ONE-YEAR SUBSCRIPTION PRICES:** U.S. and its possessions, \$24.97; Canada, \$34; other countries, \$38. **POSTMASTER:** Send address changes to *Better Homes and Gardens WOOD*, Box 10628, Des Moines, IA 50336-0628. ©COPYRIGHT MEREDITH CORPORATION 1991. ALL RIGHTS RESERVED. PRINTED IN U.S.A. Canadian GST Reg. #R123482887.



VISIT THE SHOW NEAR YOU!

- Free Workshops • Prizes •
- Hundreds of Products •
- Seminars by Mastercraftsmen •

★*The*
Woodworking Shows★
machinery
tools • supplies

See the Widest Variety of
Woodworking Products
All Under One Roof!!

HUNDREDS OF ITEMS! NEW PRODUCTS!!
Machinery • Power & Hand Tools • Supplies

COMING IN 1992

- Atlanta
- Baltimore
- Charlotte
- Chicago
- Columbus
- Denver
- Detroit
- Ft. Lauderdale
- Indianapolis
- Kansas City
- Milwaukee
- No. Jersey
- No. California
- Philadelphia
- Phoenix
- Portland
- Richmond
- Sacramento
- San Bernardino
- Seattle
- So. California
- St. Louis
- Tampa
- Twin Cities
- Ventura

1-800-826-8257 or 213-477-8521

Call NOW to be placed on mailing list for
FREE Brochure & Discount Coupons
Phone Hours 8-5 Pacific Time Weekdays



DEACON'S BENCH PLAN

This decorative bench provides storage under the hinged seat to hold scarves and gloves. Plan includes FULL SIZE patterns for easy transfer to your 3/4" stock. Approx. 36" high x 37" long x 14-1/2" deep.

#W706 Deacon's Bench Plan..... \$6.99/EA

Hardware Parts


This package contains the birch spindles, hinges, hinge screws, and all other fasteners needed to complete this project. Plan, stencil, paint & remaining wood not included.

#9861 Bench Hdw. Parts..... \$11.99/PKG

HOW TO ORDER: List quantity, part number, item, price & total of order. Include \$4.95 shipping & handling per order. MN residents add 6.5% sales tax. Mail check or money order. Credit card customers call TOLL FREE 1-800-441-9870.

MEISEL HARDWARE SPECIALTIES
P.O. BOX 70 W 1 MOUND, MN 55364

SCROLLVERGNÜGEN*



HAPPY HEGNER HOLIDAYS!

HEGNER - the precision scroll saw consistently rated #1.

Order now for holiday delivery.

☎ 1-302-322-2226 ☎

*VERGNÜGEN: A German noun meaning delight or pleasure.

Please send free information on HEGNER Precision Scroll Saws. 472

Name _____

Address _____

City, State _____

Phone _____ Zip _____

ADVANCED
MACHINERY
IMPORTS

P.O. Box 312, Dept. 472
New Castle, DE 19720
FAX 302•322•3479

WOOD PARTS FROM MIDWEST DOWEL WORKS

Compare Our Low Prices!

Qty.	Cost
3-1/2" Poplar Shaker Peg	\$15/100
1-3/4" Mini Shaker Peg	\$7/100
3-1/2" Country Wall/Mug Peg	\$15/100
2-1/2" Country Shorty Peg	\$12/100
Large Bean Pot Candle Cup	\$17/100
Brass Inserts	\$9/100
1/2" Mini Candle Cup	\$10/100
1-1/2" Toy Wheel	\$10/100
2" Toy Wheel	\$17/100
Axel Pegs	\$4/100

SMOOTH SANDED HEARTS

3/4" x 1/8" Hearts	\$2.75/100
3/4" x 1/2" Hearts	\$4.50/100
1" x 3/16" Hearts	\$4.00/c
1" x 3/8" Hearts	\$6.50/c
1-3/8" x 1/8" Hearts	\$5.50/c
1-3/8" x 1/4" Hearts	\$7.50/c
1-3/8" x 1/2" Hearts	\$10/100
2" x 1/2" Hearts	\$18/100

Great Buys!

Qty.	Cost
3/8" x 36" Standard Dowels	\$21/100
3/4" x 36" Oak Dowels	\$15/10
3/8" Maple Buttons	\$2.15/100
1/2" Maple Buttons	\$2.25/100
1-1/2" Maple Spindles	\$9/100
2-1/8" Maple Spindles	\$18/100

ORDER NOW

MC/Visa Check Enclosed

Total Cost _____

Handling **\$3.00**

Ohio residents add 5% sales tax _____

Final Cost _____

MC/Visa Number _____

Expires _____ Phone _____

Name _____

Address _____

City/State/Zip _____

FREE 16-PAGE CATALOGUE

Circle this section for FREE Dowels — mixed pack, Maple, Oak, Walnut Cherry, from 1/4" up to 1" Approximately 10 LFT. 14" long. \$5.00 value with any order.

MIDWEST DOWEL WORKS


4631 Hutchinson Road
Cincinnati, Ohio 45248
(513) 574-8488

Same Day Service/Order before Noon
Factory Direct/Satisfaction Guaranteed



Dee Pee's Split Ring Chuck

A unique concept in clamping wood for turning. This one tool with its split ring design allows projects to be securely mounted by the total circumference of the split ring. It can be removed and replaced easily and all surfaces remain concentric. Extremely valuable for craftsmen, hobbyists, and especially Vo-tech wood students. Allows projects from min. diameter of 3/4" to max. size for lathe. Order by lathe thread size, 7/8"-14, 1"-8, 1 1/8"-7 or 8, 1 1/4"-8 or 1 1/2"-8 or 12.



Call Toll-Free to Order
1-800-253-2569

VISA-MASTERCARD

Send for brochure for more information
PATENT APPLIED FOR

DE PEE-S™
SPLIT RING CHUCK

TALKING BACK

We welcome comments, criticisms, suggestions, and even compliments. Send your correspondence to: Talking Back, Better Homes and Gardens® WOOD® magazine, P.O. Box 11454, Des Moines, IA 50336-1454.

The shocking truth about old TVs

Thanks for a fine magazine. I received my October issue in today's mail and will be looking forward to the upcoming article on retrofitting TV cabinets. Many of our woodworking friends will not be aware of a *deadly shock hazard* that may await them inside those vacuum-tube TV receivers—even those that have been unplugged for an extended period of time.

—Darrell Stephens, Valparaiso, Fla.



Darrell, we are quite concerned about the hefty charge possibly residing in those tubes. When the retrofitting article runs, we plan to caution our readers to have the tubes discharged by a qualified repairman before starting.

Router jig redo

I just finished building my router jig from the October 1991 issue. I had no problems until building the stopblock. Your dimensions called for a 1/4" hole drilled 3/8" deep. After I drilled it, I found the 3/8" hex-head bolt would not fit into that hole. I made another block, this time drilling a 3/8" hole 1/4" deep, and it works very well. Keep the new jigs coming. I like to make them and see how they work.

—Fritz Marple, Pollock Pines, Calif.

Thanks for pointing out this error, Fritz. You're right. The hole in the stopblock should be 3/8" in diameter, 1/4" deep.

The creator of WOOD's nighttime skyline

The dramatic nighttime skyline used as a border background in the September 1991 issue for our craftsman close-up of Mario Rodriguez is the air-brushed handiwork of Mike Martis. We accidentally omitted Mike from the credits.

Print this article

SERVING WOODWORKERS EVERYWHERE!

Here's the new 1991-92 catalog!



Over 4,000 products!

- Over 37 years of service
- 11 retail stores
- 48 hour mail order service

The Woodworkers' Store
Hardware • Wood • Tools • Know How



To receive a new 1991-92 catalog send \$2.00 to:

The Woodworkers' Store
21801 Industrial Blvd.
Rogers, MN 55374



Hardware, Wood, Tools & Know How

Visit a store near you!

- Boston area (Cambridge) • Buffalo • Chicago area (Arlington Heights)
- Cleveland • Columbus • Denver • Detroit area (Royal Oak)
- Milwaukee • Minneapolis • San Diego • Seattle

Wanted: easy projects

I am a 66-year-old retired widower. Your magazine seems to be aimed at the professional and semi-pro craftsman, rather than beginners such as me.

I drip with envy when I see all the fancy expensive tools, the woods and materials, the skills and knowledge, the spacious work space, and the finances required to support some of your projects. You see, I possess none of the above. Yet I love the feel and smell of lumber and sawdust. There must be at least two or three other guys out there in the same boat that would appreciate an occasional project devoted to newcomers with a few tools.

—Ron Thompson, Chino Valley, Ariz.

More scrollsawed letters

Among the many scrollsaw lettering guides we sell at SEYCO is one that should satisfy reader John Bradley. He inquired in the September 1991 Ask WOOD about a signmaker's alphabet where letters like "p" and "q" don't dip below the baseline. To order our sturdy plastic 2"-lettering guide for our sale price of \$33.75 ppd., call 800/462-3353 and ask for item RST 009.

—Ray Seymour, Garland, Texas

Sanding-sleeve source found

I finally found a source for a 2¼x3" sanding sleeve, and thought I'd share it with you. Old Atlas, Delta, and Sears drill-press attachments take sleeves this size. You can order from The Sanding Catalogue, P.O. Box 3737, Hickory, NC 28603-9928.

—Lewis Bernard, Ely, Minn.

Return of the Router Crafter

The Sears Router Crafter is back by popular demand after a 5-year absence. Driven by customer letters—we got some ourselves—Sears says the Router Crafter should be in its larger stores this month for less than \$100. Use it with most 6"-base routers to perform several furnituremaking functions usually done on a lathe. These include the making of straight or tapered spindles with beading, fluting, and left- or right-hand spirals.

Scrollsawers like carving patterns, too

You carve them and I'll scrollsaw them. The "Nature's Goodness" wall plaque (August 1991) was great. I used ¾" fir with a ¼" plywood back, and added plywood to the fir for levels of relief.

—A. Kampman, Naperville, Ill.

Continued on page 8

ROBLAND X 31

THE INTELLIGENT ONE-MAN SHOP



- 1100 lbs. • 3 separate 3HP motors • 12" jointer • 12" planer • 10" table saw
- 3HP shaper • mortiser • tremendous space saver

The Robland X 31 is designed to make maximum use of minimum space, ideal for the small professional shop and the demanding hobbyist. Change from one tool to another in 20 seconds or less! Solid, sturdy, reliable.

2081 LAGUNA CANYON RD., LAGUNA BEACH, CA 92651

LAGUNA TOOLS

1-800-234-1976 or 714-494-7006

fun Woodworking

Convenient
Front Cam

Tool-Free
Upper
Bladeholder



American
Made
Quality

Easy
Variable
Speed Control

3 Year
Warranty

We Put The *Fun* Back In Your Shop

FREE INFO KIT RBIndustries, The American Toolmaker
1801 Vine St., P.O. Box 369
Harrisonville, MO 64701

1-800-487-2623



Dept. A100

TALKING BACK

Continued from page 7

Another vote for retrofitting TV consoles

I had just completed a TV-cabinet project of my own when I noticed your October 1991 Editor's Angle on retrofitting new sets into old consoles. My fun project just didn't seem to last long enough. I used a 1959 oak Admiral floor console. I replaced an old 23" black and white unit with a new 25" color set. Using a router and a rotary power tool, I shoe-horned the new set right into the cabinet.

—Jim Ross, Linthicum, Md.

Should you boost cutter speeds?

In your dado-cutter tests (October 1991), you omitted one important factor in getting smooth dado cuts—*speed*. To counter reduced tooth speed when using smaller diameter blades, I installed a 3-step pulley on my motor. When using the 6" dado, I move up a step. I go up another step when using my 4" molding-head cutter for nice smooth cuts.

—Frank H. Flores, Ida Grove, Iowa

Interesting idea, Frank, but our project builder, Jim Boelling, warns against using molding-head cutters, dado blades, or saw blades at speeds exceeding the manufacturer's recommendations. Boelling once was bit in the mouth when the carbide tip flew off a top-quality saw blade he was using.

The Freud difference

Regarding your dado-cutter comparison article in the October 1991 issue, you overlooked one of the most important categories—*safety*. No woodcutting tool can be totally safe, but every effort must be made to reduce the likelihood of injury.

One of our first products several years ago to feature Freud's safer antikickback design was our dado. Our design reduces the tendency of saw blades and dado blades on radial-arm saws to violently climb the workpiece toward the operator. It also reduces kickback on tablesaws. Our Safety Dado is the only one on the U.S. market.

—Jim Brewer, Freud research and marketing manager

Jim, we have used your dado blade for several months. We find that it cuts less aggressively than the others, which supports your safety claim. ♣





Compare this offer with any other book club for Price • Quality • Benefits • Selection!



An absolutely no-risk guarantee.

**Select 5 Books
for only \$4.95**
(values to \$119.75)



3841 \$27.95
Counts as 2



3244P \$16.95



3189 \$15.95
Counts as 2



3255P \$16.95




2774P \$18.95



3591 \$24.95



1122P \$14.95




3435 \$21.95




3496 \$19.95



3248P \$14.95




3609 \$25.95
Counts as 2



3434 \$21.95



3174P \$14.95



2869P \$14.95



2944 \$24.95




2789P \$16.95



3314P \$14.95



1838P \$10.95



3426P \$15.95



3281 \$28.95
Counts as 2



3404 \$26.95
Counts as 2




3271 \$24.95
Counts as 2



1971P \$12.95



3500 \$25.95
Counts as 2



3021P \$14.95



3177P \$24.95
Counts as 2



10024 \$32.95
Counts as 2



3529 \$22.95




3064P \$12.95



3134P \$16.95



3144P \$17.95



1967P \$11.95



3706 \$19.95



3326 \$26.95
Counts as 2



3768 \$26.95
Counts as 2



3079P \$14.95



1763P \$13.95



3587 \$19.95



HOW-TO BOOK CLUB

Blue Ridge Summit, PA 17294-0800

Membership Benefits • Big Savings. In addition to this introductory offer, you keep saving substantially with members' prices of up to 50% off the publishers' prices. • **Bonus Books.** Starting immediately, you will be eligible for our Bonus Book Plan, with savings of up to 80% off publishers' prices. • **Club News Bulletins.** 15 times per year you will receive the Book Club News, describing all the current selections—mains, alternates, extras—plus bonus offers and special sales, with scores of titles to choose from. • **Automatic Order.** If you want the Main Selection, do nothing and it will be sent to you automatically. If you prefer another selection, or no book at all, simply indicate your choice on the reply form provided. You will have at least 10 days to decide. As a member, you agree to purchase at least 3 books within the next 2 years and may resign at any time thereafter. • **Ironclad No-Risk Guarantee.** If not satisfied with your books, return them within 10 days without obligation! • **Exceptional Quality.** All books are quality publishers' editions especially selected by our Editorial Board. WD192



(Publishers' Prices Shown)
All books are hardcover unless number is followed by a "P" for paperback.

A shipping/handling charge and sales tax will be added to all orders.

If card is missing, use this address to join:
How-To Book Club, Blue Ridge Summit, PA 17294-0800

©1992
HOW-TO BOOK CLUB
Blue Ridge Summit,
PA 17294-0800



CASCADE TOOLS, INC.

91C-110

EXCLUSIVE DISTRIBUTORS OF **S** INDUSTRIAL CARBIDE TOOLING

SALE!

OUR BIGGEST EVER!

We would like to convince you of the high quality of our bits, so, for a limited time only, we are offering our bits at prices only seen with cheaper imports. Our bits have thicker carbide and are ground with up to 600gr diamond wheels.

We guarantee you'll be satisfied!


Roundover Bits with Bearing Guide

1/4" SHANK

PART	CUTTER DIA. A	CUTTING LENGTH B	OVERALL LENGTH C	RADIUS r	SALE!
C1175	7/8"	3/8"	2"	1/8"	\$10 ⁰⁰
C1177	1"	1/2"	2"	1/4"	\$11 ⁰⁰
C1179	1-1/4"	5/8"	2-1/4"	3/8"	\$14 ⁰⁰

1/2" SHANK

PART	CUTTER DIA. A	CUTTING LENGTH B	OVERALL LENGTH C	RADIUS r	SALE!
C1184	1"	1/2"	2-1/4"	1/4"	\$11 ⁰⁰
C1185	1-1/8"	1/2"	2-3/8"	5/16"	\$12 ⁰⁰
C1186	1-1/4"	5/8"	2-1/2"	3/8"	\$14 ⁰⁰



Double Fluted Straight Bits

1/4" SHANK

PART	CUTTER DIA. A	CUTTING LENGTH B	OVERALL LENGTH C	SALE!
C1001	1/4"	3/4"	2"	\$6 ⁰⁰
C1002	5/16"	11/16"	2"	\$6 ⁰⁰
C1003	3/8"	3/4"	2"	\$6 ⁰⁰
C1004	1/2"	3/4"	2"	\$8 ⁰⁰

1/2" SHANK

PART	CUTTER DIA. A	CUTTING LENGTH B	OVERALL LENGTH C	SALE!
C1008	1/4"	3/4"	2-1/2"	\$6 ⁰⁰
C1009	5/16"	3/4"	2-1/2"	\$6 ⁰⁰
C1010	3/8"	3/4"	2-1/2"	\$6 ⁰⁰
C1011	1/2"	1-3/16"	2-1/2"	\$8 ⁰⁰




Dovetail Bits 2 Flutes

1/4" SHANK

PART	CUTTER DIA. A	CUTTING LENGTH B	OVERALL LENGTH C	ANGLE a	SALE!
C1068	3/8"	3/8"	1-3/4"	8°	\$5 ⁰⁰
C1069	1/2"	1/2"	1-3/4"	14°	\$5 ⁰⁰
C1071	3/4"	11/16"	2-1/8"	14°	\$7 ⁰⁰

1/2" SHANK

PART	CUTTER DIA. A	CUTTING LENGTH B	OVERALL LENGTH C	ANGLE a	SALE!
C1074	1/2"	1/2"	2-1/4"	14°	\$5 ⁰⁰
C1076	3/4"	7/8"	2-1/2"	14°	\$8 ⁰⁰




Chamfer Bits 2 Flutes

1/4" SHANK

PART	CUTTER DIA. A	CUTTING LENGTH B	OVERALL LENGTH C	SALE!
C1129	1"	7/16"	2"	\$12 ⁰⁰
C1130	1-3/8"	5/8"	2-1/4"	\$16 ⁰⁰

1/2" SHANK

PART	CUTTER DIA. A	CUTTING LENGTH B	OVERALL LENGTH C	SALE!
C1131	1-1/8"	1/2"	2-1/4"	\$14 ⁰⁰
C1132	1-3/8"	5/8"	2-3/8"	\$16 ⁰⁰



ORDER 24 HOURS A DAY!

1-800-235-0272



FREE SHIPPING ON ORDERS TOTALING \$100⁰⁰ OR MORE!



WOODCRAFT

The Leading Edge in Woodworking Tools

FREE Tool Catalog

Our complete woodworking tool catalog features over 4,000 of the finest quality woodworking tools, books, and supplies available today. See the difference yourself **FREE!**



Order yours today!
Call 1-800-542-9115

Or write: Woodcraft, Dept. 92WI01Q
210 Wood County Industrial Park
P. O. Box 1686
Parkersburg, WV 26101-1686

Econ-Abrasives

WE MAKE ABRASIVE BELTS ANY SIZE, ANY GRIT!

ABRASIVE SHEETS:

(9 X 11)

CABINET PAPER

	50/pk	100/pk
40D	\$17.00	\$32.00C
50D	16.00	29.00C
60D	15.00	27.00C
80D	14.00	25.00C
100 thru 150C	13.00	23.00C

FINISHING PAPER

80A	\$ 10.00	\$17.00C
100 thru 280A	9.00	15.00C

WET/DRY PAPER

220 thru 600	\$14.00	\$24.00C
--------------	---------	----------

NO LOAD PAPER

180 thru 400A	\$11.00	\$19.00C
---------------	---------	----------

*C = 100 SHEETS

ABRASIVE BELTS

PLEASE SPECIFY GRITS

1X30	\$.73 ea	3X24	\$.84 ea
1X42	.73 ea	3X27	.87 ea
1X44	.73 ea	4X21 3/4	.96 ea
2 1/2X16	.77 ea	4X24	.99 ea
3X18	.78 ea	4X36	1.20 ea
3X21	.81 ea	6X48	3.14 ea
3X23 3/4	.84 ea	2 1/4X80	2.94 ea

OTHER SIZES ON REQUEST

JUMBO CLEANING STICK \$8.80
2 x 2 x 12

OTHER ITEMS

- *WIDE BELTS
- *ROLLS
- *FLAP WHEELS
- *PUMP SLEEVES
- *PSA DISCS
- *ROUTER BITS
- *WOOD GLUE
- *VELCRO DISCS

- *MINIMUM ORDER \$25.00
- *MasterCard, VISA, or Check
- *SATISFACTION GUARANTEED!!!
- *CALL FOR FREE 1991 CATALOG

- TX & NV Add Sales Taxes
- Continental U. S. Shipping Charges add \$5.50

Econ-Abrasives



P. O. Box B865021
Plano, TX 75086
(214)377-9779

NATIONAL (800)367-4101

Quality Woodworking Machines at Affordable prices from

Penn State Industries

Dept. W, 2850 Comly Road • Phila, Pa. 19154

Order Toll Free 1-800-288-7297 • Info: 215-676-7609

Visa, Master, & Discover Cards accepted • Pa residents add 6% Sales Tax

When ordering - Add UPS Shipping Charges as noted

Call or Write for our New 24 Page Color Catalog



5 Speed Drill Presses

- Motor: 1/2 HP TEFC
- 13-3/4" Swing
- 5/8" JT3 Chuck
- 11" x 11" Sq Table
- Work Light included
- Table tilt 90°
- Table swivel 360°
- Rack table elevator

Table Top Model:

#DPT ... \$179.95 (UPS \$25)

Floor Model:

#DPF ... \$219.95 (UPS \$30)

Two Way Sanders

Features of both models:

- Dust collector on belt
- Tables tilt to 45°
- Sealed ball bearings
- Easy belt tracking

6x9 Sander:

- Includes stand
- 9" Disc • 6"x48" Belt
- 3/4 HP, 1720 RPM
- Free Belts & Discs worth \$21.00

#S69 ... \$219.95 (UPS \$30)

4x8 Sander: ON SALE

- 8" Disc • 4"x36" Belt
- 1/3 HP, 1720 RPM
- Free Belts & Discs worth \$14.00

#S48 ... \$109.95 (UPS \$8)

Super 125 Planer only \$359.95

This machine will pay for itself time and again by planing your own wood. Finishes wood like machines many times its price.

- Portable at 65 lbs
- 26.2 fpm power feed
- HSS Knives 12-1/2" wide
- Motor: 16Amp, 8000RPM 2HP, 115V
- 1/8" Max depth of cut

#PLA \$359.95 (UPS \$15)

Extra Knives ...\$25/pair

Dust Chute ... \$15/ea (UPS \$3)

Stand \$39/ea. (UPS \$6)

Variable Speed Scroll Saw

ON SALE \$169.95

Cuts intricate patterns in many different materials. Electronically controlled motor gives full power at all speeds 400-1800cpm.

FREE ACCESSORIES:

- Dust blower • 1 dz blades
- EZ Set permanent top arm blade holders • EZ jig to attach standard holders • 4 blade holders • Neptune 1-1/2" lettering guides w/6 patterns

Specifications:

- Motor: 1.3 Amp, 110V
- Throat: 15" deep • Stroke-3/4"
- Tilt 0-45° left • Cut Depth: 2"
- Blades: uses pin & plain end

#SVS \$169.95 (UPS \$10)

Dust Collectors

610 CFM Dust Collector:

This collector is perfect for hookups to almost any single machine.

- 1HP, 110/220V • 1 outlet @ 4" • 2 Bags @ 20 gal • Wt: 75lbs • 610 CFM
- Free: 8' of hose, 1ea 4" to 3" & 4" to 2" adaptors.. \$15 Value

#DC1 \$199.95 (UPS \$20)

900 CFM Dust Collector:

This 1-1/2HP model allows for use in 2 or more machines & gives improved service for long runs of hose.

- 1-1/2HP, 110/220V • 2 outlet s @ 4" • 2 Bags @ 30 gal • Wt: 120lbs • 900CFM
- Free: 50' of hose, 1ea 4" to 3" , 2 ea 4" to 2" adaptors.. \$40Value

#DC2 \$299.95 (UPS \$30)

CREATE A FAMILY TREASURE WITH KUEMPEL CHIME Red-i-Kut Kits



Each case is carefully handcrafted by grandfathers in 3/4" walnut cherry or oak. Precision German movements, handcrafted pendulums, and individually handpainted moonwheels.

Write or Call for Free Catalog
1-800-328-6445

Kuempel Chime

Dept. 026
21195 Minnetonka Blvd.
Excelsior, MN 55331

Serving clockmakers for 75 years.



RESTORE FURNITURE for SECURE INCOME Perfect 2nd Career

Make \$200-\$2,000 a day! Unlimited market; turn-key business. Free workshops. Set-Up Shop for \$2,999-\$9,999! Part-time or full-time. Great for men, women, families.

Make Molds*Veneer*Resilver Strip*Repair*Refinish

Business Preview Video \$19.95 - Catalog \$2.00

MINUTEMAN, INC., Ste. 17

Box 8, Waterloo, WI 53594

1-800-733-1776



RIP SAW

The Portable Sawmill.

The "affordable portable" one man band sawmill. Weighs only 45 lbs. Cuts 20" diameter logs into lumber. Minimum 1/8" to maximum 9" thickness.

Write or call for free brochure.

Better Built CORPORATION

(508) 657-5636

845 Woburn Street, Dept. W, Wilmington, MA 01887



WOOD TOY

- ★ Patterns
- ★ Parts
- ★ Wheels
- ★ Many New Patterns to Choose from.
- ★ Executive toys

SEND \$1.00 FOR NEW CATALOG & RECEIVE COUPON FOR FREE WHEELS & AXLE PEGS.

toys and joys

Box 628W Lynden, Wash. 98264



Professional Plans QUALITY KENNELS

Beautiful Economical

Portable

Durable

Make various sizes and shapes by easily bolting sections together.

Help form healthy habits and happy pets with this proven plan!

Kennel Plan \$14.95

Kennel & Dog House Plans (Med. & Lrg. with removable roof and insulating air pockets) \$19.95

Send Check or M.O. To:

EVER-STURDY

Dept. WJ, P.O. 1609, E. Greenwich R.I. 02818

7% Tax R.I. Res. Only



Backyard Dream Come True.



A SteelMaster steel building is the perfect place for a home business, from car repair to woodworking to crafts. SteelMaster buildings are economical, maintenance free, corrosion resistant, and easy to assemble. Plus, our FACTORY DIRECT PRICES will save you thousands.

Call 1-800-527-4044

In Canada Call:

1-800-387-2343





EARN CASH, PRIZES FOR YOUR TOP SHOP TIP

Do you have a great shop tip (or two) you'd like to share with other WOOD® magazine readers? For each published submission, you will get at least \$25 from WOOD magazine (as much as \$200 if we devote a page or more of space elsewhere in the magazine to your idea). You also may earn a woodworking tool for submitting the Top Shop Tip for the issue.

We try not to use shop tips that have appeared in other magazines, so please send yours to only one. We do not return shop tips. Mail your tip(s), address, and daytime phone number to:


Top Shop Tip
WOOD magazine
P.O. Box 11454
Des Moines, IA 50336-1454

Filter wrench speeds dust-hose changeovers

Switching your dust-collection hose from one machine to another annoys you. Tightening and loosening the hose clamp with a screwdriver eats up a lot of time.

TIP: Instead of a hose clamp, try a band-type automotive oil-filter wrench. It slides right onto the end of a 3" hose, and then you can connect or disconnect the hose with just a flip of the wrench handle.

—Lyman King, Fulton, N.Y.



Long arm lends hand when routing edges

You can't rout assembled box or drawer edges very well, especially inside edges, with a handheld router. The narrow edge doesn't support the router properly, so you end up with a poor cut. A table-mounted router does the job, but what if you don't have one, or the work is too cumbersome to handle on a table?


TIP: Build an extended base for your router from 1/4" plywood and 3/4" hardwood, shown right. The plywood width should equal your router-base diameter. Make it long enough to span your project.

For his tip, Ken receives this Dremel model 1371 13" scrollsaw.



Round one end using the router base as a template, and mark the mounting holes and router-bit opening. Then, drill the opening for the router bit. Drill and countersink the mounting-screw holes. Cut the hardwood stiffening spine, and then glue and screw it into place. Mount the router to your new extended base, and you're ready to tackle those outside or inside edges with ease.

—Ken Seals, Edenton, N.C.




Tape records diameters for woodturning layout

Constantly referring to templates on small turning projects slows things down, but you do need to know diameters at various reference points.

TIP: When you set up for a turning, put a strip of masking tape along the top of the lathe tool rest. Mark the reference points and diameters onto it. Now, you

have a handy guide to those turning diameters that's right where you need it whenever you need it.

—Glen Plum, Riverside, Calif.



Continued on page 14

FEELING THE SQUEEZE?

FREE Record Tools C-Clamps Ease The Pinch!

We're making this great offer to introduce you to remarkable Record Woodworking Vises...
the quality vises that defy comparison!

Remember, before you buy - always compare and you'll insist on Record!
You should ensure that the sliding jaw and body are finely cast from S.G. Ductile Iron. Unlike ordinary iron, S.G. is a strong, flexible material comparable to steel in its characteristics - gives you confidence when you have to wind the pressure on. And these components should be precision machined on computer controlled equipment for consistent repetitive accuracy so you don't have to worry about 'getting a good one'.

Look at the vise side-on. When fully closed the jaws should meet only at the top, leaving a gap at the bottom. That gives you even clamping pressure on the whole depth of the workpiece.


And, of course, countersunk holes should be provided so you can fit your own choice of wooden cheeks to protect the work.

The steel main screw should have a buttress thread and quick-release trigger mechanism. This disengages the main screw allowing the jaw to slide freely - saves a lot of time if you're working with different widths of stock.

The steel guide rods will be accurately made and fitted, reducing wear and providing a smooth parallel adjustment.

And if you intend to install 'stops' along your bench top, you'll find an adjustable 'dog' is a useful extra.

These and other features have made our vises first choice for generations of woodworkers.



Choose from these quick release units: 52ED*, 52 1/2ED*, 53E with 8", 13" and 15" jaw openings respectively.

* With adjustable 'dog'.

FREE!

Buy a 52ED, 52 1/2ED, or 53E Record Woodworking Vise and receive 4 - Record #120 Series "C" Clamps ABSOLUTELY FREE (2-4" and 2-6"). Cast from S.G. Ductile Iron in Sheffield, England. M.S.L. over \$50.00.

Purchase any one of these vises at your authorized dealer between December 1, 1991 and March 31, 1992. Send us your sales receipt along with (this) coupon to the address shown and we'll send you the "C" Clamps at NO EXTRA CHARGE. Coupon and receipt must be postmarked no later than March 31, 1992.



NAME _____
ADDRESS _____
CITY _____
STATE _____ ZIP CODE _____

Record Tools Offer
155 Great Arrow Ave.,
Buffalo, N.Y., 14207

Check item purchased 52ED 52 1/2ED 53E

Record Tools
155 Great Arrow Ave.
Buffalo, N.Y. 14207
TOLL FREE in U.S.A.
1-800-267-8367

FREE CATALOG

Send today for your **FREE** copy of our 72 page full-color catalog. You'll find the best prices for over 3,000 brand-name products. Included are power tools and accessories, hand tools, screws, hardware, wood components, plans, how-to books, and much more.

Trend-lines®

Discount Woodworking Tools and Supplies

To order your **FREE** catalog, just fill out the coupon below and mail it to:

Trend-lines
Dept. WD12
375 Beacham St.
Chelsea, MA 02150



Name _____
Address _____
City _____
State _____ Zip _____
DEPT. WD12

SPRAY FINE FINISHES

for only **\$179⁹⁹** delivered with the New **WAGNER®**

FineCoat™

Low Overspray Finishing System

- The Ideal "Fine Finishing Tool"
- Great for applying Varnishes, Stains, Lacquers and water based finishes!



IF NOT SATISFIED AFTER 60 DAYS, RETURN FOR FULL REFUND!

\$179⁹⁹

HVLP
High Volume,
Low Pressure

BONUS: Free Shipping in the continental U.S.A. only.
FEATURES: 7.5 amp., 4 PSI, 47 CFM, 15 ft. hose included, 1 quart capacity cup, 15 lb. total weight.

PHONE **1-800-776-5467** ...they are out the next day!

- MasterCard Visa (Please include exp. date)
 Check Discover PA Residents add 6% Sales Tax.


Quaker State WOODWORKING SUPPLY
4434 Kutztown Rd. • Reading, PA 19560

TIPS FROM YOUR SHOP (AND OURS)

Continued from page 12


Paper slips glue into tight spot

Veneer edging has a habit of popping loose. The only answer is to deposit some glue behind it and stick it down again. But some edging isn't very flexible, and you run the risk of breaking it if you try to bend it far enough to get your glue-bottle tip in. What's a woodworker to do?



TIP: Fold a piece of notepaper in half and give it a sharp crease. Put a few drops of glue into the crease near one end, and slide that end in behind the loose veneer. Now, you can squeeze the glue out of the paper as you press the veneer back into place. You'll have your edge back on without getting glue all over or breaking the band.

—Brian Bresbears, Kent, Wash.






Smooth on the filler with a shop-made tool

Sometimes you have to use wood filler, but putting it on with a putty knife leaves something to be desired. Putty knives always seem to be the wrong size, or the metal blade scars your wood.

piece as shown in the side view below, and sand the thin end to width with a drum sander. Apply filler with the long, tapered end of the applicator, and remove the excess with the opposite end. If you don't get the filler cleaned off your applicator before it sets up, just sand down to a new surface.

—Stan Thomas, Bend, Ore.



Continued on page 17

CHOICE CUTS. \$349.

We figured it was time you moved up to stationary tools that are a cut above the rest. Time for Delta quality. The pros' choice. Your choice, 349 bucks.*

For starters, we're giving you two table saws and a band saw.

But to rip a perfect edge, you need to start with a perfect edge. So we added a jointer. For \$349.


Now all those perfect boards are going to call for perfect holes. Yep, the perfect drill press.

You see, one choice tool leads to another. And another.

So your only decision is just where to start. It's your choice. Any one or several.

Call toll free for the name of your nearest dealer. Delta International Machinery Corp., 800/438-2486.

Our 16½" Drill Press gives you 12 speed options, locking depth stop, tilting table, 5/8" capacity chuck and lots of cast iron. Versatility and precision galore.



Our Super 10 Saw has a quiet 1 HP induction motor. It features a 22¼" x 38 3/8" table, single lever rip fence, miter gage and see-thru blade guard.



Our 16" Band Saw is a 3-wheel design for greater capacity; cuts up to 8" thick x 16" wide. Tilting table for bevel cutting.



The Delta 6" Jointer with three-knife cutterhead and large cast iron table gives you a precision edge. Comes with steel stand.



Our 10" Table Saw has a powerful 15 Amp, universal series motor and exclusive belt drive. And many of the same features as the Super 10. Your Delta dealer can help you decide which saw is best for you.



All that quality dust, from all those quality cuts...you might as well go Delta Quality all the way, and breathe easy. Here's a powerful two-stage, industrial quality, portable Dust Collector.

*Offer good only from participating dealers in the continental U.S., Alaska and Hawaii, from September 1, 1991 thru March 31, 1992.

**Building
On Tradition**
DELTA
A Pentair Company

Buy Direct From The Manufacturer And **SAVE!**

Buy 12 "EVER-LAST" Belts... Get 12 Belts FREE!



Need ROLLS, WIDE BELTS, DISCS,
SLEEVES, STROKE BELTS, etc.
Write for catalog.

Belts available in 36, 50, 60, 80, 100,
120, 150, 180, 220, 320 grit sizes.
Please specify grit sizes when ordering,
otherwise an assortment will be supplied.

- 1" x 30" ... \$16.50/Doz. + 12 FREE
- 1" x 42" ... \$16.95/Doz. + 12 FREE
- 2" x 48" ... \$25.25/Doz. + 12 FREE
- 2 1/2" x 16" ... \$17.95/Doz. + 12 FREE
- 3" x 18" ... \$18.25/Doz. + 12 FREE
- 3" x 21" ... \$19.25/Doz. + 12 FREE
- 3" x 24" ... \$19.75/Doz. + 12 FREE
- 4" x 21" ... \$23.50/Doz. + 12 FREE
- 4" x 21 1/4" ... \$23.75/Doz. + 12 FREE
- 4" x 24" ... \$24.00/Doz. + 12 FREE
- 4" x 36" ... \$28.75/Doz. + 12 FREE
- 6" x 48" ... \$37.50/1/2 Doz. + 6 FREE

Other size belts on request.
 Belt Cleaning Stick ... \$4.95 each

For Fast Delivery Call Toll Free
1-800-428-2222 (U.S.A.)
1-800-222-2292 (PA only)

9" x 11" PAPER SHEETS

A/O or Garnet Cabinet Paper

	50 PACK	100 PACK
40-D	\$17.00	\$32.00
50-D	\$16.00	\$29.00
60-D	\$15.00	\$27.00
80-D	\$14.00	\$25.00
100-C	\$13.00	\$23.00
120-C	\$13.00	\$23.00
150-C	\$13.00	\$23.00
No Load Finishing Paper (White)		
120-C	\$14.00	\$24.00
150-C	\$14.00	\$24.00
180-A	\$11.00	\$19.00
220-A	\$11.00	\$19.00
280-A	\$11.00	\$19.00
320-A	\$11.00	\$19.00
400-A	\$11.00	\$19.00

SHIPPING CHARGES: \$4.75 Continental U.S.
Minimum Order \$25.00
PA Residents Add 6% Sales Tax.

MONEY ORDER CHECK
 MASTER CARD VISA

**INDUSTRIAL
BRASIVES CO.**
643 N. 8th ST. • READING, PA 19612

STEVE WALL LUMBER CO.

Quality Hardwoods and Woodworking Machinery For
The Craftsmen and Educational Institutions

Ash	4/4	Select	1.90	UPS Special	\$59.00
Basswood	4/4	Select	1.30		\$47.00
Birch	4/4	Select	1.60		\$53.00
Butternut	4/4	Log Run	1.40		\$55.00
Cherry	4/4	Select	4.40		\$68.00
Cypress	4/4	Select	1.60		\$49.00
Hickory	4/4	Select	1.50		\$47.00
Mahogany (Genuine)	4/4	Select	2.70		\$73.00
Maple (Hard)	4/4	Select	1.55		\$52.00
Maple (Soft)	4/4	Select	1.30		\$46.00
Pecan	4/4	Select	1.50		\$47.00
Poplar	4/4	Select	1.20		\$45.00
White OR Red Oak	4/4	Select	1.80		\$57.00
Walnut	4/4	Select	2.50		\$71.00
Cedar (Aromatic Red)	4/4	1C+Btr.	1.35		\$46.00
White Pine	4/4	FG.	.85	\$37.00	
Yellow Pine	4/4	Clear	1.20	\$45.00	

Above prices are for 100' quantities of kilndried rough
lumber sold by the Bd. Ft. FOB Mayodan, NC.
Call for quantity discounts. Other sizes and grades
available.

Above prices are 20 bd. ft. bundles of
clear kilndried lumber 3"-10" wide - 3'
7" long (Random widths & lengths)
Surfaced 2 sides or rough. Delivered
UPS prepaid in the Continental U.S.

LUMBER SPECIALS

CHERRY 100 Bd. Ft. Bundle Log Run S2S 13/16 \$ 90*
WALNUT 100 Bd. Ft. Bundle #1 Common 4/4 \$ 110*
***FOB Mayodan - Motor Freight Only**

Call For Best Prices On *MiniMax*

STEVE H. WALL LUMBER CO.
BOX 287 • MAYODAN, N.C. 27027

919-427-0637 • 1-800-633-4062 • FAX 919-427-7588

Send \$1.00 For Lumber and Machinery Catalog

BUILD THIS Heirloom Cradle

FROM A PRE-CUT
SOLID OAK KIT



Quality
Woods

FREE Full color
catalog gives you
all the facts

Austin's Cradle welcomes a
new grandchild into your family, then serves
as a loving tie to new generations for
many years to come. Easy to assemble
from pre-cut oak wood parts. No special
tools needed.

Please send my free Craftsman's Corner
Catalog featuring Austin's Cradle and many
other top quality oak kits. I understand I have
no obligation.

Print
Name _____
Address _____
City _____ State _____ Zip _____
CRAFTSMAN'S CORNER
Dept. 1LK • 4012 N.E. 14th St. • Box AP
Des Moines, IA 50302

A New Concept for Scroll Patterns

No more messy spray
adhesives, tracing, or
copying. The patterns are
full size, printed in black ink
on 8 pt. white non-curl,
pressure sensitive card
paper. Simply peel off the



W101

protective backing from the
pattern and apply pattern to
the wood.

The pattern will be mailed in
a large flat envelope with
step-by-step instructions.



C202

Be sure to indicate your shelf choice

	QTY.	COST
<input type="checkbox"/> W101 - Wall Shelf (actual size 14" x 16")	\$15.00	_____
<input type="checkbox"/> C202 - Corner Shelf (actual size 12" x 20")	\$15.00	_____
<input type="checkbox"/> Order W101 and C202 (SAVE \$5)	\$25.00	_____

Add Shipping & Handling \$5.00
Final Cost _____

Name: _____
Address: _____
City: _____ State: _____
Telephone: () _____ Zip: _____

Send check or money order payable to:

DECO SCROLL DESIGN CORP.
P.O. Box 2621, Ormond Beach, FL 32175

Build Power Tools You Can Be Proud Of... And SAVE!!!

Remember when "quality
craftsmanship" meant something?
With GIL-BILT tools it
still does.

- Construct your own:
- 12-in BAND SAW
- 18-in BAND SAW
- 10-in. TILT/ARBOR SAW
- LATHE/DRILL PRESS COMB.
- 9-in TILT TABLE SAW
- 6-in BELT SANDER
- SPINDLE SHAPER
- CIRCULAR SAW TABLE

GIL-BILT kits include step-by-step plans, full
scale patterns and all necessary metal parts and
components except wood and motor. Made in
America with pride by Gilliom Manufacturing, Inc.
since 1946.

Send \$6 per plan or \$24.50 for plans for all eight
tools listed above or send \$1 for descriptive
brochure only. Satisfaction Guaranteed.

GILLIOM MANUFACTURING, INC.,

Dept. WD12
P. O. Box 1018
St. Charles, MO 63302
Phone (314) 724-1812



Featured here: 18-in. Band Saw

Specs: Throat capacity 18 in.
Thickness capacity 12 in.
Table size 26 in. x 28 in.

Table tilt 0° to 45°
Blade furnished 124 in. x 1/4 in. x 6T

Table height 39 1/2 in.
Overall dimensions 33 1/2 in. wide

29 in. deep
71 1/2 in. high

Speed (w/1,725 rpm motor)

425 rpm 2000 bfm

Order No. 451-K only \$189.99 (less
cost of plan, if previously
purchased) plus shipping

Speed reduction kit available for
cutting steel.

TIPS FROM YOUR SHOP (AND OURS)


Continued from page 14

Add a bit of color for safe jointing

Since you always have the blade guard in place on your jointer, you may not give much thought to the spinning cutterhead with its sharp knives. But it's right there, almost at your fingertips.

TIP: Stick strips of yellow plastic tape to the cutterhead between the blades. Then, whenever you see a flash of yellow between your workpiece and the guard, think of the knives. Unplug the machine and clean the head before applying the tape.



—Harold Thomson, Raytown, Mo.



MORE TIPS FROM OUR WOODWORKING PROS

- For a way you can laminate stock and trim it to size to make furniture squares, check out Step 1 on page 42.
- Does cutting perfectly round corners give you fits? See how we cut the radius with a drill bit and then make straight saw cuts up to it. It's on page 42.
- Want to make some raised-panel doors? See the photos on pages 67 and 69 showing how we made the tenon-and-groove front frame for our Shaker clock. The same article describes making a raised panel to fit the frame. 🪵

AMAZING PRICE BREAKTHROUGHS!



- A. 16 pc. Forstner Bit Set #77581 \$87.95**
All bits 3 1/2" overall, precision ground, HRC 50-52. Sizes 1/4" through 2 1/8" in wooden case. All 3/8" shanks. Sizes over 1 1/2" supplied with saw teeth to eliminate overheating.
- B. 7 pc. Forstner Bill Set #77571 \$27.95**
All bits 3 1/2" overall, precision ground, HRC 50-52. Sizes 1/4" through 1" in wooden case.
- C. 10 pc. Forstner Bit Set #53982 \$74.95**
All bits 3 1/2" overall, precision ground, HRC 50-52. Sizes 1", 1 1/8", 1 1/4", 1 3/8", 1 1/2", 1 5/8", 1 3/4", 1 7/8", 2", 2 1/8" in handsome wooden case. All bits with saw teeth for faster heat-free drilling!
- D. 22 pc. HSS Tapered Drill, Countersink/Bore, Stop Collar Set #12232 \$26.95**
For screw sizes #s 5, 6, 7, 8, 9, 10, 12. Wood case included.
- E. Jumbo Forstner Bits #18302 \$139.95**
8 pc. Set includes 2 1/2" thru 3 1/8", all with saw teeth.
2 1/4" Bit #18232 \$21.95 | 2 3/4" Bit #18272 \$27.95
2 3/8" Bit #18242 \$22.95 | 2 7/8" Bit #18282 \$31.95
2 1/2" Bit #18252 \$24.50 | 3" Bit #77591 \$33.99
2 5/8" Bit #18262 \$25.50 | 3 1/8" Bit #18292 \$35.95
- F. Classic Bench Hold-down #54012 \$6.95**
Tap on top secures your work, tap at the back releases it. Great for any workbench top.
- G. Special Anti-Kickback Device #50179 \$31.95**
Table saw Anti-Kickback #74131 \$31.95
Radial Anti-Kickback #74141 \$31.95
Shaper Anti-Kickback #74141 \$31.95
Optional 2 pc. Aluminum Track #74201 \$10.95
- H. Anti-Kickback Featherboard & Hold Down #29402 \$11.95**
Featherboard fits into miter gauge slot of your table saw and locks into position. Also prevents material from raising off the blade.
- I. Safety Push Block #54032 \$3.95**
Sure grip 3" x 5" pad. Helps keep hands away from planer, jointer or table saw blades.
- J. Quick Release, Large Capacity Bench Vise #54002 \$37.95**
Heavy cast iron construction with built-in steel bench dog. Jaws are 7" wide and predrilled for adding wooden faces. Opens to 11" and mounts to a 2 5/8" or thinner section of your bench.
- K. 5 pc. Jumbo Bradpoint Drill Set #54992 \$18.95**
Comes in sizes 9/16", 5/8", 7/8" & 1". All with 3/8" shanks.
- L. 7 pc. Carbide Tipped Bradpoint Drill Set #53992 \$31.95**
Creates clean entry holes with no overheating. Sizes 1/8", 3/16", 1/4", 5/16", 7/16", & 1/2". Wooden case included.
- M. 25 pc. Bradpoint Drill Set #77611 \$17.95**
Fits any 3/8" or larger chuck. Free metal index.
- N. 7 pc. Stop Collar Set #93361 \$4.95**
- O. 4 pc. Mortise & Chisel Set #54022 \$39.95**
Comes with sizes 1/4", 5/16", 3/8" & 1/2". Standard 5/8" shank fits most brand's mortise attachment.
- P. Mortise Attachment #64202 \$24.95**
Fits all major brands and imports including Jet, Grizzly and Delta. For 5/8" shank, chisels and bits.

In Ohio, please add 6% Sales Tax. Minimum order \$18.95.
All orders add \$3.00 shipping/handling charge.

1-800-345-2396

940 W. Maple St., Hartville, Ohio 44632
Offer available in 48 continental states only.



MORE GREAT TOYS FROM

◀ TURN OUT THE BARREL

An endless stream of wooden cars, trucks, and boats pour out of Henry J. Gorczynski's workshop in Batavia, New York. His craftsmanship on this cement truck won him the "best truck" citation in the professional division. The walnut body contrasts well with the turned, laminated maple and walnut barrel. Not an easy win in this entry-filled category.



Wonderful wooden toys

Here's the lowdown on the grouping of toys in the photograph, *below*. In the back row, at *left*, you see the marvelously detailed road grader built by Steve Roberts of Dunmore, Pennsylvania. A favorite among *WOOD*® staffers, it claimed the "best use of wood" award for hobbyist class.

Although hobby woodworker Monte Norton, stationed at Michigan's Sawyer Air Force Base, didn't walk off with a prize, we liked his oak front-end loader. Next to it, we parked Brian Rebel-la's bulldozer that took "best finish" in the hobbyist division for the Mellen, Wisconsin, craftsman.

Shortly before the Marines arrived to load up the Build-A-Toy entries for distribution through their Toys-For-Tots program, the urge to share got the better of us. So, we called one of our trusted photographers to shoot a few selected projects. And as you can see, all of the woodworkers represented here—both winners and nonwinners alike—did a super job.

 [Print this article](#)



OUR 1991 BUILD-A-TOY CONTEST



And, to its right, stands the elephant pull toy made by Ray Ellis, of Rustburg, Virginia.

Gary Mace's American coaster wagon was a superbly crafted piece. Gary, though, went beyond the contest's size limitations. But a nice job, anyway, Gary.

The vintage stake-sided truck in the first row was sent in by Tom Quinn of Colchester, New Jersey. Although it didn't take home a prize, we definitely think it's a winner, and think that you should see and enjoy the beauty and craftsmanship of this design.

Gary Snedder, a Burton, West Virginia, woodworker turned in this clever crocodile pull toy. Be-

hind Gary's croc is the train made by Carl Boop, of Levittown, Pennsylvania. It took "best train" in the professional division.


Steven Bruni, a professional woodworker living in Fort Madison, Iowa, crafted the walnut Huey Cobra helicopter. For his trouble, he was awarded "best finish." The tiny truck beside the chopper was built by Harry Yager, who lives in Midwest City, Oklahoma. It didn't win, but it still made some child happy.

Finally, take a look at the tanker truck made by Wallace Leeker, of LeMay, Missouri. Though it didn't take a prize,

▲ FIGHTER DOES A FLYBY



In the professional division, Joseph Pasquito, a Lawrenceville, New Jersey, woodworker won the "best use of wood" citation with his maple and walnut jet fighter. (It's an F-14, we think.) It led a squadron of other entries.

this and 12 other toys mailed in by Wallace brought smiles from a whole truckload of lucky youngsters. Great job! 🌲



Photographs: John Hetherington


Handy home for a family of pliers



With this nifty, wall-hung organizer, you'll know exactly where to find those bent-nose pliers—or any others—the next time you need them. To build the maple rack, cut the front and back pieces to the sizes shown on the drawing. (We resawed 1 1/16"-thick stock for the 7/8"-thick front piece.) Cut the 1 3/8" dadoes 1/2" deep in the back side of the front piece where marked on the drawing. Glue and screw the two pieces together, flush along the bottom edge. Then, cut the waste (shaded areas) away from the front piece where shown. 🍷

Project Design: Bob Colpetzer
Illustration: Jamie Downing
Photograph: Wm. Hopkins

Buy 1 Tool And Get Our 228 Page Tool Free.



A / Giant 17" x 11" Aluminum Shop Dustpan Makes Short Work Of Clean Up
Shops generate huge amounts of debris. The extra capacity of this dustpan makes clean-up faster. It's like using a shovel instead of a trowel.
24K03.01 Giant Dustpan \$13.40

B / Band Saw Blade Tuning Stone
Helps Produce Tighter, Smoother Curves
This 3" x 1/2" x 1/4" Silicon Carbide stone is strongly recommended in the best-seller *Band Saw Handbook*. Comes with complete instructions on how to gently round the backs of your blades. The difference in performance is remarkable.
38M01.01 Blade Tuning Stone \$8.95

C / Versatile & Strong Shop Cloths Repay Their Extra Cost Quickly
Soft as cotton rags but much thicker, and a lot stronger than paper toweling. Very absorbent, lint free and can be rinsed and reused many times. Great for picking up glue squeeze-out and staining as well as machinery clean-up. Each is 10 1/4" x 16 3/8".
23K02.01 100 Shop Cloths \$12.95

CACAO A TREE FOR CHOCOLATE LOVERS



Montezuma thought chocolate gave him wisdom.

When 17th century Swedish botanist Carl Linnaeus named the chocolate tree, he pulled out all the stops. The word *Theobroma*, its genus, translates to "food of the gods." Its species name, *cacao*, describes the product derived from its beans. And now, chocolate lovers, the rest of the story.

It seems that Hernando Cortes and his soldiers witnessed a strange ceremony while among the Aztecs of Mexico in the early 1500s. Emperor Montezuma, considered a living god by his subjects, sat sipping from a golden chalice. Each time it touched his lips, the crowd hushed. The dark brown, bitter *chocolate*, the Spaniards were told, brought him wisdom because it came from beans originating in paradise.

Actually, the beans came from large pods produced by a short hardwood that grew throughout the region. The Indians occasionally used the tree's reddish brown wood for rough construction, but its beans were so valuable that the natives turned them into currency—four bought a wild turkey, 100 a slave.

Soon, the explorers had collected a supply of beans to take back to Spain. They also took a special recipe discovered in a sanctuary. The recipe sweetened the bitter bean brew with sugar and vanilla. By the mid-1500s, the new cocoa was the European rage. The English and Dutch added milk and established chocolate houses to serve devotees. In adopting the stimulant, the French proclaimed it an aphrodisiac.

Today, the beans of the cacao tree still yield the basic ingredient for chocolate, as well as cocoa butter for soaps and toiletries. And that is the rest of the story. ♣

Illustration: Jim Stevenson

D / "Hot Stuff" Is Great Stuff For That Quick Fix In Woodworking

Instant glues don't bond wood well or don't have any gap filling strength. Super-T has been specially prepared for gap filling and Special-T for ultra-gap-filling (both 2 oz.). The 3 oz. Accelerator is used to

prepare oily and pitchy surfaces and to speed up curing. Use the 2 oz. Solvent for clean-up and to separate pieces joined in error.

21J10.01 Hot Stuff Kit \$29.95

E / Wonderbar: A Simple Product That Works Fantastically Well

Removes rust, corrosion, scratches or stains. Polishes metal surfaces. The 3/4" x 2" x 3/4" blocks are completely saturated with silicon carbide particles. Works on metal like an eraser, dry or with any lubricant (including water). Self-cleaning and self-sharpening. Can also be cut to any shape. Use them in the shop, kitchen or garage. Comes Coarse and Fine.

06K03.01 Pair Wonderbar Blocks \$12.95

F / Stainless Steel 6X Magnifying Tweezers Save Your Fingers

Pulling splinters seems to be an inevitable part of woodworking. These let you see exactly what you are doing. A great value.

03K01.01 Magnifying Tweezers \$4.95

G / Garrett Wade Special Furniture Wax Provides Real Protection From UV Damage

Ultraviolet radiation, which is everywhere—inside and outside—inevitably damages finishes. Now, we've developed a high-quality furniture wax (a mixture of lustrous Beeswax and hard Carnuba) so that you can keep your furniture looking beautiful and protect it the way it should be. Comes in 6 1/2 oz. cans.

51P02.02 GarrettWade UV Wax \$19.95

H / Set Of 7 Steel Twist Gimlets Are A Great Value

These are very underrated tools. Easy and quick, they will pre-drill for screws #2-9. Very nice, inexpensive Everyone uses them.

37J03.04 French Gimlet Set \$9.95



GarrettWade Co., Inc.

161 Avenue of the Americas
NY, NY 10013 Dept. 140

Call Toll Free 800-221-2942

Please send me my tools and a FREE 1992 Catalog.

NAME: _____
ADDRESS: _____
CITY: _____ STATE: _____ ZIP: _____

Check/Money Order Visa MC AE

Expiration Date: _____



NUMBER	QTY.	DESCRIPTION	PRICE	TOTAL
GW	1	1992 Catalog with order.	\$4 00	FREE
SHIPPING COST:			(Prices good until Sept. 14, 1992) SUB TOTAL	
\$3.25 up to \$10			SHIPPING COST	
\$4.45 for \$10.01 to \$20.00			(NY State add Sales Tax) SALES TAX	
\$5.45 for \$20.01 to \$50			GRAND TOTAL	
\$6.90 for over \$50				

MAKE BEAUTIFUL RAISED PANEL DOORS WITH YOUR . . . 1/4" or 1/2" ROUTER . . . 1/2" or 3/4" SHAPER


Professional production quality bit makes it quick and easy to produce matching rails and stiles — the panel raising bit with ball bearing guide makes the raised panel perfect every time.

SALE PRICE **\$69⁹⁵** Regular value over \$150.00!
FOR COMPLETE SET

1/4" Shank set item #554 (includes all bits shown below)

SET ALSO AVAILABLE IN 1/2" SHANK - \$79.95 - Item #852


Shaper Cutters set
 Item #1059
SAVE! only \$99.95
 Set: Rail & Stile & Raised Panel Cutters



PERSPECTIVE VIEW OF PANEL DOOR (WITH ONE RAIL REMOVED)


RAISED PANEL BIT
 SUPPLIED WITH BALL BEARING

2" Large Diameter
 CARBIDE TIPPED
 1/4" Shank



REVERSIBLE COMBINATION RAIL and STILE BIT

(For making matching rails and stiles in raised panel doors, etc.) Works with stock from 11/16" to 7/8" thick



1/4" SHANK supplied with Ball Bearing

CARBIDE TIPPED ROUTER BITS • PROFESSIONAL PRODUCTION QUALITY *GUARANTEED* WHEN ORDERING ANY THREE OR MORE *DEDUCT \$1.00 EACH.* • FREE SHIPPING IN CONTINENTAL U.S.

ITEM NO.	BEST CUT BEST PRICE	DESCRIPTION	ANGLE/DEPTH/RADIUS CIRCLE DIAMETER	LARGE DIA.	CUTTING LENGTH	SHANK SIZE	PRICE
#601	Solid Carbide	1/8" Spiral Cutter		1/8"	1/2"	1/4"	\$ 9.00
#603		1/4" Spiral Cutter		1/4"	3/4"	1/4"	\$12.00
#903		1/4" Spiral Cutter		1/4"	3/4"	1/2"	\$12.00
#904		3/8" Spiral Cutter		3/8"	1"	1/2"	\$24.00
#905		1/2" Spiral Cutter		1/2"	1 1/2"	1/2"	\$29.00
			*Proper Adaptor Will Be Supplied				
#530		3/16" Edge Beading	3/16" Dia. of Circle		1/2"	1/4"	\$15.00
#531		3/16" Edge Beading	3/16" Dia. of Circle		1/2"	1/4"	\$15.50
#350		1/8" Round Over	1/8" R	3/4"	3/8"	1/4"	\$11.00
#351		3/16" Round Over	3/16" R	7/8"	1/2"	1/4"	\$11.00
#230		1/4" Round Over	1/4" R	1"	1/2"	1/4"	\$12.00
#353		3/16" Round Over	3/16" R	1 1/8"	1/2"	1/4"	\$14.00
#209		3/8" Round Over	3/8" R	1 1/4"	5/8"	1/4"	\$15.00
#355		1/2" Round Over	1/2" R	1 1/2"	3/4"	1/4"	\$17.00
#655		1/2" Round Over	1/2" R	1 1/2"	3/4"	1/2"	\$17.00
#656		3/4" Round Over	3/4" R	2"	7/8"	1/2"	\$21.00
#199		Multiform Mauling	Unlimited Patterns	2 1/4"	2"	1/2"	\$40.00
#205		1/4" Cove	1/4" R	1"	1/2"	1/4"	\$12.00
#206		3/8" Cove	3/8" R	1 1/4"	9/16"	1/4"	\$13.00
#207		1/2" Cove	1/2" R	1 1/2"	5/8"	1/4"	\$14.00
#643		1/2" Cove	1/2" R	1 1/2"	5/8"	1/2"	\$15.00
#208		3/4" Cove	3/4" R	1 3/8"	3/4"	1/2"	\$26.00
#231		5/32" Roman Ogee	5/32" R	1 1/4"	1 5/32"	1/4"	\$16.00
#232		1/4" Roman Ogee	1/4" R	1 1/2"	3/4"	1/4"	\$17.00
#506		1/2" Pattern	Flush Trim	1/2"	1"	1/4"	\$15.00
#508		3/4" Pattern	Flush Trim	3/4"	1"	1/4"	\$17.00
#366		1/8" Slot Cutter	3/8" Deep	1 1/4"	1/8"	1/4"	\$14.00
#368		1/4" Slot Cutter	3/8" Deep	1 1/4"	1/4"	1/4"	\$14.00
#204		3/8" Rabbeting	3/8" Deep	1 1/4"	1/2"	1/4"	\$13.00
#670		3/8" Rabbeting	3/8" Deep	1 1/4"	1/2"	1/2"	\$14.00

ITEM NO.	BEST CUT BEST PRICE	DESCRIPTION	ANGLE/DEPTH/RADIUS CIRCLE DIAMETER	LARGE DIA.	CUTTING LENGTH	SHANK SIZE	PRICE
#211		3/8" Core Box	round nose	3/8"	3/8"	1/4"	\$10.00
#212		1/2" Core Box	round nose	1/2"	1 1/32"	1/4"	\$13.00
#418		3/4" Core Box	round nose	3/4"	5/8"	1/4"	\$15.00
#213		1" Core Box	round nose	1"	3/4"	1/2"	\$17.00
#548		Lockmitre		2"	7/8"	1/4"	\$32.00
#214		1/4" Straight	plunge cutting	1/4"	3/4"	1/4"	\$ 6.50
#216		3/8" Straight	plunge cutting	3/8"	1"	1/4"	\$ 6.50
#474		1/2" Straight	plunge cutting	1/2"	1"	1/4"	\$ 7.00
#219		3/4" Straight	plunge cutting	3/4"	1"	1/4"	\$ 9.50
#779		3/4" Straight	plunge cutting	3/4"	1 1/2"	1/2"	\$10.00
#462		1/2" Bull Nose	1/2" Dia. of Circle		3/4"	1/4"	\$16.00
#464		3/4" Bull Nose	3/4" Dia. of Circle		1"	1/4"	\$21.00
#764		3/4" Bull Nose	3/4" Dia. of Circle		1"	1/2"	\$21.00
#545		Tongue & Groove	Straight	15/8"	1"	1/4"	\$29.00
#845		Tongue & Groove	Straight	1 5/8"	1"	1/2"	\$29.00
#546		Tongue & Groove	Wedge	1 9/16"	1"	1/4"	\$29.00
#846		Tongue & Groove	Wedge	1 5/8"	1"	1/2"	\$29.00
#450		1/8" Beading	1/8" R		3/4"	3/8"	\$11.00
#233		1/4" Beading	1/4" R		1"	1/2"	\$13.00
#454		3/8" Beading	3/8" R		1 1/4"	5/8"	\$15.50
#455		1/2" Beading	1/2" R		1 1/2"	3/4"	\$17.00
#500		3/8" Flush	Trimming		3/8"	1/2"	\$ 7.00
#501		3/8" Flush	Trimming		3/8"	1"	\$ 7.50
#503		1/2" Flush	Trimming		1/2"	1"	\$ 8.50
#221		1/2" Flush	Trimming		1/2"	1 9/16"	\$ 8.00
#558		Thumbnail		1 3/16"	3/8"	1/4"	\$18.50
#858		Thumbnail		2 1/2"	3/4"	1/2"	\$35.00
#579		Molding Plane		1 1/8"	1 3/4"	1/4"	\$31.95
#879		Molding Plane		1 1/8"	1 3/4"	1/2"	\$31.95

New 32-page catalogue featuring 100's of high-quality router bits, plus other professional woodworking products.



CONTROL THE SPEED OF YOUR ROUTER

ROUT AT THE SPEED THAT GIVES THE BEST RESULTS WITH THE WOOD AND BIT YOU ARE USING!

FEATURES:

- Speed Adjustable from Full Speed to 0 RPM
- Full Horsepower and Torque at All Speeds
- Go Back and Forth from Any Pre-Set Speed to Full Speed at the Flip of a Switch
- Works with All Routers 3/4 HP or Less
- 120V 15 Amp
- Gives Your Router a Feature Only Available on Routers Costing Hundreds of Dollars!

EASY TO USE - Simply plug in Speed Control and plug your router into the Speed Control - turn dial for best results. (Speed Control has a clip that can be worn on your belt or hung on wall or left loose.)

• Reduces speed electronically without reducing torque; electronic feed-back maintains speed by increasing voltage to motor as load increases.


NOW ONLY
\$39.95

Order Item #200

Visit Our Fully Stocked Showroom
 (Call for easy directions - 8:30-5:00, M-F)
 While in the Phila. Area

To order by Master Charge, Visa, or Discover Call Toll Free, 7 Day - 24 Hour Order Service,
1-800-533-9298 or send check to: **MLCS Ltd., P.O. Box 4053D P, Rydal, PA 19046**

SYCAMORE



Ghost of the bottomlands

Fur trappers and traders plying Mississippi River tributaries in the 1700s didn't look far for canoe stock. The massive, bone-white trunks of the native sycamore—the preferred material for their huge dugout vessels—stood out like ghosts from other trees lining the waterways. And often, nature had already performed much of the work, partially hollowing the trunks by decay.

The sycamore easily met the size requirements for trade canoes that frequently measured 65' long. That's because among hardwoods, the sycamore is the hands-down winner for immense proportions. The largest known example in the United States shades a yard in Jeromesville, Ohio. It stands 129' tall, measures 15½' in diameter, and has a 105' crown spread.

In addition to sycamore's early use for canoes, the wood offered sound stock for cooperage and crates, tobacco and cigar boxes, butcher blocks, and saddletrees. And luthiers found quarter-sawn sycamore perfect for the backs and sides of fiddles and other musical instruments.

Wood identification

The most widespread of three native sycamore species, the American sycamore (*Platanus occidentalis*) appears in rich, moist bottomland soils from Kansas to the Atlantic Ocean. Various called planetree, buttonwood, and buttonball-tree, sycamore seldom grows in

stands, but intermingles with other lowland hardwood trees.

In the best of conditions, sycamore attains 100' heights and diameters upwards of 10'. The area umbrellaed by the tree's spreading crown sometimes matches its height. And the trunk may be branch-free for 60'!

You'll never forget the sight of a huge sycamore tree. The trunk, haphazardly exposed in areas by peeling bark, looks eerily white. The upper branches usually entwine at angles. The large leaves—often 10" wide—have a shiny green top surface and a pale undersurface. By fall, sycamore's fruit shows up—fuzzy seed clusters called buttonballs.

Sycamore's coarse-grained wood has a pale reddish cast. Interwoven fibers give the wood hardness and elasticity, but at the same time, make it difficult to season when flat-sawn. Quarter-sawn sycamore displays an attractive fleck pattern in the grain. At about 35 pounds per cubic foot air dried, the wood matches cherry in weight.



Uses in woodworking

Manufacturers of boxes and crates use the largest share of sycamore because it is strong, has no odor, and imparts no taste. In the home workshop, properly seasoned sycamore shapes up as a tough utility wood for frames and cabinet carcasses. As unfinished drawer sides, the wood actually becomes smoother and slides easier with use. And quarter-sawn, it can become attractive furniture. Its rayed grain also makes impressive turnings.

Availability

Large hardwood dealers catering to commercial accounts, and sawmills located within its range, will likely carry sycamore. To take advantage of grain pattern, much sycamore becomes veneer. Lumber should cost less than \$1 per board foot, and veneer 30 cents per square foot.



Natural range

Continued

PERFORMANCE PROFILE

sycamore (*Platanus occidentalis*)

Plain-sawed sycamore

Improper seasoning methods and an overly hasty kiln-drying schedule result in stained and warped sycamore. Processors familiar with this wood, though, produce uniformly colored, durable, stable stock. So, shop before you buy.

Machining methods

Sycamore reacts to machining or hand tools almost like cherry, but in some instances matches maple's annoying tendency to burn. *Any problems or unusual handling are noted in the following tips:*

- Sycamore planes and joints easily, but has a moderate blunting effect on cutting edges much like maple. Figured or quarter-sawed stock requires shallower cuts and a slow feed rate.
- Because sycamore lacks the stiffness of cherry, it isn't as likely to break out or chip in crosscutting. Ripping straight-grained stock poses no problems, even without carbide-tipped blades. Avoid tearout in quarter-sawed or figured wood by leaving enough

for a jointing pass to clean the edge after sawing.

- Sycamore routes readily. Figured or quarter-sawed stock may burn more readily than plain stock, so maintain a consistent feed rate without forcing the bit through the wood.

- Drilling at medium speeds produces clean holes with no breakout. Lift the bit occasionally to clear debris. This technique avoids burning.

- Sycamore sands effortlessly to a glasslike finish, and, if left unfinished in a project, such as drawer parts, for example, it will actually burnish itself smooth.

- All adhesives work well on sycamore. And because the wood resists splitting, pilot holes aren't required, unless you seat screws by hand.

- Plain-sawed sycamore without figure stains well and accepts any finish. It's easily dyed to any color. Before staining figured or quarter-sawed wood, test the stain on scrap for even penetration. A wood conditioner may be re-

quired in some cases to avoid blotchiness.

Carving comments

For unknown reasons, sycamore rarely shows up in carvings, although it isn't as hard as cherry and can be carved with chisels and a mallet or power-carving tools as easily.

- The grain flecks caused by the wood's rays make it ideal for clear-finished sculptural subjects where they would add visual interest. However, they would detract from a detailed carving unless paint were used.

Turning tricks

Except for its slight tendency to dull tools, sycamore turns exceptionally well, producing smooth turnings that require little sanding. An excellent choice for between-centers work, such as spindles and balusters. ♣

SHOP-TESTED TECHNIQUES THAT ALWAYS WORK

Any exceptions—and special tips pertaining to this issue's featured wood species—appear under headings elsewhere on this page.

- For stability in use, always work wood with a maximum moisture content of 8 percent.
- Feed straight-grained wood into planer knives at a 90° angle. To avoid tearing, feed wood with figured or twisted grain at a slight angle (about 15°), and take shallow cuts of about 1/32".
- For clean cuts, rip with a rip-

profile blade with 24–32 teeth. Smooth cross-cutting requires at least a 40-tooth blade.

- Avoid drilling with twist drills. They tend to wander and cause breakout. Use a backing board.

- Drill pilot holes for screws.

- Rout with sharp carbide-tipped bits and take shallow passes to avoid burning.


- Carving hardwoods like sycamore generally means fairly shallow gouge bevels—15° to 20°—and shallow cuts.

SYCAMORE AT A GLANCE

Cost	\$ \$ \$ \$ \$
Weight	🐘 🐘 🐘 🐘 🐘
Hardness	T T T T T
Stability	▲ ▲ ▲ ▲ ▲
Durability	🕒 🕒 🕒 🕒 🕒
Strength	💪 💪 💪 💪 💪
Toxicity	☠️ ☠️ ☠️ ☠️ ☠️
Workability	🪚 🪚
Look-Alike	Maple, beech.

GRAND TURNINGS

on a small scale



Washington state's Bonnie Klein takes the spotlight with her miniatures.

Continued



Bonnie Klein knows woodworking. She grew up on Mercer Island, Washington, her dad a home builder. At his job sites, Bonnie played at hammering and sawing away on scrap lumber. "I would love to have taken woodshop in high school," says Bonnie, "but girls weren't allowed. The closest I could get was mechanical drawing."

"I've always enjoyed working with my hands, even in domestic things," she adds, "such as sewing, and the crafts of weaving and basketry." It was woodturning, though, that eventually held Bonnie's interest. That was about 18 years ago, when her son was in junior high shop class. "I got inspired by watching a Shopsmith demonstration," she recalls. "After that, I tried to find instruction. Back then, that was difficult. I did, however, eventually manage to turn a set of napkin rings—it took me six weeks!"

Today, Bonnie Klein, 48, has produced four videotapes covering her special brand of turning. She also teaches at seminars and workshops, and markets her own lathe and turning tools. At her home in Renton, Washington, we found out what makes Bonnie tick and discovered firsthand the joy of turning tiny items of value.

The sweet smell of burning pine wafts through the room. From the fireplace, the radiating heat warms the shop. Flickers of firelight brighten the tiny objects near the lathe—ivorylike covered boxes, shiny metal goblets, bowls and jars, an assortment of colored tops—Bonnie Klein's trademark turnings.

"I've gained a reputation as a miniature woodturner," says Bonnie, looking up from her lathe. "But I've been trying to step away from that a little bit because the lathe I've designed not only is great for miniatures, but all small-scale turnings—earrings, bracelets, and other jewelry, letter openers, pen bodies, you name it."

She pauses, her eyes aglow with an emerging thought: "No matter what someone turns, woodturning is really therapy. You put a piece of wood on the lathe, then do the shaping, the finishing, and when you take it off, it's done. The lathe stands alone as a tool like that. It appeals to people for the same reason as fast-food restaurants—instant gratification."

Spreading the woodturning gospel

Woodturning may be Bonnie's profession, but her passion lies in the learning, problem-solving process that accompanies it. "I guess I enjoy that as much as the turning. And, I like exposing others to that learning process. Teaching turning excites me," she says.

"Not everyone is cut out to sit in front of a computer for a life-

time," Bonnie continues. "Some people are going to have to make a living with their hands."

At Bonnie's once-a-week session with Tahoma Junior High School's woodturning club, there's at least one dedicated convert to her gospel. "Someday, I'm going to buy a lathe from Bonnie and make a living with it," states 13-year-old Brian Eddy, earnestly. Holding up a tiny goblet and matching bowl done over the last hour, the student adds, "And I'll sell these in lots of gift shops."

Brian's shop teacher, Les Dawson, got acquainted with Bonnie through their local adult woodturning club. And more than a year ago, he asked her to teach woodturning to kids for a few hours each week after school. She, of course, said yes. "Any chance I have to demonstrate to kids, I jump at it," Bonnie comments. "There's so much today geared to mental activity. It's important for



The power source for Bonnie's threading jig is a flexible-shaft carving tool in a wooden mount.

Bonnie worked her lathe magic to produce the two ebony goblets, below, and the Corian mortar.





At Tahoma Junior High's woodturning club, Bonnie assists Daniel Scott Campbell with a touchy cut. Evan Olson, *right*, looks on, while Brian Eddy focuses on his turning. Under Bonnie's tutelage, students gain confidence in working with their hands.

children to know that they can be creative with their hands, too."

Now, the woodturning club has five of Bonnie's small lathes that the school purchased. And Bonnie brings extras for the session so that all the members can keep busy turning.

During the one-to-two-hour meetings, each one of the 12 young turners tackles a project or two. About half the students are

girls, and they put sharp steel to the turning wood as fearlessly as any boy. "Not surprising today," observes Bonnie.


"Even in my adult classes, nearly half the students are women," she states. "Five or six years ago, I didn't know any women turners. Now, there are more all the time. I think small-scale turning appeals to them. It's not so frightening. Women can learn turning in this scale, and because the techniques are the same, they can apply them to the bigger lathe later if they want to go on."

Making it big with small turnings


The miniature-turning bug bit Bonnie about a dozen years ago, when her daughter Amy was interested in 1:12 scale dollhouses. "I acquired all the tools to build a dollhouse and the furniture, and with them, a Dremel lathe," Bonnie remembers. "I learned to turn on it from miniature furniture-maker Noral Olson [see *WOOD*® magazine, December 1987]. And I had a laugh with that little lathe. I really got excited about turning again because I could experiment

Continued

From left: Cocobolo cork toppers, 3¾" overall; maccassar ebony bowl, 2½" diameter; and a cocobolo box, 2½ × 1½".



GRAND TURNINGS



Once she masters her brand-new Lawler ornamental lathe, Bonnie will produce exquisitely decorated turned objects. Bonnie explains the fireplace: "This was designed as a family room, but it made a better shop."

on that smaller scale. I could make mistakes, but they were proportionately less disastrous."

Bonnie grew adept at miniature turning, even to the point of teaching classes. But, she yearned to learn more about other aspects of woodturning. Her search led her to some renowned woodturning gurus, such as Utah's Dale Nish and Australia's Richard Raffin. She also attended seminars, symposiums, and workshops.

While her children were growing up, Bonnie worked as dental technician and co-owner of a dental lab. But when her children went their own way, Bonnie decided to sell her business and try full-time woodturning.


"My living depended on doing small-scale projects—spinning tops, the earrings, the things I could sell wholesale by the dozens to shops and galleries," Bonnie recalls. The photos here and on preceding pages show the vast assortment of small-scale turnings in Bonnie's inventory. "The sales were very important at that time, because I was just beginning to design my own lathe."

On her lathe, aluminum aircraft rivets become ½" tall goblets. Corian, a countertop material, makes a mortar and pestle. Then there are bowls and boxes, corn-cob holders, earrings, acorns, pens, letter openers, bottle stops, and jars made of bone, imitation ivory, and cow horn, as well as all types of wood. "If I can mount it on the headstock, I'll turn it," she says.

Soon to be added to Bonnie's inventory will be intricately ornate items unlike any she's made before. They'll come off her Holtzapffel-type ornamental lathe, shown above.

Purchased for \$10,000 from Lawler Manufacturing in Kansas

More tiny turnings from Bonnie's repertoire. *Left to right:* lignum vitae earrings, 2" long; six bone goblets, ¾–¾" tall; and from aluminum aircraft rivets, teeny goblets ½" and ¾" tall, and spin tops ½–¾" diameter.



A tagua-nut box, *far left*, measures $1\frac{1}{4} \times 1\frac{1}{2}$ ". Spin tops are from $\frac{3}{4}$ " to 2" diameter.

City, the new design of a Victorian machine features extremely fine adjustments of its two cutter heads. And infinite possibilities.

Turning up the technology

Demonstrations at woodworking shows help Bonnie market her lathe and turning tools, and provide customer insights. "I took a booth at a trade show for industrial arts teachers here in Seattle last year," Bonnie says. "As I was demonstrating, a father and son walked up to the booth. Watching me turn, the father said pointedly to his son, 'This is how it was done before there was technology.' I had to laugh—turning may not be high tech, but my lathe sure beats pedal power!"

And the small-scale lathe she developed more closely meets her needs than the tiny Dremel she once owned. But first, Bonnie graduated to a jeweler's metal-turning lathe with an 18" bed. Yet, that wasn't quite the answer, either. "A metal lathe is difficult because it's hard to reposition the tool rest to get at the wood," she explains. "To solve that problem, I had a friend build a tool rest to fit." Then, she knew that a metal lathe would work.

Following some redesign of the rest and lathe bed, Bonnie's idea eventually became a product. According to Bonnie's figures, about half the people who buy her lathe are first-time turners. Her lathe, priced at about \$350 less electric motor, features an 18" bed for 12" between centers, a swing of 5", and takes a $\frac{1}{8}$ -hp or $\frac{1}{4}$ -hp motor.

Of course, you don't necessarily have to own a small lathe to turn small. Says Bonnie, who has turned tiny goblets on a massive, outboard bowl lathe, "Yet, the smaller the project you try to turn on a full-sized lathe, the more problem you have with vibration. It's actually more important to have the tools in scale than the

Right: A $2\frac{1}{4} \times 1\frac{3}{4}$ " cast-polyester box, an acorn box, a top.

lathe." Accordingly, Bonnie designed turning tools to accompany her lathe—they're sized between full and miniature.

Bonnie always seems to be looking to solve a problem or do something a new way. Her threading jig, designed to put inside and outside threads on covered jars, evolved from curiosity.

A new twist on invention

"A few years ago, while browsing through an antique store, I saw a little, round wooden jar with a lid that unscrewed, and I wondered how I could make one. After researching and asking questions for a year, I finally came up with this," she says, chucking a finely turned cherry cap into the headstock of the jig. With a miniature cutter fitted into a flexible shaft carving tool, the jig creates inside and outside threads in minutes.

With Bonnie's experimenting, lathe marketing, and seminar teaching, actual turning has taken somewhat of a backseat, a condition she admits. "I don't do enough turning, compared to other activities, but it's important to keep my work out there for the recognition," Bonnie says. "People need to know that I really do produce things once in awhile. But right now, I'm more involved with figuring out *how* to do something, then I'm on to the next challenge." Right on, Bonnie.

Write to Bonnie Klein

For lathe, tool, and video information, write: Klein Designs, 6415 115th Place S.E., Renton, WA 98056. 🌲

Right: A "bovine" ivory (cow bone) box, $1\frac{1}{2} \times 1\frac{1}{4}$ ", and a tagua nut bowl, $1\frac{1}{2} \times 1\frac{1}{2}$ ".



Top: In the lathe, a scrap of maple becomes a finger top. Bonnie decorates the end grain with a chatter tool—its spring-steel bit bounces across the grain producing intricate designs. *Above:* Bonnie adds color to the top with artist's colored pens as it spins.



Written by Peter J. Stephano Photographs: Gary Zeff

HAND-CARVED

When you're ready for milk and cookies after doing this carving, you won't have to wonder where to get the cookies. Simply make them in your hand-carved molds using our *Better Homes & Gardens*® Test Kitchen recipe on the *opposite page*. Then, hang the molds on your kitchen wall for an old-time accent.

Cookies from woodcarvings

Woodcarvers and bakers first teamed up to turn out fancy cookies more than 400 years ago. From the mid-1600s until well into the 19th century, vendors at European fairs and markets hawked gingerbread portrayals of saints, royalty, and other popular figures.

Bakers accumulated a jumble of molds as they added new patterns. To cut down kitchen clutter, they would have several patterns carved on one board, sometimes on both sides.

Colonists brought the tradition to the New World, carving wooden molds with American themes. Machine-carved wooden molds became common during the 19th century. Later, metal and plastic cookie molds replaced them. Today, collectors treasure those old wooden cookie molds.

Now, let's get cookin'

Start with a $\frac{3}{4} \times 3\frac{1}{2} \times 27$ " piece of beech for a functional four-mold board, or select your favorite carving wood for a decorative version.

Mark the centerpoint for the decorative rounded top where shown on the Cookie Board drawing, *opposite page*. Adjust your compass to $1\frac{1}{2}$ " to lay out the circle, and then draw a straight line across the top where shown to form the shoulders. Cut the top profile with your bandsaw or scrollsaw. If you plan to use your cookie molds often, carve them on a 24" board and omit the round top. Why? Leaving straight ends on the board makes it easier to slap it against a countertop to pop the cookies loose.

Draw a line across the board $1\frac{1}{4}$ " above the bottom edge. Now, select four of the patterns on *pages 32-33* and photocopy them. With scissors or an X-acto knife, cut out each pattern, leaving a straight line across the bottom.

Pick the pattern you want for the bottom, and then lay it on the board with a piece of graphite transfer paper underneath. Align the bottom pattern edge with the line on the board, and center it from side to side.

Secure with masking tape, and trace the *red* outline onto the stock. A French curve and a straightedge will help you trace more accurately.

Next, draw a line $1\frac{1}{4}$ " above the top of the pattern. Align the next pattern on that line. Repeat for a total of four designs on the board. After tracing the patterns, set them aside; you'll need them again later.

Carve out some reliefs

Treat each mold as a small relief carving. First, remove wood to a depth of about $\frac{3}{16}$ " within the

Tools and Supplies

Carving stock. Carve the cookie molds on beech or other carving wood $\frac{3}{4} \times 3\frac{1}{2} \times 27$ ". Or, order beech boards with routed pattern reliefs, \$9.95 for one or \$18.95 for the pair ppd. in U.S. from Rural American Woodcut, Box 426, Des Moines, IA 50301. State which board (shown in photo *left*) on single orders. Allow 4 weeks for delivery.

Gouges

$\frac{1}{8}$ " No. 5, $\frac{1}{4}$ " No. 7, $\frac{5}{16}$ " No. 5
 $\frac{5}{16}$ " spoon gouge, No. 3 or 5 (optional)

V-tools


$\frac{1}{8}$ " No. 12
 $\frac{1}{8}$ " No. 12 bent (optional)

U-veiners

$\frac{3}{64}$ " No. 11
 $\frac{1}{8}$ " No. 11

Knife


Bench-type carving knife



kitchen character with these

COOKIE MOLDS

See Dec. 1992 issue (no. 57) for revised drawing. [Click here to view.](#)



pattern outline to create the relief area, a process called *grounding*.

Start grounding with a vertical knife cut along the pattern outline. This cut, a *stop cut*, enables you to clean out wood with your gouge right up to the edge of the relief area without chipping out wood beyond it.

You also can stop-cut with the V-tool, but be sure to keep the cutting edge vertical. You'll need to stop-cut several times as you carve down to the final relief depth with your gouges.

You'll accomplish most of the grounding with 1/8" and 5/16" No. 5 gouges. Although a 3/16" No. 3 or 5 spoon gouge and a 1/8" No. 12 bent V-tool will come in handy, they aren't essential. Work down to depth in stages of stop-cutting and gouging out wood.

Work with the grain when cutting lengthwise. Our beech boards chipped out readily when we turned against the grain. To determine the grain direction, look at the edge of the board. Then, starting at about the middle of the edge, trace with your finger along one of the grain lines. The direction you move your finger along the grain line to reach your

WOODCARVER'S COOKIES

3/4 cup butter	1/4 cup milk
3 cups all-purpose flour	1/4 tsp. baking powder
1 cup sugar	1/4 tsp. ground cloves
1 egg yolk	1 tsp. ground cinnamon
	1 tsp. ground cardamom

In a bowl beat butter with an electric mixer on medium to high speed about 30 seconds or till softened. Add 1 cup of the flour to the sugar, egg yolk, milk, cinnamon, cardamom, baking powder, and cloves. Beat until thoroughly combined, scraping the sides of the bowl occasionally. Then, stir in remaining flour.

Oil the wooden cookie mold. Press dough firmly into mold and level it. Then, unmold dough onto

carving face is the grain direction. (See illustration, *above right*.)

Keep the sides of your reliefs vertical or slightly flared. Be sure not to undercut them. (If you do, the dough won't come out of the mold in one piece.) Carve a crisp junction between the side of the relief area and the bottom.

Maintain uniform relief depth within each mold. Be sure to carve all molds the same depth, too. The cookie dough shapes will bake better if they pop out of the molds the same thickness.

For quicker grounding, rout the pattern outlines with a 1/8" straight bit in a plunge router. Work

down to final depth in several passes. Change to a larger bit to clear the middle of the recess. (Or, see the supplies box on the *opposite page* for information on buying pre-routed blanks.)

For the smoothest project flow, ground all four molds on the board first. Then, carve the detail lines for each design, completing one mold before moving to the next one.

Add detail to your molds

With the grounding done, cut out the paper patterns along the *red* outlines. Trim each one to fit into its carved recess. Then, with a

Continued

HAND-CARVED COOKIE MOLDS

same-sized piece of transfer paper, trace the *black* lines for carving.


Cut the design with your $\frac{3}{64}$ " or $\frac{1}{8}$ " No. 11 U-veiner, as appropriate. The veiner leaves a round-bottomed groove, which we think looks better than a V-shape for this job. Go at least $\frac{1}{8}$ " deep; deeper cuts, we found, make better-looking cookies.

Switch to gouges to carve the crescent shapes (duck feathers, for example). Select a gouge of the correct sweep and width for each. (Don't worry if you don't have a lot of gouges; a few will provide enough variety. A $\frac{1}{8}$ " and a $\frac{5}{16}$ " No. 5 and a $\frac{1}{4}$ " No. 7 did the trick for us.)



Cut crescents the easy way



Carve each one in two steps. (See photos, *opposite page*.) First, lean the gouge away from you at a slight angle so that the bevel on the back of the blade is perpendicular to the workpiece and facing you. Then, force it into the wood (*top photo*).

Next, with the gouge in the carving position, place a corner of the blade at one end of the curved incision and at a small angle in front of it. Now, roll the gouge around until the other blade corner meets with the opposite end of the arc (*bottom photo*).



FULL-SIZED
PATTERNS







Begin the crescent with the gouge's bevel perpendicular to the carving surface.



Roll the gouge from one side of the arc to the other to complete the cut.




Finishing up


With the carving completed, rout a $\frac{1}{4}$ " round-over along all edges and a hanging slot in the top center of the back side. Turn your $\frac{5}{16}$ " No. 5 gouge over to complete the round-overs in the corners between the circle and the board.

Sand the board, rounding over the outer edge of each pattern recess. Finish with salad oil. 🍷

Cabriole




Top View



Hand-sand back side to a consistent round-over

Line from base of shank to top of foot forms a smooth flowing "S"



Bottom View

Mortise

Many woodworkers come completely unglued when they think about fashioning cabriole legs. Let's face it, they do look daunting.

Now for the good news. We guarantee that after reading this article—and with a little practice—you can build them and be delighted with the results.

Why are we so sure about this? Jim Boelling, **WOOD**® magazine's project builder, learned the smart and simple way for making graceful cabriole legs years ago as an apprentice. And, as you can tell by looking at one of his beauties at left, the results speak for themselves.

A quick anatomy lesson

Because a cabriole leg's anatomy resembles that of your own leg, it's easy to remember the various parts (see photo at left). Like you, a cabriole leg has a *foot*, an *ankle*, a *calf*, and a *knee*. Oh, there is one big difference, though: a cabriole leg has an *ear* attached to its knee! You add the ear after attaching the leg to the *apron* or *rail*. The ear matches the ear profile on the end of the rail. A square *shank* atop the leg has *mortises* for receiving the *tenons* of the adjoining aprons or rails (only one mortise and apron/rail visible in the view below).


LAYOUT

After choosing one of the four leg patterns on pages 40 and 41, make poster-board templates of the leg and its corresponding ear profile, knee, and foot patterns. The smallest leg (footstool size) doesn't require an ear-profile pattern because of its size.

Next, you'll need a 3×3" square piece of wood for any of the three large legs, and a 2×2" square for the footstool leg. The length of the stock depends on the length of the leg (wider aprons require longer shanks). We prefer to use furniture squares



Print this article



Shank

Mortise

Tenon

Table apron or chair rail


Ear (Added after leg is attached to apron or rail)

Ear profile

Ankle

Foot

Footprint



The “you-can’t-miss” way to make these classic beauties

for their grain uniformity, but you could laminate these workpieces from thinner stock.

Then, square the workpiece so adjoining faces are 90° to one another. Otherwise, you’ll bandsaw the leg to a distorted shape in later steps. (For more squaring information see the “Develop your shop skills” article on page 71.)

As shown in the drawing below, you need to mark the leg pattern on two adjoining faces of the stock. Then, with a try square, extend the lines at the top of the shank onto the end of the stock.

Next, extend the lines at the bottom of the leg onto the other end of the stock as shown in the inset drawing below. With a compass or circle template, draw a circular footprint that just touches

all four sides of the square formed by the intersecting lines.

Now, mark the mortises in the necessary locations. As shown in the drawing at bottom left, we marked the mortise setback so it’s equal to the width of the tenon shoulder. This way, the front faces of the shank and aprons align flush with each other (as shown in the project on page 42).

Also, remember that points A and B in the drawing at bottom left should align (for ease in applying the ear later). Keep this in mind when you lay out the apron. **Note:** First cut the mortises, then cut the tenons to fit, and then proceed to the next step. For more information on mortise-and-tenon joinery, see the December 1991 issue of WOOD magazine.


THE SHAPING SEQUENCE

So far, all you have is a square length of wood with a few important lines on it—a lifeless form. But watch what happens as you complete each of the steps that follow. You’ll be amazed!

Bandsaw the leg to rough form




With a ¼” blade (½” blade for the footstool-sized leg), bandsaw along the layout lines on either of the marked faces of your work-

Continued



The tools and supplies you’ll need to do the job

To rough-shape cabriole legs you’ll need a bandsaw. For finish-shaping, we use a stationary belt/disc sander and 1” and 1½” drum sanders, but you can substitute other sanding tools such as a portable belt sander mounted in a stand. Use 50- or 60-grit abrasives, and protect yourself by collecting as much dust as possible and wearing a respirator and goggles.



Follow the bandsaw lines for consistently shaped legs

Follow the elevation views as a shaping guide

Cabriole legs

piece. Be careful to closely follow the layout lines. Then, reattach the scrap pieces with double-faced tape and bandsaw along the layout lines on the adjoining face as shown in the photo on the *previous page*. Save your scrap pieces—you'll need them later.

Get off on the right foot by shaping it first

As you go through the following steps, refer often to the photo *be-*

low of the rough-shaped foot. Use it like a road map and you're sure not to get lost. Each of these steps corresponds to a numbered photo or drawing.

1. Stand the leg upright and center the foot pattern over the foot. Mark along the inside of the pattern as shown.

2. With the leg upright, sand up to the marked foot outline.

3. To sand up to the concave parts of the foot outline, switch to the


outboard end of the belt sander.

4. Hold the leg horizontally and sand up to the marked footprint.

5. With a 1" drum sander, round the stock between the top of the foot and the footprint. (Remember to check the photo of the rough-shaped foot as you work.)

Work your way up the calf

6. Hold the leg as shown and mark a straight line from the thinnest part of the leg just above the



foot to just below the knee. For best results, close one eye and sight the line with your other eye. 7. Sand up to the lines you just marked by placing the back faces of the leg onto your belt sander. 8. Sand a ¼"-wide flat along the length of the front and back ridges of the leg as shown. Use

this same motion, but rotate the leg side to side, to gently round over the flats.

And now, for a shapely knee
9. Hold the knee pattern up to knee (about 1" below the shank). You'll notice that the knee requires additional rounding over.

When the knee matches the pattern as shown, stop sanding. (Be careful not to accidentally sand the shank.)

10. The previous step will create a hump below the knee, so blend together the knee and the front surface of the calf as shown. Sand as far as the ankle.

Continued

Holding the leg as shown, sight down its length and mark a straight line from the thinnest part of the ankle to the base of knee.

6

7

8

9

10

KNEE
PATTERN
SOFA
END
COFFEE

Cabriole legs

LEGS, EARS, AND TABLE

The smart way to get them all together



To simplify the entire process, we prefer attaching the ears after joining the legs to the aprons, rather than before. Besides making things easier, this also assures you of tight-fitting joints between the ears and the table aprons.

Attach and shape the ears

11. After joining the legs to the aprons, choose scrap pieces that are wide enough for an ear. (For the best color and grain matching, choose a scrap piece that came from the same piece of stock as the leg.) For best appearance, position the scrap for each ear so its

grain runs in the same direction as the leg's grain. If necessary, square the corner of the scrap that adjoins the leg and apron. Mark an arrow on the scrap to remind you of its position.

12. While holding the scrap in place, trace the outline of the ear profile on the back side of the



Position the ear block for the best possible grain match

scrap. Bandsaw along this line.

13. Glue and clamp the ears in place as shown.

14. After the glue dries, round over each ear with a portable belt sander. To avoid gouges in adjoining pieces, switch to a sanding block as you approach the finished shape.


15. Now, turn the table over and blend the ear into the leg with a 1½" drum sander chucked into your portable drill.

The final touch

No matter how carefully you have sanded, the legs probably will have some flat spots that need

smoothing. Take care of these by sanding the entire leg with 80-grit sandpaper wrapped around a hardwood block. Then, smooth the legs and other surfaces of your project with a succession of 100-, 150-, and 220-grit abrasives and a soft or padded block. ♣

Patterns on following pages




**PATTERNS FOR
CABRIOLE LEGS
OF VARIOUS LENGTHS
ON THE
FOLLOWING
TWO PAGES**


Cabriole legs

PATTERNS



**FULL-SIZED
FOOTSTOOL LEG**



**FULL-SIZED
COFFEE TABLE LEG**



**HALF-SIZED
SOFA TABLE LEG**
(Enlarge to 200 percent)

Each square equals $\frac{1}{2}$ "



**HALF-SIZED
END TABLE LEG**
(Enlarge to 200 percent)

Each square equals $\frac{1}{2}$ "

FULL-SIZED KNEE PATTERN

- Coffee table
- End table
- Sofa table

FULL-SIZED KNEE PATTERN




- Footstool

FULL-SIZED FOOT PATTERNS

Pattern for sofa table

Footstool

End table and coffee table



FULL-SIZED EAR PATTERN

Written by Bill Krier with Jim Boelling
Illustrations: Kim Downing, Jim Stevenson
Photographs: John Hetherington
Graphic Design: C.L. Gatzke



CABRIOLE-LEG

Tapering gracefully from its ample knee to its shapely ankle, the double curve of a well-executed pad-foot cabriole leg distinguishes it as the work of a craftsman. We've combined this classic leg with the rich look of solid walnut to create an elegant Queen Anne-style coffee table. To fill your living room with more handcrafted Queen Anne furniture, see our special design offer on page 44.

Let's start with the legs


Note: In keeping with the style, you'll need some 3x3" walnut for the legs. You can either purchase furniture squares or laminate thinner stock to size (though this may result in visible joint lines). See the Buying Guide for our source of 3"-square stock.

After laminating the legs and forming the mortises (as described in steps 1 and 2 below), refer to the preceding technique article on cabriole legs for an explanation on how to make these shapely S-curved legs.

If you prefer to laminate thinner stock face-to-face to form the 3x3" squares for the legs (A), start by cutting four pieces of 3/4"-thick walnut to 3 1/4" wide by 15 1/2" long for each leg. Then, glue and clamp the pieces together face-to-face, with the edges and ends flush. Next, scrape the excess glue from one edge of each leg, plane or joint that edge smooth, and then rip the opposite edge for a thickness slightly over 3". Joint the cut edge for a 3" finished width. Finally, crosscut the legs to a finished length of 14 3/4".

2 Following the Mortise detail on the Exploded View drawing and

the four steps on the Forming the Mortises drawing *below*, mark and then make the 1/2" mortises 3/4" deep on two adjacent faces on the inside corner of each leg.



Next, fashion the aprons

1 Rip the front and back aprons (B) and side aprons (C) to the sizes listed in the Bill of Materials.

2 Following Step 1 of the four-step drawing on the *opposite page*, cut the tenons on the ends of each apron. See the Tenon detail accompanying the Exploded View drawing for further reference. Without changing the blade height or stop, you'll need to make three cuts on each end to form the tenon. (We test-cut scrap stock first to verify the blade height and stop location to ensure that the tenon fits snugly in the previously formed mortises.)

3 Transfer the full-sized apron patterns to heavy stock. (We used carbon paper to copy the patterns onto posterboard.)

4 As shown in Step 2 of the drawing, position the rail-end template flush with the tenon shoulder, and trace its outline onto the outside face of each end of each



apron. Center the full-sized center pattern, and trace its outline onto the front and back apron *only*.

5 For perfect rounded corners along each apron bottom, bore 1/2" and 3/4" holes next to the marked outline where shown in Step 3 of the drawing and also where shown on the Aprons drawing. Next, bandsaw or scrollsaw the aprons to shape.

6 As shown in Step 4 of the drawing, cut a 1/4" groove 1/4" deep 1/2" from the top edge of the front, back, and side aprons.

7 Dry-clamp the four aprons between the legs to check the fit. Then, glue and clamp a side apron (C) between a pair of legs.

COFFEE TABLE



2 Spread an even coat of glue on the mating edges of the 4×39" tabletop pieces. With the surfaces and ends flush, clamp the tabletop pieces edge to edge.

3 After the glue has dried (we left ours clamped overnight), scrape off the squeeze-out, and crosscut each end square for a finished length of 37½". Next, sand the top and bottom surfaces smooth with progressively finer grits.

4 Mark a 1½" radius on each corner of the tabletop, and cut and sand each corner to shape.

Note: In an effort to keep your costs down, we try to use standard tools and router bits. But some projects require a special touch. We used a ½"-shank classic table-edge bit (Freud 99-027) for the tabletop to match the high style of the cabriole legs and fancy aprons. See the Buying Guide at the end of the article for our source of bits. You, of course, can use any edge profile you prefer.

5 In order to use the large-diameter bit featured in the next step, you'll need to make an auxiliary wood base to replace your router's subbase. (To do this, we removed the plastic subbase from our router, and traced the subbase's outline and mounting hole locations onto a piece of ¼" plywood. Then, we drilled and countersunk the mounting holes in the plywood subbase, drilled a hole in the center of the subbase big enough for the router bit to pass through, and fastened the subbase to the bottom of the router.)

6 Follow the two-step drawing on page 44 to rout the top and bottom edges of the tabletop. (When using the large bit, we routed the top edge in two passes to minimize chipping. Lower the bit to the depth shown on the drawing for the second pass.)





Repeat with the other side apron and two legs. Now, glue the front and back aprons (B) between the two side assemblies, checking for square. (We measured diagonally to check for square.)

8 Sand the face of the apron flush with the face of the leg shank. Then, following the techniques article, cut the eight knee brackets (D) to 1¼×1¼×1", glue them in place, and sand them to shape.

And now, for the tabletop

1 Rip and crosscut five pieces of ¾" walnut for the tabletop (E), and then joint or plane their edges so each piece has a finished dimension of 4" wide by 39" long.

FORMING THE APRONS



Continued



COFFEE TABLE

Add the finish, and fasten the top to the base

1 To form the hold-downs (F), cut a piece of $\frac{3}{4}$ " stock to $4\frac{1}{8} \times 10$ ". Plane the piece to $\frac{1}{16}$ " thick. Using the dimensions on the drawing titled Forming the Hold-Downs, cut a $\frac{3}{8}$ " rabbet $\frac{1}{2}$ " deep across both ends.

2 Rip three $1\frac{1}{4}$ "-wide strips from the hold-down blank. Then, using a stop for consistent lengths, crosscut two hold-downs (F) to size from each 10"-long strip.

3 Using the Hole detail accompanying the drawing titled Forming the Hold-Downs for reference, mark the locations, and drill and countersink a $\frac{5}{32}$ " mounting hole in each hold-down.

4 Finish-sand the base and tabletop. Apply the finish.


5 Lay the tabletop, top side down, on a blanket. Now, place the base top side down on the tabletop. Center and clamp the base to the tabletop, and install the hold-downs to secure the tabletop to the base. Allow an $\frac{1}{8}$ " gap between the hold-downs and aprons (see the Hold-Down detail accompanying the Exploded View drawing for reference). The hold-downs move in the grooves, allowing the tabletop to expand and contract without splitting the base or top.

Buying Guide

• **Walnut furniture squares.** Four $3 \times 3 \times 18$ " walnut pieces, rough two sides, stock no. WD192, \$59 ppd. Constantine's, 2050 Eastchester Road, Bronx, NY 10461. To order, call 800/223-8087 or 212/792-1600.

• **Router bits.** Freud 99-027 carbide-tipped table-edge bit with $\frac{1}{2}$ " shank, \$75 ppd. Add \$25 for the $\frac{1}{4}$ " carbide-tipped round-over bit. Puckett Elec., 841 11th St., Des Moines, IA 50309 or call 800/544-4189 or 515/244-4189 to order. 🌲

Produced by Marlen Kemmet
Project Design: Jim Boelling
Photographs: Hopkins Associates
Illustrations: Kim Downing; Bill Zaun




MORE QUEEN ANNE FURNITURE




In addition to the coffee table, we've also designed and built a matching sofa/hall table, end table, and footstool. For 17×23 " blueprint-style plans (exploded view drawing, full-sized leg pattern, and a bill of materials for each design) send \$14.95 to:

WOOD PLANS
Dept. FP-1
P.O. Box 9255
Des Moines, IA 50306


FORMING THE HOLDDOWNS




HOLE DETAIL



Cutting Diagram




3/4 x 5 1/2 x 96" Walnut (2 pieces needed)




3/4 x 7 1/4 x 60" Walnut



3 x 3 x 18" Walnut furniture square (4 required)





EXPLODED VIEW




MORTISE DETAIL

Note: Leg has not yet been cut to shape



HOLDDOWN DETAIL



TENON DETAIL

Bill of Materials


Part	Finished Size*			Matl.	Qty.
	T	W	L		
A* legs	3"	3"	14 3/4"	W	4
B aprons	3/4"	3"	33"	W	2
C aprons	3/4"	3"	15 1/2"	W	2
D* knee brackets	1 3/16"	1 1/4"	1"	W	8
E* tabletop	3/4"	20"	37 1/2"	EW	1
F* hold-downs	1 1/16"	1 1/4"	1 1/2"	W	6

*Initially cut parts marked with an * oversized. Then, trim each to finished size according to the how-to instructions.

Material Key: W—walnut, EW—edge-joined walnut

END APRON PATTERN

(For parts B and C)



FRONT AND BACK APRONS (B)


APRON CENTER PATTERN

(For parts B)

Centerline

SIDE APRONS (C)

Align pattern with edge of shoulder



FULL-SIZED PATTERNS

WOOD® magazine goes to . . .

FINISHING

In Minnesota, there's a swell little finishing school, but students there don't attend classes in poise, polish, and using the proper fork. Instead, they roll up their sleeves and study the art of wood finishing from A to Z, with loads of hands-on lessons. Here's a story about what they learn, plus plenty of great, ready-to-use tips direct from their workshop classrooms.

I'm living proof that an old dog can learn new tricks. And I say that after spending a couple of days attending classes at Dakota County Technical College, located in Rosemount, some 30 miles south of Minneapolis-St. Paul. In the school's wood-finishing program, I picked up lessons I'll never forget. But actually, there are no "tricks" to successful wood finishing, say the instructors. Success only requires a complete knowledge of the materials and techniques.

The dedicated two dozen or so students who complete the 10½-month program become professional wood finishers. They're prepared to work in furniture manufacturing plants, retail stores, repair shops, museums, or even their own furniture-restoration businesses. And boy oh boy, do they ever learn a lot in school!

Peter J. Stephens
Senior Editor

 [Print this article](#)

Dakota County Technical College's wood-finishing students learn all there is—from patching veneer to spraying lacquer, from repairing furniture to graining wood with a fine paint brush. But it all starts with the basic material. "To be an above-average wood finisher, you first have to understand wood," explains Mitch Kohanek, 42, who teaches the finishing program's courses in wood identification, structure, and machining.


"For example: What woods need filling and what woods don't? Students must study wood



under a microscope to get a better mental picture of what they are trying to accomplish." And before graduation, his students do.

"We look at all the species used in the furniture trade under the microscope," says Mitch. "We identify the tyloses [vessel bubbles] in white oak as opposed to the open-cell structure in red oak, and as opposed to the grain in mahogany. With close-grained birch and maple, for instance, students learn that they're looking at something that requires an entirely different finishing technique. The beauty of woodworking is

SCHOOL




Left: Dakota Tech students learn wood identification and how the different species perform in finishing. Here, instructor Mitch Kohanek presents the whys and hows of staining.

Far left: In an advanced class, Senior Editor Peter Stephano admires the graining technique that student Melanie Lunsford has perfected. With it, she subtly blends table-top repairs into the cleaned, original finish.

Opposite page, bottom: Student John Geier carefully applies graining pigment during final touchup on an oak side chair he has restored.

Below: Relying on his box of stains and colorants, instructor and master finisher Mitch Kohanek prepares to match a stain on an antique clock case.



that if you want to get involved with all of the species you can," Mitch adds. "But if you're a professional finisher, you're certainly going to."

Learning to participate

"If people knew more about the materials involved with wood finishing, they would understand how to react to a problem," Mitch comments. "By the time the students leave here, they will have learned to participate in the results of wood finishing rather than observe and say 'That didn't work and I don't know why.'"

Preparation for finishing 104

Always sand project parts to the same degree. Don't go up to 220-grit for a tabletop when you have stopped at 150 on the legs because the stain on the top will end up lighter.

Remember to replenish your sandpaper frequently. If you don't, the lighter scratches on the wood produced by worn-out paper will result in uneven staining.

Don't put too much pressure on a tack cloth; it's impregnated with varnish. The result: varnish in the wood pores will chemically react with a lacquer finish.

Once wood is prepped for finishing, leave it alone. Don't wet it with any type of liquid, such as wiping it down with mineral spirits, because you'll raise wood fibers.

For example, in a beginning course on preparing wood for the finish, students discover that sanding contributes more than smoothness. "A true pigmented wood stain relies on the scratch marks created by the abrasive," explains Jerry TerHark, 40, the other half of the teaching tandem whose classes include color theory, finishing materials, touch up, and spray technique, to name only a few.

"The pigment doesn't penetrate the wood fiber," Jerry continues, "it ends up in the sanding scratches. So, the deeper the

Continued

FINISHING SCHOOL

scratch marks—say those made by 80-grit—the darker the color will be. Move up to 220-grit, the color gets lighter because the finer scratches can't hold as much pigment." (See the class notes throughout this article for more take-home tips.)

Mitch recalls an important lesson having to do with another aspect of sanding. "I had a new student who was determined to get the most out of his sandpaper, and he put duct tape on the back- ing to keep it from falling apart,"

he says, amused. "But if he had known the components of sandpaper, he would have realized that the grit is held on by glue, and when the grit wears off, glue gets into the wood. And, because only one thing can occupy space at any one time, where he wanted stain, he had glue. He was also burnishing the wood, rather than creating scratch marks."

Jerry and Mitch's finishing students learn from mistakes—mostly those made by others evidenced in old furniture brought in to refurbish. From improper machining that allows a glue joint to fail, to improperly applied finishes that bubble and crack, students have seen them all. And by the end of the course, they cope with them all. Says Jerry, "I've seen students bring in a piece of furniture they found in a dumpster and make it into a first-rate collectible."

Mitch adds, "Everyone wants to know tricks of the trade. To me, tricks are things that may or may not work. To be a successful finisher and restorer, you must have

Spray systems and techniques 102

Wood not finished on the bottom side, such as a tabletop or chair seat, will develop compression set or surface checking. That's because the moisture moves faster through the underside, where the finish doesn't exist.

Always apply finish equally to all sides of a piece of wood. For a tabletop, for instance, put two sealer coats and one finish coat on the under side. On the top side, put on two sealers and three finish coats. By the time you sand and rub down the top-side coats, top and bottom will be equal in thickness.

Opposite page, top: Student Cindy Blom experiments with artist's oil colors to create faux (false) finishes that, at a glance, simulate marble and granite.

Opposite page, bottom: A small chunk of wood missing? No problem. Instructor Jerry TerHark shows how to repair the damage with auto-body filler.

Below: Recaning a refurbished, antique chair takes patience, as student Jody Gerling discovers. Dakota Tech students can learn upholstery, too.

Advanced finishing methods 114

Don't test a stain on raw wood that hasn't been prepared (sanded) exactly like the wood in your project. It will look entirely different.

Shellac isn't a real durable finish, but it's a great sealer and compatible with lacquer. Therefore, you can seal old clear finishes still in fair shape with shellac, then recoat them with lacquer for a bright new finish.

Lacquers and shellacs rely on chemical adhesion to wood, whereas varnishes and polyurethanes must have a rough surface to grab on to. So, sand the wood accordingly.

One solvent for lacquer is lacquer thinner, and the thinner you use should be a 'perfect blend'. That is, if you're spraying one brand of lacquer, use the same brand of lacquer thinner, because it's formulated to match the lacquer.

When you put down several coats of a clear film finish, you'll never feel the wood, so you can bring out a high gloss finish with even 60-grit sandpaper. Therefore, sand only for color control, and concentrate on the finish coats for smoothness.

To avoid blotchy staining on maple and birch, first apply a wash coat made by mixing three parts solvent with one part stain.





a fundamental knowledge of the products involved—how they work and how they are related.”

Take what you've learned and earn

To graduate, finishing students must pass a final test, and it isn't multiple choice. "In the fourth quarter, each of my full-time students has to make a minimum of \$2,000 from clients with the finishing skills they have learned," comments Jerry.

"This is based on earnings of \$10 per hour. For instance," he explains, "if a student brings in a chair to repair and refinish for a customer, and that student estimates that the job will take three hours, that's \$30, leaving only \$1,970 to make up. But if the student underestimates the time and it takes longer, he or she will still only make \$30 income towards the goal. That's how it works in real life. They have to learn."

But that close to the end of the wood-finishing curriculum, few students should miss the \$2,000 mark. That's because in the process of collecting their credit hours, they've gained the skills that employers will pay for, and confidence, too.

Melanie Lunsford, a 35-year-old college graduate formerly employed in hotel management, says, "I was bored with the job I had. This work feels good, because I like wood. Now, when I go home, I'm not stressed out. I have no doubts that I can walk out of here and be successful as a professional finisher. And what's great is that I can practice it anywhere I want."

Some day, Melanie hopes to start her own furniture restoration business. When she does, every day she'll recall those lessons learned in finishing school, many of which we've presented in the boxes on these pages. You'll want to brush up on them yourself. ♣

Preserving the finished surface 113

The wood in furniture is no longer growing and therefore doesn't need its oil replenished. A finish protects the wood from any moisture. Lemon oil only collects dust.

Today's finishes don't require special protection, such as wax. Just clean with soap and warm water, rinse with clean water, and then dry.

Clean antiques with warm, soapy water and rinse. Then apply a good carnauba wax. Shellacs and old lacquer formulas on antiques aren't nearly as resistant to water as modern finishes.

Never apply wax heavily. Dampen a cloth with mineral spirits, dip it into the wax, and apply in a circular motion. When it starts to haze over, buff immediately.

Beware of cleaners containing ammonia. Ammonia gas will penetrate a finish and eventually turn wood darker.

Want To Attend Finishing School?

For course descriptions and costs, write *Dakota County Technical College, 1300 145th St. East, Rosemount, MN 55068*. Call 800/548-5502 (from Minnesota), 612/423-2281 elsewhere.

Written by Peter J. Stephano
Photographs: Layne Kennedy
Graphics: Mike Henry



Something new for adventurous woodworkers

ACRYLIC-IMPREGNATED

Suppose you could take a piece of soft, crumbling wood and make it hard and solid, while retaining all of its natural beauty? What if this stock proved impervious to swelling, checking, and warping? What if it resisted water, and its colors never faded? Sound impossible? Not anymore!

You can perform this “magical feat” with nearly any piece of dried wood through a process called stabilization. In fact, all of the projects shown here feature stabilized woods that were otherwise too soft or unstable to use. Let’s take a closer look at this technology and see how it can work for you.


How stabilization works

John Starr invented a process (with a patent pending) by which he forces liquid acrylic resins into wood under high pressure. The resins completely impregnate the stock, and then cure. Since starting his business—Material Stabilizing Specialists,


Inc. (MSSI)—in 1990, John has stabilized over 300 wood species for manufacture into knife handles, pistol grips, boat trim, jewelry, a wide variety of turnings, and many other objects.

For a fee, you can send turning squares up to 9” in diameter and 50” long to MSSI for stabilization. (Stock should be dried to at least 8 percent moisture content.) MSSI can also handle boards up to 1” thick, 12” wide, and 8’ long. The price for this service ranges from \$8 to \$18 per pound of stock (weight before stabilizing), depending on the type of wood and its intended use. The process requires 3–5 working days. Before sending any wood to MSSI, call or write John Starr at:

MSSI
Box 219
1007 Fremont
Tombstone, AZ 85638
Call: 602/457-3183
Fax: 602/457-3069



A piece of spalted maple before stabilization (*top*) and after stabilization.

 [Print this article](#)

Turnings by Philipp H. Mebes, Tucson, Ariz.; and Lee Gatzke, WOOD magazine art director.



WOOD



Knives by Fred Roe, Huntsville, Ala.

What stabilization does to wood
Once stabilized, your stock increases in weight by 20 to 150 percent (porous woods such as spalted maple take on more resin than dense woods such as ebony). It becomes harder, stronger, and will not change shape. As shown in the comparison photo on the *opposite page*, the color darkens slightly, similar to the way wood darkens when you apply water to it. Because the acrylic saturates the wood fibers, the pigments in those fibers cannot fade through oxidation.

What we discovered in our shop tests

During trials in the *WOOD*® magazine shop, we had good success sawing, sanding, and turning various samples of stabilized woods. Because of their hardness, our samples of spalted maple, black ash burl, and Australian lacewood required more cutting power and dulled our tools a little more quickly than nonstabilized woods. For turning, MSSI offers a special "soft formula" that makes the



Desk clock made of stabilized Australian lacewood by Jim Harrold, *WOOD* magazine managing editor.

turning process easier on you and your tools.

All cutting operations, especially turning, created clouds of fine dust, so be sure to wear an approved respirator while working it. Woodworker's glue held the stabilized pieces together with the same tenacity that it bonds unstabilized woods.

You don't have to apply a finish to stabilized woods. You need only sand the workpiece with a succession of 100-, 320-, and 400-grit abrasives, and then buff with a compound to bring out a deep sheen. A coat of wax protects the buffed surface. (MSSI markets a special wax for stabilized workpieces that comes with instructions. See the address on the *opposite page*.)

We achieved an even shinier surface, though (and one that doesn't require any maintenance), by sanding up to 320-grit paper and applying a water-based finish. Unlike untreated wood, the grain of stabilized wood does not raise when you apply a water-based finish.


Oil-based finishes also work, but keep in mind that these will add a slight amber cast to the natural appearance of the wood. Stabilized woods do not accept stains, but we can't imagine many circumstances under which you would need to alter the already beautiful look of these woods. 🍷

Written by Bill Krier
Photographs: Wm. Hopkins



CHARMING

Here's a stand-up mirror that invites a closer look. Its clean lines and wedged mortise-and-tenon construction will certainly reflect your craftsmanship. While building this mirror won't be a problem, deciding who gets it for their room could be.



Let's start by forming the feet

1 To make the feet (A), start by cutting two pieces of $\frac{3}{4}$ " stock and two pieces of $1\frac{1}{16}$ " (five-quarter) stock to $2\frac{1}{2}$ " wide by 21" long each. (We used cherry throughout.) With the edges and ends flush, glue and clamp one piece of $\frac{3}{4}$ " stock to one piece of $1\frac{1}{16}$ " stock for each foot. (Using these two different thicknesses of wood prevents the joint line from showing on the top surface after you cut the feet to shape.)

2 Scrape the glue from one edge of each foot. Then, plane or joint that edge flat, and rip the opposite edge of each foot on your table-saw to $2\frac{1}{4}$ " wide. Trim both ends square for a 20" finished length.


3 With the thicker wood on top, and using the dimensions on the Foot drawing for reference, mark a pair of cutlines on one edge of each foot. Next, mark the mortise on the top surface of each foot.

4 Drill holes inside the marked mortises to create rough openings. Next, use a sharp chisel and mallet to clean the mortise sides.


5 Bandsaw the feet to shape, cutting just *outside* the marked lines. Now, sand to the lines to finish shaping the feet. Save the wedge-shaped pieces of scrap—you'll use them later for the tenon wedges.



FOOT



CHEVAL MIRROR



Bill of Materials					
Part	Finished Size			Mater.	Qty.
	T	W	L		
A* feet	1 13/16"	2 1/4"	20"	LC	2
B* uprights	1 1/2"	2 1/4"	42 3/8"	LC	2
C stretcher	1 1/16"	4"	25 1/8"	C	1
D stiles	1 1/16"	2"	51 5/8"	C	2
E bottom rail	1 1/16"	2"	21 1/8"	C	1
F top rail	1 1/16"	2 1/2"	21 1/8"	C	1
G mirror back	1/4"	18"	48"	CP	1
H stops	1/4"	1"	49 1/8"	C	2
I stops	1/4"	1"	19 1/8"	C	2
J spacers	1/2"	3/4" dia.		C	4
K knobs	3/4"	1 1/2" dia.		C	2

*Initially cut parts marked with an * oversized. Then, trim each to finished size according to the how-to instructions.

Material Key: LC—laminated cherry, C—cherry, CP—cherry plywood

Supplies: two pieces of 1/4" all-thread rod 2 5/8" long, two 1/4" threaded inserts, 1/4 x 18 x 48" mirror, #6 x 5/8" ovalhead brass wood screws, heavy paper, finish.


Now, machine the uprights
1 To make the tapered uprights (B), cut four pieces of 3/4"-thick stock to 2 1/2 x 43 3/8". With the

edges and ends flush, glue and clamp two pieces together face-to-face for each upright. Repeat with the other two pieces.

2 Scrape the glue from one edge of each upright lamination. Then, plane that edge flat. Rip the opposite edge for a 2 1/4" width.

Continued

CHEVAL MIRROR



3 Crosscut both ends of each upright lamination for a 42 3/8" finished length.

4 Using the Upright drawing and accompanying Taper detail for reference, mark the cutline for taper cut No. 1, the tenon and mortise locations, and a 1/4" pivot hole on both uprights. Measure carefully; you want the uprights to be identical. Notice that the uprights taper on the sides and the outside surface. (Do not taper the surface that will be next to the mirror.)


5 Measure the mortise opening in the feet, and cut the upright tenons to fit. Be careful not to cut the tenons too small; you want them to fit tight in the mating mortises in the feet.

6 Mark the locations, and cut a pair of kerfs in each tenon where shown on the Tenon detail accompanying the Upright drawing.

7 Drill the 1/4" pivot hole in each upright where marked.

8 Drill overlapping holes and chisel the sides clean to form a mortise in each upright.

9 Following the three-cut procedure shown on the Upright draw-




ing, make taper cut No. 1 and sand the cut edge smooth. Mark the lines for taper cuts No. 2 and No. 3, make the cuts, and sand these edges smooth.

10 Mark a vertical centerline on the outside tapered face of each upright. Glue and wedge one up-



Mount a straight screwdriver bit into your drill press, and turn the chuck by hand to drive the threaded inserts.

right into each foot. Clamp the two assemblies together with the edges and ends flush as shown in the drawing at left. Use a framing square to adjust the uprights, making them perpendicular to the bottom of the feet.



Next, cut the stretcher, and join the uprights

- 1 Cut the stretcher (C) to size. Measure the mortises in the uprights, and cut a tenon on each end of the stretcher where shown on the Exploded View drawing.
- 2 Cut a pair of kerfs in each tenon. Cut the wedges to size plus $\frac{1}{4}$ " in length.
- 3 Glue the stretcher between the two upright/feet assemblies. Inject a bit of glue in each tenon kerf, and drive the wedges. Wipe off the excess glue with a damp cloth. Check for square, ensuring that the distance between the uprights is consistent from the top of the uprights to the stretcher. Trim and sand the tenon wedges flush.

Cut the frame parts, and assemble them

- 1 Cut frame parts (D, E, F) to the sizes stated in the Bill of Materials.
- 2 Mark the locations and cut mortises in the stiles (D) where located on the Frame drawing.
- 3 Mark the centerpoints, and drill a $\frac{7}{16}$ " hole $\frac{3}{4}$ " deep in each stile for the threaded insert. Now, as

shown in the photo at *left*, drive a $\frac{1}{4}$ " threaded insert into each hole.

- 4 Form tenons on the ends of the bottom rail (E) and top rail (F) to fit snugly into the mortises. (We attached an auxiliary wood fence to our miter gauge and a dado blade to our tablesaw. Then, we used the wood fence to support the rails while cutting the tenons with the dado blade.)
- 5 Using the wedge-shaped scrap left from cutting the feet to shape, cut eight tenon wedges.
- 6 Glue the frame, checking for square. Glue the wedges in place, and trim and sand them flush with the outside of the frame.
- 7 Rout a $\frac{1}{2}$ " rabbet $\frac{1}{2}$ " deep along the back inside edge of the frame. To minimize splintering, do this in two passes, lowering the bit to $\frac{1}{2}$ " for the second pass.
- 8 Mark the outlines across the top rail (F) and top ends of the stiles (D) where shown on the Frame drawing, and cut and sand the frame top to shape.
- 9 Measure the opening, and cut the backboard (G) to size. (We used $\frac{1}{4}$ " cherry plywood.)

10 Cut the mirror stops (H, I) to size (we resawed thicker stock), miter-cutting the ends. Drill and countersink mounting holes through the stops for ease in attaching to the mirror frame later.

It's time to add the locking knobs

- 1 With a compass, mark four $\frac{3}{4}$ "-diameter circles on a piece of $\frac{1}{2}$ "-thick cherry for the spacers (J) and two $1\frac{1}{2}$ "-diameter circle knobs (K) on $\frac{3}{4}$ " stock.
- 2 Drill a $\frac{1}{4}$ " hole through each spacer at each centerpoint used to mark the circles. Drill a $\frac{1}{4}$ " hole $\frac{1}{2}$ " deep centered in each knob.
- 3 Bandsaw the spacers and knobs to shape. Sand the cut edges smooth (we used a disc sander).
- 4 Cut two pieces of $\frac{1}{4}$ " all-thread rod to $2\frac{5}{8}$ " long. Epoxy one end into the hole in each knob.

Finish it up, and add the mirror

- 1 Finish-sand the stand, frame, backboard, and stops. Stain and finish as desired.
- 2 Cover your workbench with a blanket, and position the mirror frame face down on the blanket.
- 3 Cut paper (we used freezer paper) to the size of the mirror. Place the paper between the mirror and plywood to protect the silvered back of the mirror from abrasion or scratches.
- 4 Insert the mirror, paper, and backboard into the rabbet in the mirror frame. Tape the stops (H, I) in place. Using the previously drilled shank holes in the stops as guides, drill $\frac{3}{32}$ " pilot holes $\frac{3}{8}$ " deep into the mirror frame. Now, screw the stops in place to secure the mirror and plywood.
- 5 With a helper, hold the mirror frame in place, slide the threaded knobs through the holes in the uprights and spacers, and screw them into the threaded inserts in the mirror frame. Tighten the knobs slightly to prevent the mirror from swinging too freely. ♣

Produced by Marlen Kemmet Project Design: James R. Downing Photographs: Hopkins Associates

Illustrations: James A. Downing; Bill Zaun

AIRBRUSH

Many of us think of airbrushes as tools for artists, but most woodworkers can benefit from owning one. Why? An airbrush will apply most any oil-based or water-based paint, clear finish, or stain, and do it with greater control than other application methods.

With a little practice, you can even use an airbrush to fade together paint colors (as shown in the parrot's tail *below*) or stain sapwood so it blends into surrounding heartwood. You can buy an airbrush with accessories for less than \$60, and power it with the tiniest of compressors. And, an airbrush takes up little space, creates a small amount of overspray, and cleans up easily.

What type of airbrush do you need?

For most woodworking, a single-action airbrush such as the Paasche model H shown in this article and in the drawing *opposite page* will work fine. (Other makers produce similar models; see the Buying Guide *opposite page* for a source for the Paasche airbrush.)

Single-action airbrushes have an air-release button that controls air and fluid flow simultaneously. For an additional \$15-\$20, you can buy a dual-action airbrush that has separate controls for air and fluid flow. The dual-action airbrush gives you greater control over the amount of finish being applied, but takes more time to clean because of its additional internal parts.

Airbrushes require 20-30 psi of pressure, and run off of any compressor with an air-storage tank. Or, you can opt for a can of compressed air (about \$5 for 14 oz.). If space is at a premium in your shop, you can purchase compressors especially made for airbrushes that only weigh about five pounds (\$150 and up).



Print this article

How to put an airbrush to work in your shop

No matter what type of woodworking you do—furniture, toys, carvings, or miniatures—an airbrush can be a big help in your finishing tasks. Here's how we put one to use in the *WOOD* magazine shop applying three different types of finishes.

• For painting

An airbrush gives you great control over the amount and placement of paint, at a cost far below aerosol paint cans. As shown on the parrot mobile *below left*, you can easily fade and blend together colors for an eye-catching look. You can cut your masks from any stiff paper product.

• For applying clear finishes

An airbrush will handle projects big or small. We finished the dump truck *below* in several minutes using polyurethane thinned with 10 percent paint thinner.





A SUPER-VERSATILE FINISHING TOOL FOR YOUR SHOP

For large projects with hard-to-reach areas, such as the outdoor chair *below*, we sprayed between the slats with an airbrush, and then coated the entire project with a conventional spray gun. We used spar varnish thinned 25 percent with mineral spirits.



• For staining

With the help of an airbrush, you can evenly stain otherwise troublesome woods such as pine. And, because of your application control, you can blend sapwood and heartwood as shown in the pine sample *below*.



AN INSIDE LOOK AT A SINGLE-ACTION AIRBRUSH

Tips on getting the most out of your airbrush

Operating an airbrush is a pretty simple affair. Basically, you just connect the paint cup and air supply to the airbrush, then press the air-release button to begin spraying. You can control the amount of finish being dispensed by changing the air pressure and adjusting the paint nozzle. For most paints and varnishes, hold the airbrush about 6" from the work surface.

Any airbrush you buy will come with instructions, but here are a few tips we've found especially important:

- To avoid spattering, briefly spray the airbrush off to the side before spraying your workpiece.
- Spray light coats and build your finish over several applications rather than applying one or two

heavy coats. Heavy coats may run or form pools.

- If the flow of finish through the airbrush slows, thin the finish slightly. Run some pure thinner through the airbrush to clean it out before resuming. (We keep thinner in an extra bottle just for this purpose.)

Buying Guide

- **Single-action airbrush**, available at art, auto-paint, and craft stores nationwide. Or, you can buy the Paasche model H set with a 6' braided hose, ¼-oz. cup, 1- and 3-oz. bottles, and three tips for thin- to heavy-bodied finishes, \$59.95 ppd. from The Art Store, 600 Harding Rd., Des Moines, IA 50312. Call 800/652-2225. 🍀

Written by Bill Krier with Jim Downing
Photographs: Hopkins Associates
Illustration: Kim Downing; Mike Henry

SCRATCH AWL

A CRAFTSMAN'S MARKING TOOL

Whenever a project calls for accurate layout lines and precisely marked measurements, lots of experienced woodworkers put away the pencil and reach for a scratch awl. Somehow, you just feel more like a craftsman when you pick up a scratch awl. Here's one you can build yourself. It features a sturdy shaft, a sharp point, and the handsome look of all the tools in our Collector's Edition series.




the drive center with paint or a marker so you can align them to remount the turning. Now, remove the workpiece from the lathe.

Add a bit of brass

Try to thread a 1/4" brass flare nut onto the tenon. If the nut won't screw on, return the workpiece to the lathe and shave a bit off the tenon. Test and turn a little at a time until the flare nut fits the tenon snugly. Then, coat the inside of the fitting with epoxy and thread it onto the tenon.

After the epoxy cures, put the turning back on the lathe to file the wrench flats off the flare nut. (An 8- or 10-inch bastard-cut mill file does this job well.) File to a smooth contour, removing as little metal as possible—the threads that are cut on the inside of the nut make the brass thin in this area.

Grip the file firmly by the handle and the other end. Take it easy at first; the file will jump around quite a bit until the corners are rounded. Remove the file marks with progressively finer sandpaper, 100-grit through 320-grit.



Tools and Supplies

1/2" gouge
1/2" skew
1/8" parting tool

Walnut stock, 2x2x4"
Steel rod, 1/4" dia. x 6 1/2" long
Brass flare nut, 1/4"
Brass drawer pull
(For a kit containing a stainless steel rod and brass parts, see our Buying Guide.)

Lathe speeds (rpm)


Roughing: 600-900
Filing flare nut: 600-900
Finishing, sanding: 900-1,600


Locate and mark the center on each end of a 2x2x4" walnut turning square. With a 1/8" brad-point bit mounted in a drill press, drill a pilot hole 1 1/2" deep in one end. Center-punch the other end.

Mount the block between centers with the drilled end at the headstock. Round the stock down with the gouge, and then mark lines 7/16" and 2" from the tailstock end of the block.

Turn to the shape shown on the Cutting the Tenon drawing, *opposite page*, leaving a slightly oversized tenon. Mark the turning and

After assembling knob, epoxy knob assembly into hole





Copy the profile from the full-sized template, *below*, onto poster board and cut it out. Now, turn the handle to final contour. The $\frac{1}{2}$ " gouge will do the job, except for the top shoulder—cut that with your parting tool.

Shape the wood at the small end to match up to the brass nut, but be careful not to run your gouge into the metal. When the shape is right, make a pass with your skew chisel to smooth the surface. Sand with 150-, 220-, 320-, and 400-grit sandpaper. Polish the brass with 400- and 600-grit. Remove from the lathe.

Topping off the handle

With a $\frac{1}{4}$ " brad-point bit and a drill press, bore the shaft hole $2\frac{1}{4}$ " deep from the brass-trimmed end. Turn the handle around, and drill a $\frac{3}{8}$ " hole $\frac{3}{4}$ " deep at the top.

Cut a $\frac{3}{8}$ " dowel $\frac{5}{8}$ " long. Find and mark the center on one end, and then drill a $\frac{5}{32}$ " hole through the length of the piece.

Coat the attaching screw for a round brass drawer pull with epoxy and push it through the hole. Apply epoxy on top of the dowel, and then thread the pull onto the screw. Then, epoxy the dowel into the handle hole.

Getting to the point

Note: Sparks will fly as you make the blade. To be on the safe side, clean the sawdust from your sander, and don't run your dust collector while grinding the steel rod. Cool the blade with water as needed and wear eye protection.

Chuck a $6\frac{1}{2}$ " length of $\frac{1}{4}$ " steel rod into your portable electric drill. Then, turn on your stationary disc/belt sander, and bring

the rotating rod against the moving abrasive to taper it. Hold the drill at a slight angle to the sander and aim it so that the abrasive moves away from the rod end.


Polish the shaft with 150-through 600-grit sandpaper, and then grind the final $\frac{1}{8}$ " at the tip to a sharp point by holding the drill at a steeper angle. Epoxy the finished blade into the handle.

Mask off the brass knob, brass nut, and blade, and then apply walnut stain and filler to the handle. Spray on three coats of clear lacquer, rubbing it out with 0000 steel wool and furniture wax. Finally, peel off the tape and polish the shaft, brass nut, and knob with a metal polish.

Buying Guide

• **Metal kit.** Brass knob, flare nut, $\frac{1}{4} \times 6\frac{1}{2}$ " stainless steel rod, kit no. 742, \$7.42 ppd. Puckett Electric, 841 11th St., Des Moines, IA 50309, 800/544-4189. 📍


Design: Jim Boelling
Photograph: Hopkins Associates
Illustrations: Kim Downing; Mike Henry



COUNTRY QUILT



Here's a nice solution to an old dilemma: how to store a quilt yet still enjoy its beauty. With our on-wall hanger, you'll be displaying your favorite coverlet whenever you're not using it to keep warm.

 [Print this article](#)

Note: Our walnut hanger holds a 44"-wide quilt. If your quilt is a different size, adjust the length of part A to match its width. Then, make part C 2¼" longer than A and part D ½" shorter than A.

Joint one edge of three boards, one that measures 1×6×60", one 1×6×48", and one 1×4×48". Rip the long 1×6 to 4¼" wide and the short one to 4⅝" wide.

Crosscut the 4¼" board to 44" for the back (A). Cut two 4¼" lengths from the cutoff for the endpieces (B). Cut the 4⅝" board to 46¼" for the top (C). Now, bevel-rip the 1×4 at 45° to 2⅞" wide. Trim it to 43⅞" for the hanger bar (D).

Bandsaw a 1"-radius curve on each front corner of the top and on the lower front corner of each endpiece. Then, refer to the Routing drawing, and rout along the front edge and both ends of the top with a ¼" round-over bit. Rout the bottom the same way.

With the same setup, rout the front edge and bottom of each endpiece *on one side only*. After routing one, be sure to rout the

other on the opposite face so you'll have a left end and a right end. Change the bit, and rout ⅜" round-overs along the unbeveled edge of the hanger bar.

Refer to the End View and Exploded View drawings to mark locations for the pivot-pin holes. Also mark the dowel holes to join the endpieces to the back.



With a ⅜" brad-point bit, bore ⅝" deep on the inside face of each endpiece and the ends of the hanger bar. Gauge the depth of the pivot-pin holes carefully to minimize hanger bar end-play. Drill 1" deep into the ends of the backpiece. Keep the holes straight with a drill press or doweling jig.

Chuck a 1¼" length of ⅜" dowel into your drill press, and sand one end to a slightly smaller diameter (see Pivot Pin detail). Make two pins.

Glue a pivot pin into the hole in each endpiece (see Exploded View drawing). Insert the pin to the shoulder. With dowels and glue, attach one endpiece to the back. Place the hanger bar over the pivot pin with the bevel to the bottom, and then attach the

HANGER

For displaying your handmade treasures




other endpiece. Do not glue the hanger bar to the pivot pins.

Mark the center of the top's rear edge and the back's rear face, and then glue the top in place, carefully aligning the center marks and the back edge. Clamp until set. Finally, apply a clear oil finish. 🌲

Design: James R. Downing
Photograph: Hopkins Associates
Illustrations: Jamie Downing; Jim Stevenson



WINTER WONDERLAND



A 3-D scrollsaw spectacular

In addition to the three R's, youngsters in colder climes study the three S's—sleddin', skatin', and snowman buildin'. These hearty children show their skills on a winter's eve; you can show yours with your scrollsaw.

Print this article

Note: Re-create our winter scene with two $\frac{1}{4} \times 5\frac{1}{2} \times 12$ " pieces of walnut, an 8×10 " piece of $\frac{1}{8}$ " Baltic birch plywood, and a $2\frac{1}{2} \times 7$ " mirror $\frac{1}{8}$ " thick. The small inside cuts require plain-end scrollsaw blades.

Attach a photocopy of the full-sized Base pattern, *opposite page*, to one piece of walnut with rubber cement or spray adhesive. Tilt your scrollsaw table to 30° .

Drill a $\frac{1}{2}$ " hole inside the pond outline, and thread the blade through it. (We used a #5 blade, .038 \times .016", with 12.5 teeth per inch.) Cut out the inside of the

pond, keeping it on the low side of the scrollsaw table. Next, set the saw table to 90° .

Drill $\frac{1}{16}$ " blade start holes for the four slots in the upper base part. Cut the slots to match the thickness of your plywood.


Stack the piece you just cut on the other piece of walnut, and trace around the inside of the pond with a pencil. Then, lay out a $2\frac{5}{8} \times 7\frac{1}{8}$ " rectangle on the bottom layer to encompass the pond outline you just drew. Drill a blade start hole, thread the blade, and cut out the opening.

Glue the two walnut pieces together, with the pattern on top. Tilt your scrollsaw table to 25° , and then cut around the pattern outline. Keep the patterned piece on the high side of the saw table as you cut.


Transfer the full-sized patterns for the figures and trees (*page 72*) to your plywood. Drill $\frac{1}{16}$ " blade start holes, return the saw table to 90° , and cut, starting with the small inside areas. Test-fit the cut-outs in the base slots, and then

glue them into place. Apply a clear spray finish such as Deft Wood Finish to the assembled scene and the skater.

From the bottom, fasten the $2\frac{1}{2} \times 7$ " mirror in place with a bead of hotmelt glue. Then, glue the skater into place. 🌲



EXPLODED VIEW



The full-sized pattern for the trees can be found on page 72

Pond cutout

FULL-SIZED PATTERN

- Cutting line, top piece
- - - Cutting line, bottom piece

2 5/8 x 7 1/8" mirror cutout in bottom piece

FULL-SIZED PATTERNS



IT'S A GRAND OLD



Country red, antique white, and deep blue combine for an antique-looking decorator flag you'll be proud to display inside or out. Take a few minutes to scroll-saw it, and then long let it wave.

FULL-SIZED
PATTERN

You'll need 1×10×10" stock (we used pine) and a 10×10" piece of ¼" plywood.

Attach a photocopy of the full-sized pattern, *right*, to a 10" length of 1×10 with rubber cement. Place the ends of the stripes at an end of the board.

Cut a piece of ¼" plywood to the size of your board. Temporarily attach it to the back of the 1×10 with double-faced tape. Scroll-saw or bandsaw the outside pattern line, and then remove the plywood piece and set it aside.

Drill a ⅛" blade-start hole through the board where shown on the pattern. Thread your scroll-saw blade through it (we used a #9 blade, .053×.018" with 11.5 teeth per inch), and cut out the star. Then, cut the stripes.

Sand the flag, putting a slight round-over on the top-face corners. Apply a coat of barn red to

the stripes, but don't paint the edges or the flagpole. Paint the star field dark blue, and accent the ball atop the flagpole with gold. (We used artist's acrylics.)



Paint the top face of the plywood flat white. (We mixed small amounts of brown and yellow with the white to get an aged-looking off-white.) Don't paint the plywood edges.

After the paint dries, scuff the flag corners with 150-grit sandpaper for an old, worn look. Brush walnut stain on the flagpole and all edges, including the edges of the plywood piece. Rub thinned walnut stain on the painted areas and quickly wipe it off to create an antique effect.


Attach the plywood to the flag with glue or brads. Then, add a wall hanger so you can proudly display Old Glory. If your flag will be going outside, coat it with a weatherproof clear finish. 🍄

FLAG

Show your colors, country-style



STEP 1: Tape top and bottom pieces together to cut outline.





STEP 2: Separate the two pieces, cut out the star and stripes on the top piece.

SIMPLY STATED SHAKER



Like wall clocks built by the Shakers in the early 19th century, our version features clean, unadorned design lines. Although the Shakers frowned upon watches, wall clocks abounded. Today, collectors seek out the originals and pay dearly for them.

To build your own Shaker-style classic, use a solid panel in the door bottom. Or, for a more modern appearance and a view of the pendulum (something considered showy and therefore an unusual Shaker practice), try a glass insert.



WALL CLOCK

Start with the cherry clock case

1 From $\frac{3}{4}$ "-thick cherry, cut the sides (A) and the interior top and bottom (B) to the sizes listed in the Bill of Materials.

2 Cut or rout a $\frac{3}{4}$ " rabbet $\frac{1}{4}$ " deep across the ends and a $\frac{1}{4}$ " rabbet $\frac{1}{2}$ " deep along back inside edge of both side pieces where shown on the Exploded View drawing. Then, form a $\frac{1}{4}$ " rabbet $\frac{1}{2}$ " deep along the back edge of the top and bottom interior pieces.


3 Glue and clamp the clock assembly (A, B), checking for square. Remove excess glue with a damp cloth.

4 Cut the exterior top and bottom pieces (C) to size.

5 Fit your table-mounted router with an edge-rounding bit (we used a Craftsman 9GT26337) and fence. Raise the bit where shown on the Routing detail accompanying the Exploded View drawing. Using the same detail for reference, position the fence and bit where shown. (We test-cut $\frac{3}{4}$ " scrap stock first to verify that the routed cut was centered along the edge of the stock.)

6 Rout the front and side edges (not the back edge) of the exterior top and bottom pieces (C). When making the last cut (across the grain), use a piece of scrap stock to reduce splintering as shown on the drawing below.

7 Mark the $\frac{3}{4} \times 4$ " notch on the back edge of the top exterior part (C) where shown on the Exploded View drawing. With a bandsaw or scrollsaw, cut the marked notch to shape.



It's time to add the cleats, clock face, support, and back

1 Cut the three cleats (D) to size. Glue and clamp them to the inside of the case where shown on the Exploded View drawing.

2 Cut the bottom cleat (E) and the clock-face panel (F) to size. Glue the bottom cleat to the front bottom edge of the clock-face panel, with the ends and bottom edges flush, where shown on the Exploded View drawing.

3 Place the clock face on the clock-face panel (F). Trace the shaft hole and four screw mounting holes from the clock-face openings onto the plywood panel. Remove the clock face and drill a $\frac{3}{8}$ " shaft hole where marked. Then, drill four $\frac{1}{16}$ " screw holes where marked.

4 Measure the opening and cut the back panel (G) to size from $\frac{1}{4}$ " cherry plywood.

5 Transfer the full-sized half-round clock-support (H) outline and the three hole centerpoints to $\frac{3}{4}$ " cherry. Bore a 1" hole where marked. Next, drill and countersink a pair of $\frac{5}{32}$ " shank holes where marked.


6 Cut the clock support to shape. Sand the radiused edge smooth to remove the saw marks.

7 Cut the clock support to shape. Glue the clock support into the notch in the exterior top piece (C). Then, using the previously drilled shank holes in the notch as guides, drill a pair of $\frac{7}{64}$ " pilot holes $\frac{3}{4}$ " deep into the top piece (C). Drill the same sized mounting hole through the top interior piece (B) and into the support where shown on the Exploded View drawing and accompanying the Clock Support Mounting detail. Drive a trio of $\#8 \times 1\frac{1}{2}$ " wood screws to further secure the clock support to the clock assembly.

Now, for the door

1 Cut the door stiles (I), top and bottom rails (J), and center rail (K) to size.

2 Fit your tablesaw with a $\frac{1}{4}$ " dado set and cut a $\frac{1}{4}$ " groove $\frac{3}{8}$ " deep centered along *one* edge of parts I and J and *both* edges of the center rail (K) as shown in the photo below. (Note that we used a feather board to keep the pieces firmly against the fence. We also test-cut scrap first to verify that the groove was accurately centered along the edge.)




Cut a $\frac{1}{4}$ " groove $\frac{3}{8}$ " deep centered along the door parts. Clamp a feather board securely to your saw table to hold the pieces firmly against the fence.


Continued

SHAKER WALL CLOCK


Cutting Diagram




3/4 x 9 1/4 x 96" Cherry





3/4 x 7 1/4 x 48" Cherry




1/2 x 7 1/4 x 48" Cherry



1/2 x 24 x 48" Cherry



EXPLODED VIEW



Bill of Materials

Part	Finished Size			Matl.	Qty.
	T	W	L		
CLOCK CASE					
A sides	3/4"	6"	32"	C	2
B top & bottom	3/4"	6"	11 1/2"	C	2
C top & bottom	3/4"	7 1/8"	13"	C	2
D cleats	3/4"	3/4"	11"	C	3
E cleat	3/4"	1"	11"	C	1
F panel	1/4"	11"	11 3/4"	CP	1
G back panel	1/4"	12"	31 1/2"	CP	1
H support	3/4"	4"	2 3/4"	C	1
DOOR					
I stiles	3/4"	1 1/4"	31 7/8"	C	2
J rails	3/4"	1 1/4"	10 3/4"	C	2
K center rail	3/4"	1 1/2"	10 3/4"	C	1
L panel	1/2"	10 5/8"	18 9/16"	EC	1
M stops	1/4"	1/4"	10 3/4"	C	4
N stops	1/4"	1/4"	18 5/8"	C	2

Material Key: C—cherry, CP—cherry plywood, EC—edge-joined cherry

Supplies: 1/2" x #19 brads, 3/4" x #19 brads, #8 x 1 1/2" flathead wood screws, 1/8 x 10 1/16 x 10 1/16" glass, clear finish.

SHAKER WALL CLOCK

6 Fit your router with a $\frac{3}{8}$ " rabbeting bit. If you plan to fit both the upper and lower openings with glass, rout along the back inside edge of both openings in the door. See the Glass and Panel details accompanying the Door drawing and the Lower Glass Panel Installation drawings for reference.

7 Cut four glass stops (M) to size, miter-cutting the ends for the top opening. Cut the bottom opening glass stops (M, N) if required. Snip the head off a $\frac{1}{2}$ " x #19 brad, chuck the brad into your portable electric drill, and use the brad as a bit to drill pilot holes through the glass stops $1\frac{1}{2}$ " in from the ends where shown on the Door drawing.

8 Drill the holes for the knob and magnetic catches. Glue the knob in place.

Add the finish, hardware, and movement

1 Stain and/or finish the case, door, back panel, knob, and glass stops as desired. (We left ours unstained and applied three coats of satin polyurethane.)



2 Install the glass and the glass stops. See the Glass detail accompanying the Door drawing for reference. Screw the clock face to the plywood panel (F).

3 Attach the hinges to the front edge of the right-hand side piece (A) where shown on the Door drawing. Then, fasten the hinges to the door stile. When positioning the door for attaching the hinges, allow $\frac{1}{16}$ " gap between the clock case and the top and bottom of the door.

4 Insert the magnetic catches into the previously drilled holes, and mark their mating locations on the back face of the door stile. Drill a pair of mounting holes in the back face of the door, and drive the screws, which act as strike plates.

5 Brad the back panel (G) into the rabbet in the clock back.

6 Stick the clock shaft through



the hole in the plywood panel, and fasten the movement (minus the pendulum) to the panel and clockface with the external-threaded nut. Add the hands to the clock shaft. Hang the clock on the wall (or a Shaker peg as shown in the opening photograph). Add the pendulum and battery, and set the time.

Buying Guide

• **Shaker clock kit.** Quartz pendulum movement, Shaker hands and dial, $\frac{7}{8}$ " Shaker peg, two $\frac{3}{4}$ x $2\frac{1}{2}$ " brass no-mortise hinges, two $\frac{5}{16}$ " magnetic catches. Kit No. A0510X, \$55 ppd. Mason & Sullivan Co., 586 Higgins Crowell Road, West Yarmouth, MA 02673, or call 800/933-3010 to order. ♣

WANT TO LEARN MORE ABOUT SHAKER CRAFTSMANSHIP?

For an insight into the austere lives of the Shakers, their craftsmanship aimed at function not fancy, and their furniture, we'd like to recommend *The Book of Shaker Furniture* by John Kassay, The University of Massachusetts Press, Amherst.

Produced by Marlen Kemmet
Project Design: James R. Downing


Photographs: Hopkins Associates
Illustrations: Kim Downing; Mike Henry

A tried-and-true method for **SQUARING UP STOCK**


Despite its gracefully rounded final shape, a cabriole leg must begin with an absolutely square length of wood. That means each face is the same width and forms a 90° angle with adjacent faces. In the cabriole-leg example, a not-quite-square workpiece will yield a slightly distorted leg that's different from the other table or chair legs, even when shaped from the same pattern.

Likewise, square tapered legs, and turned legs with square sections, need to start with squared stock. Here's how to perform this simple—but essential—squaring process, using your jointer and tablesaw.


I Place the workpiece on a flat surface, such as a saw table, to detect any warp. If the workpiece is bowed, place the hollow side of the bow on your jointer as shown *below*. If you can't detect a bow, place any side onto the jointer. Pass the workpiece over the jointer until you have a true, flat surface. In this and the following steps, remove only as much stock as is necessary to true the surface.




2 Set a try square on the out-feed table of your jointer, and carefully adjust the fence to exactly 90°.




4 With your try square, check the two trued surfaces to make sure that they're at 90° to one another along the entire length of the workpiece. Mark these two surfaces as shown *above* so you don't confuse them with the untrued surfaces.



3 Place the trued surface from Step 1 against the jointer fence as shown *above*, and true the adjacent bottom face of the workpiece. Feed the stock slowly for best results.




5 Fully raise your tablesaw blade, and check it and the saw's fence for square. Lower the blade so it's 1/8" higher than the workpiece. Hold either trued surface of the workpiece against the fence with the other trued face against the table. Now, adjust the fence for a "skimming" cut. This means that the blade will remove a minimum amount of material and still cut the entire surface. Pass both untrued surfaces through the blade as shown *above*. ♣



Exclusively Performax Precision Drum Sanders

5
YEAR
ANNIVERSARY

Our Customers Say: "You know you really oughta tell people that the Performax really does what you say it'll do."



Performax
S/T Sander
attached
to a
Radial
Saw

with
Power
Feed.

So After 5 Years of Ads, Here Goes: It really is rigid. It really does sand 44" wide in two passes. It really is precise. It really is affordable. It really does have new and really improved abrasive fasteners. It really is the best drum sander money can buy. It really will exceed your expectations.

**A REALLY BIG THANK YOU
TO ALL WHO MADE
THIS ANNIVERSARY POSSIBLE.**

For a Free Brochure and the Dealer Nearest You Call

1-800-334-4910

or (612) 895-9922

or write: PERFORMAX PRODUCTS, W1
12211 Woodlake Drive, Burnsville, MN 55337

Do-It-Yourself Kits



*Factory Direct
Clocks and Furniture*

**Also Assembled
and Finished**

- Grandfather Clocks, Mantel and Wall Clocks
- Curios, Tables, Chairs, Desks, Cradle...and more!
- Solid 3/4" Black Walnut, Cherry, or Oak
- Heirloom Quality
- Solid Brass West German Movements and Dials
- Money Back Guarantee



I am
interested in
 Do-It-Yourself Kits
 Finished Clocks
 Finished Furniture

SEND \$1 FOR
COLOR CATALOG

Name _____
Street _____
City _____
State _____ Zip _____




(Please Print)
**EMPEROR
CLOCK COMPANY**

World's Largest Manufacturer of Grandfather Clock Kits
Dept. 4217 Emperor Industrial Park
Fairhope, Alabama 36532 • Phone 1-205-928-2316

WINTER WONDERLAND

Continued from page 63



**FULL-SIZED
PATTERN**

The Japan Woodworker's Catalog is . . .

loaded with the best tools you can get your hands on. In our catalog you will find a huge selection of Japanese saws, waterstones, chisels, planes, carving tools, cutlery and books. Send \$1.50 for our catalog and supplements during the next two years.

THE JAPAN WOODWORKER
1731 Clement E15, Alameda, CA 94501
Phone 1-800-537-7820

BUILD YOUR OWN QUEEN ANN FURNITURE

JUST ASSEMBLE OUR KITS



**SOLID CHERRY, OAK
MAHOGANY, WALNUT**
FREE BROCHURE
No Minimum Required

DESIGN YOUR OWN!
with our wide variety of stock legs



Adams Wood Products, Inc.
974 Forest Drive, DEPT. M10
Morristown, TN 37814 • Phone 615-587-2942



NEED
EXTRA
INCOME?

SIGNCARVING



IS FUN & PROFITABLE

And it's easy, if you use the Marlin Woodcarvers and accessories. You can carve signs quickly at home or at swap meets. *No special training is required.* The machines do the work, the operator has the fun and the profits. These machines will also 3-D carve panels and plaques. Our templates work well with other machines.

SEND \$1.00 FOR OUR FULL LINE BROCHURE AND PRICE LIST AND START PLANNING YOUR FULL OR PART-TIME BUSINESS.



MARLIN INDUSTRIES, INC.

Rt. 70, Box 191, Dept. D21
Cashiers, NC 28717
(704) 743-5551

BRANDING IRON

Your Satisfaction Guaranteed

- Convenient torch heating
- Solid Brass—lasts years
- Special wording available
- Electric Models Start at \$46.95
- 2nd line—
20 letters/spaces max.
- 1/4" letters
- Distinctive Border
- Add \$3.00 shipping and handling
- OH res. add 6% sales tax



\$26⁰⁰

Order by mail from:

BrandMark TO ORDER CALL TOLL FREE
462 Carthage Dr., Dept. W2-2 **1-800-323-2570**
Beavercreek, OH 45434-5865
(513) 426-6843 8:00-5:00 EASTERN TIME


Wood-Mizer

World's Largest Manufacturer of Portable Sawmills

Own a Sawmill!

Start a Profitable
Business!

Save money cutting
your own lumber,
make money
cutting for
others.



1-800-553-0219

32 Page Full Color Catalog - \$2.00
66-minute demonstration video-\$10.00
MasterCard or Visa accepted

8180 West 10th Street • Dept. QQ57
Indianapolis, Indiana 46214-2400

Wood Moisture Meter

pocket-size
MINI-LIGNO
Range: 6-20%
in 1% steps
Size: 1"x2 1/4"x5 1/2"

\$110
only

Including
Case,
Battery, Pins for
3/16" or 7/16"
measuring depth.

Also available as
Mini E, 6-36%



Lignomat USA Ltd.
503-257-8957 800-227-2105

P.O. Box 30145
Portland, OR 97230

DOMESTIC & FOREIGN HARDWOODS

Quality stock for Cabinet Work
Most all sizes from 1" to 4" in thickness

HARDWOODS

ASH—BASSWOOD—BIRCH
BUTTERNUT—CHERRY
CHESTNUT—EBONY—MAPLE
OAK—POPLAR—ROSEWOOD
TEAK—WALNUT
Also hardwood plywoods

SOFTWOODS

SUGAR PINE—CYPRESS—CEDAR
SPRUCE—DOUGLAS FIR etc.
MAURICE L. CONDON CO., INC.
242 Ferris Ave., White Plains, NY 10603
914-946-4111
Monday through Friday 8 AM to 4:30 PM



WOODCRAFT

FULL SIZE PATTERNS

SIMPLE TO MAKE ★ FUN ★ PROFITABLE
✓ Check the Packets of Interest to YOU!

- 100 yard ornaments animals, birds, signs, more!
- 200 pattern packet for scroll, band & jigsaws!
- Show stoppers - 22 craft show top-sellers!
- 25 fun, profitable "wind-action" whirligigs.
- Attractive Dutch Windmill - 5 feet tall.
- Country Critters-100 patterns, decorative projects!
- 125 pattern "Fun Packet" assortment.
- Yard Characters - Dutch, Amish, bending lady, more.
- Yard Critters-sheep, pig, geese, chickens, more!
- Over 30 Christmas decorations & centerpieces.
- 3 foot tall Santa, snowman, soldier & candle.
- Over 20 quick and easy bird houses.

Send \$8.00 per packet. Pick 3 for only \$16.00
Fast Service • Satisfaction Guaranteed!

ACCENTS, Dept. MA12, Box 7387, Gonic, NH 03839
WOODCRAFT CATALOG - \$2.00 (Free with order)

SQUARE DRIVE SCREWS

Simply the Best!

- Square Drive Beats Driver Slippage
- Hardened Steel for Extra Strength
- Deep Thread for Super Grip
- Also Brass & Stainless

Send \$3 for Samples and Catalog



**McFEELY
HARDWOODS**

P.O. Box 3 • 712 12th St.
Lynchburg • Va • 24505
Toll Free 1-800-443-7937
or FAX (804) 847-7136

WOODWORKER'S CATALOG

More than 4,000 hard-to-find products to

BUILD, REPAIR, RESTORE, REFINISH

anything made of wood!

It's the catalog woodworkers rely on for fine woods, veneers, finishing supplies, tools, hardware, moldings, adhesives and more...all top quality, reasonably priced, and covered by our 60-day no-questions-asked guarantee. Just \$1.00 brings you the 116 page color catalog plus all supplements for two full years.

Serving woodworkers for 180 years



CONSTANTINE

2054Y Eastchester Road, Bronx NY 10461

Name _____

Address _____


City _____

State/Zip _____

335 GREAT SHOP TIPS

THE BEST IDEAS COLLECTED FROM OUR POPULAR COLUMN
"TIPS FROM YOUR SHOP (AND OURS)"

IN WOOD, MAGAZINE



333 GREAT SHOP TIPS contains valuable information from the editors and readers of WOOD magazine – shared knowledge that makes working in your shop better, faster, safer, and easier. We've organized the tips into 24 convenient categories with an index for easy accessibility to any subject.

HOW TO ORDER

To order "335 Great Shop Tips," send your name, daytime phone number and address, city, state and zip, plus \$10.95 (U.S.) (Canadian readers add \$1.00), which includes postage and handling to:

335 GREAT SHOP TIPS
P.O. Box 11454
Des Moines, IA 50336-1454

Allow 6-8 weeks for shipping and handling.

To order by phone, call 1-800-374-9663 (9 a.m. to 5 p.m. CST)

BUILDING OUR NAME...

BUILDING YOUR DREAMS...

ONE YEAR WARRANTY



WIDE BELT SANDER

CT-2575 24" \$4290
CT-3775 36" \$5390



SHAPER

SP-3400 1.5 HP..\$469
SK-30SPA 3 HP.. \$849
SP-34T TILTING..\$1695



TABLE SAW

HTS0012 12" \$789
TS-1010 10" \$1295
TS-1414 14" \$2690



BAND SAW

BS-1316 16" \$299
BS-0163 16" \$499
BS-0183 18" \$649
BS-0202 20" \$1290



JOINTER

JT-1007 7" \$309
JT-1008 8" \$639
JT-0012 12" \$1895

WE SPECIALIZE IN CUSTOMER SATISFACTION



9034 Bermudez Street,
Pico Rivera CA 90660
MAIN OFFICE:(213)949-3747
ATLANTA:(404) 416-6006
(800)786-5626 (order only)

LOBO POWER TOOLS

Van Dyke's

Presents a
Catalog

with supplies for upholstery, antique restoration, wood working, caning, brass hardware, carvings and many related trades!

36 Years in Creative Arts & Trades

Many Hard-To-Find Items!

SEND \$1.00 FOR CATALOG TO:
Van Dyke's Restorers
Dept. D55 · Woonsocket, SD 57385



DRY YOUR OWN LUMBER...



...With an EBAC Wood Drying System

Whether you're a serious home woodworker, small cabinet shop or a large wood retailer, EBAC has a wood drying system that's affordable for you.

EBAC Wood Dryers:

- save you money
- are easy to operate
- are energy efficient
- give you higher quality wood
- give you complete control over your wood's moisture content



CALL OR WRITE TODAY!

EBAC LUMBER DRYERS

106 John Jefferson Rd., Suite 102
Williamsburg, VA 23185

1-800-433-9011 • FAX (804) 229-3321

in Canada: 416-985-2123 • FAX (416) 985-3708

Build "Merrilegs"

Full-size
Plan #121
\$14.00
(catalog free
with order)

SEND TODAY!

CATALOG
200 full-size
professional
furniture plans
— \$3.00



Full-Size Professional Plan

FURNITURE DESIGNS, INC., Dept. BZ-12
1827 Elmdale Ave., Glenview, IL 60025 — (708) 657-7526

WOOD PATTERNS

3-D PLAQUES—MOBILES—YARD ORNAMENTS
Each Pattern Given in 3 Sizes

- * FISHES
- * CAROUSEL HORSE
- * EAGLE
- * BUTTERFLY
- * CASTLES
- * ANGEL
- * SEA HORSE
- * DOLPHINS

\$4.50 each or 3 for \$12.00 ppd.
\$1.00 for pattern list only
ca. res. add 6%

HOUSE OF STARRR

P.O. BOX 783 ANGELS CAMP, CA. 95222

Quality

EXOTIC LUMBER

Figured Domestic
Turning Wood
Exceptional Quality
Personal Friendly Service

Whether you are a
Beginner or Professional,
We welcome your inquiries

Call or Write.

BereaHardWoods.co.

125 JACQUELINE DRIVE • BEREA, OHIO 44017
216-243-4452

FOR INFORMATION ABOUT
PLACING AN ADVERTISEMENT IN

Better Homes and Gardens.

WOOD

PLEASE WRITE:

BILL REED
WOOD MAGAZINE
750 THIRD AVENUE
NEW YORK, NY 10017

OR CALL COLLECT: 212-551-6903

FROM OUR BOOKSHELF

QUEEN ANNE FURNITURE

History, design, and construction


By Norman Vandal
The Taunton Press Inc.
63 South Main Street, Box 5506
Newtown, CT 06470-5506 © 1990
247 pages, \$34.95 hardcover

"Queen Anne never sat in a 'Queen Anne' chair, nor did she store her clothing in a high-boy named after herself. The Queen Anne period was not identified as such until at least 150 years after Anne's death. Even then, the term was coined not on her native soil but in North America."

Even if you never build any of the Queen Anne-style furniture presented in this book, it's a worthwhile investment. The historical data and descriptions of individual furniture pieces presented by author Norman Vandal will delight the armchair enthusiast and provide collectors with first-hand knowledge of this classical furniture style.

Seeing a need to consolidate Queen Anne historical data, accurate measured drawings, and information on both period and modern construction technology in a single source, Vandal has written what his publisher calls "the most comprehensive book ever published on this most popular and sophisticated of American furniture styles."

Following a historical overview of Queen Anne furniture, the author describes the various styles of cabriole legs, and provides detailed instructions on bandsawing and turning several styles of this smooth-flowing leg.



Then, Vandal, who's spent 15 years reproducing period furniture, plunges into seating, tables, and case furniture. If you're interested in building a piece or two, you'll enjoy the 18 pieces of furniture described with numerous color and black and white photos, 81 pages of detailed measured drawings, how-to procedural drawings, and extensive copy coverage of the construction and finishing procedures. In addition, Vandal lists sources for the necessary hardware, tools, finishes, and upholstery supplies.

To present the projects, Vandal relies on front, side, and section-view drawings. An inclusion of an exploded view of each project and full-sized drawings of some of the smaller parts would have been most helpful. As shown, I believe most intermediate woodworkers could complete the simpler furniture pieces, but not the more detailed ones.

Projects range in complexity from a basic oval-top table to a more complex scallop-topped chest. Turners will want to take a stab at the tilt-top candlestand or the Hudson River Valley side chair.

Reviewed by Marlen Kemmet,
How-to Editor

STOP PERFBORARD HOOK FALLOUT!
M-CLIPS™ are THE guaranteed perfect solution to this annoying problem! Fit both 1/8" and 1/4" perfborard. Send SASE for free sample or \$5.99 + \$1.50 p&h for pkg. of 50 to: AETECH, P. O. Box 6298, Dept. W13
10 Shadowstone Lane
Lawrenceville, NJ 08648

ANTIQUE reproduction
furniture **HARDWARE**

HORTON BRASSES
Nooks Hill Rd. PO Box 120J
Cromwell, Ct 06416 203-635-4400
send \$3.00 for a catalog

SPECIAL WOODCARVING GIFT WG92
\$24.95 PLUS POSTAGE #1FS Strop has coarse leather one side. Finished leather opposite side.
ADD POSTAGE Shown in partially open and closed position.
U.S.A. \$3.50
CANADA \$6.50
FOREIGN \$8.50

SPECIAL OFFER INCLUDES:
1— Custom made oak & leather folding strop.
1— Custom made walnut handled knife with solid brass inter-changeable chuck.
1— Heavy duty whittling blade, honed razor sharp, ready for carving.
Free 6-Page instruction booklet.
Complete catalog free with purchase, or send \$1.00 for catalog only.

WARREN TOOL CO. INC.
2209-1 Rt. 9G, Rhinebeck, N.Y. 12572
TEL. (914) 876-7817
N.Y. RES. ADD SALES TAX / USA - Check or money order.
Canada & Foreign money order (only).
USA — COD UPS available at extra cost.

SPECIAL OFFER
BRANDING IRON
For hard and soft wood

\$2600
Free shipping and handling
Nabr. residents add correct sales tax
SATISFACTION GUARANTEED or your money back

- Shipped in one week
- Solid brass head — raised letters
- 1st Line: HAND CRAFTED BY — as above
- 2nd Line: Your choice — 20 characters/spaces max.
- Complete with wood handle
- As above but with 3rd line — \$37.00 + \$3.00

ORDER TOLL FREE **1-800-826-7606**
For free brochure, write or call (402) 464-0511

Order by mail from: **NOVA TOOL CO.**
12500 Finigan Rd., Dept. BH
P.O. Box 29341, Lincoln, NE 68529

Worth writing for...



You can get useful ideas and product information by mail. Use the coupon in this section to order your choice of literature listed below. Each company mails the catalogs or information directly to you.

POWER TOOLS

SCROLL SAW, CRAFT & WOODWORKING CATALOG—Specialty products from the exclusive distributors of HEGNER, the precision saws with SCROLLVERGUEGEN. Complete information on scroll accessories, including blades and lettering guides. Also JET Clamps, HEGNER Lathes, PLANO Vertical Glue Press, and more. Toll-free customer service hotline included! AMI, LTD. \$2.00. *Circle No. 3.*

PROFESSIONALS ONLY—Information on the new line of FELDER BF6 woodworking machines, including table saw, shaper, jointer/planer and combination machines, starting as low as \$4,899. Also ULMIA Table Saws. Deal directly with the importer. Get complete information on the best professional machine value! AMI LTD. \$1.00. *Circle No. 4.*

PORTABLE SAW MILL—a one man saw mill weighing 45 lbs. Gas and electric models will cut dimensional lumber from logs up to 20 in. diameter. Send for brochure. BETTER BUILT CORP. Free. *Circle No. 10.*

INCA MACHINERY INFORMATION—Complete information on the famous line of Inca woodworking machines. Designed for precision work by the small to medium sized cabinet shop. Used by thousands of hobbyists and professionals. Table saws, bandsaws, joiner/planers, dust collector, radial arm saw. GARRETT WADE CO. Free. *Circle No. 44.*

WOODWORKING MACHINE CATALOG—New 24-page color catalog introduces many new do-it-yourself woodworking machines. Includes planers, dust collectors, drill presses, sanders, lathes, and specializes in scroll saws and accessories. PENN STATE INDUSTRIES. Free. *Circle No. 75.*

VARIABLE SPEED SCROLL SAW—Information package available from Penn State Industries describing the specifications and applications of its super VS-15" variable speed scroll saw. Special discount pricing available on current promotion. PENN STATE INDUSTRIES. Free. *Circle No. 76.*

SURFACE PLANER—Information package available from Penn State Industries describing the specifications and applications of its super 12½ inch surface planer. Special discount pricing available on current promotion. PENN STATE INDUSTRIES. Free. *Circle No. 77.*

GET TO THE FINISH LINE FASTER—with a Performax drum sander. Don't spend hours with a hand-held belt sander. Sand ultra-wide stock ultra-smooth in just minutes. Models start at \$300 to \$2595. Select the model that fits your budget and your needs. New metal abrasive fasteners keep sandpaper tight without re-wrapping. PERFORMAX PRODUCTS. \$1.00. *Circle No. 78.*

THE PRECISION SCROLL SAW FOR THE ENTIRE FAMILY!—The Hawk was designed for beginners and built for expert woodworkers. Learn how to produce creative leisure time projects for fun or to make money...we'll show you how! Make cuts so intricate and smooth they don't require sanding. Four models to choose from. Send today for all the facts. RB INDUSTRIES, INC. Free. *Circle No. 84.*

THE VERSATILE RBI WOODPLANER/MOLDER/SANDER!—It's indispensable! It's 4-in-1. It's RBI's Woodplaner/Molder/Sander/Gang Saw. Find out how the Woodplaner saves you money turning rough stock into beautiful professional quality projects. With 3 models to choose from there's one that fits your needs. It does it all, so you can do it all! Send today. RB INDUSTRIES, INC. Free. *Circle No. 85.*

MOLDER-PLANERS FROM WILLIAMS & HUSSEY—Mold, plane, and edge, convert from moulder to planer in less than 2 minutes. The W-7 series is available in 3 models for manual, power in feed, or power in feed/out feed. The units plane to a satin, almost sanded finish, produce doll house to crown sized mouldings, raised panels, and curved molding. Custom knives available up to 7" wide and ¾" depth of profile. Rugged, well-made, dependable, and transportable. Complete with sturdy movable stand. Send for catalog. WILLIAMS & HUSSEY. \$1.00. *Circle No. 93.*

PORTABLE SAWMILLS—Convert logs into valuable lumber—Wood-Mizer® Products manufactures a line of portable bandsaw mills that allows the novice as well as the experienced sawyer to safely convert standing logs into lumber. Then, with the use of our SolaryDry™ Kiln or Vacu-Kiln™ to dry your lumber, you could increase the value of every board you produce. We manufacture some of the most progressive woodworking equipment on the market today.

Product videos available. Send for our 31-page catalog. WOOD-MIZER PRODUCTS. \$2.00. *Circle No. 94.*

HAND TOOLS

PERSONAL BRANDING IRONS—Brochure describes branding irons that enable you to put your name on your work quickly and easily. Made especially for branding wood, they are available with 1, 2, 3 or 4 lines of copy. Changeable date also available. NOVA TOOL CO. \$1.00. *Circle No. 160.*

THE JAPAN WOODWORKER'S 72-PAGE CATALOG—is loaded with the huge selection of Japanese saws, waterstones, chisels, planes, carving knives, cutlery and garden tools. See our Tools As Art section for the most expensive hand tools available. Send for 1992 catalog and all supplements for two years. WOODLINE TOOL & SUPPLY. \$1.50. *Circle No. 190.*

PLANS

OVER 1000 WOODCRAFT PATTERNS!—Enjoy making gifts, toys, lawn ornaments, holiday designs, whirligigs, folk art, bird houses and feeders, household and yard accessories plus much more! Simple enough for the beginner, fun and profitable for the pro. Send for catalog plus sample pattern. ACCENTS IN PINE. \$2.00. *Circle No. 310.*

SALES TESTED DESIGNS—available as plans only, parts kits, or plans and parts kits. Complete stock of parts, tools and supplies. Door harps to digital electronic/wood projects. Full size plans! Bulk prices on turnings, dowels and music movements. Catalog price refundable on first order. CRAFTER'S MART. \$2.00. *Circle No. 328.*

FULL-SIZE FURNITURE PLANS CATALOG—Illustrates and describes over 200 plans for making furniture of quality found in museums and fine furniture stores. Plans include rolltop desk, cradles, dining tables, chairs, buffets, chests, gun cabinets, poker table, children's furniture, rocking horse, spinning wheels, and more. Bill of materials exploded drawings assist the woodworker. FURNITURE DESIGNS, INC. \$3.00. *Circle No. 345.*

UNIQUE WOOD PATTERNS—Let your imagination run wild. Each pattern given in 3 sizes. No enlarging or reducing is necessary. Simply trace, cut and create. A list of suggestions and helpful hints included with each pattern. List of patterns only \$1.00. HOUSE OF STARR. \$1.00. *Circle No. 375.*

PROJECT PLANS—Full-size patterns for over 500 easy-to-build woodworking projects. Nation's leading source for scroll saw patterns, cow projects, toy plans, yard ornaments, wood furniture, etc. Over 3000 hard-to-find specialty items. Send for your big new 72-page catalog. MEISEL HARDWARE SPECIALTIES. \$1.00. *Circle No. 401.*

WOOD-MET SERVICES CATALOG LISTS SOME 700 PLANS—to build a wide variety of tools and accessories to equip your workshop. They vary from complete machines to hand tools, photo accessories to shop methods. Included are some 80 attachments for your lathes, drill presses & routers, over 60 hand tools, plus sander, welder, shaper, table saw accessories, etc. Others include a portable band sander, metal spinning tools, air compressor, $\frac{3}{8}$ " spindle wood shaper, wood lathe & chisels & a 12-in. thickness planer. Send for catalog, order plans, build the equipment for your shop and save. WOOD-MET. \$1.00. *Circle No. 496.*

LUMBER

QUALITY EXOTIC LUMBER/TURNING WOODS—We offer a comprehensive selection of fine quality exotic woods: Ebony, Kingwood, Tulipwood, Snakewood, African Blackwood, Cocobolo, Bloodwood, Figured Maple, Spaulded Maple, Padauk, etc. Unique and unusual turning woods and burls are also available. Send for catalog. BEREA HARDWOODS. \$1.00. *Circle No. 510.*

STEVE H. WALL LUMBER CO—Quality hardwoods and woodworking machinery for the craftsman and educational institutions. 22-page catalog lists 15 species of popular hardwoods at wholesale prices. Also dealers for MiniMax, Freud and ProCut woodworking machines. STEVE H. WALL LUMBER CO. \$1.00. *Circle No. 592.*

GENERAL WOODWORKING CATALOGS

CONSTANTINE'S WOODWORKERS' CATALOG—116 pages—over 4,000 woods, veneers, inlays, carvings, moldings, legs, pegs—everything for people who like to build with, turn, carve, refinish wood! Includes 33 pages of hand and power tools, 24 pages of hard-to-find hardware, 12 pages of finishing supplies...books, kits, plans and more...all backed by Constantine's 180 years of woodworking experience and 60-day no-questions-asked guarantee. 2 year subscription. ALBERT CONSTANTINE AND SON, INC. \$1.00. *Circle No. 820.*

MASTER TOOLS CATALOG—1991-92 220-page master woodworking tools catalog. Full line of the best hand tools, power tools & accessories, machinery, glues, finishing supplies, workbenches, and much more. Hundreds of books included. 220 pages. All four-color. Lots of technical information. GARRETT WADE CO. \$4.00. *Circle No. 855.*

FREE WOODWORKING CATALOG—We offer a tremendous selection of fine Woodworking

machinery, power tools and Accessories at unbelievably low prices. Choose from a wide variety of stationary machines, Makita tools and hundreds of useful accessories including router bits, shaper cutters and more. Order your FREE catalog and take advantage of the selection and savings. GRIZZLY IMPORTS INC. Free. *Circle No. 860.*

WOODWORKING CATALOGUE—Get your copy of our new full-color catalogue. You'll find the best prices and selection on thousands of different items for the craftsman, cabinetmaker, and hobbyist. Tools, books, and supplies are some of the many items we carry. Packed with gobs of goodies you can't resist. HARTVILLE TRUE VALUE HARDWARE. Free. *Circle No. 865.*

TOOLS ON SALE—A division of Seven Corners Ace Hardware Inc. offers a comprehensive catalog featuring over 820 pages of the most competitive prices in the industry. If you're looking for savings and fast delivery on over 6500 items, request our catalog. This catalog offers one of the most complete selections of power tools available anywhere from the most respected manufacturers in the industry: Milwaukee, Makita, Porter-Cable, Black & Decker, Freud, Bosch, Delta, and many more. SEVEN CORNERS ACE HARDWARE. \$1.00. *Circle No. 920.*

DISCOUNT WOODWORKING TOOLS AND SUPPLIES—Get your FREE copy of Trendline's new 68 page full-color catalog. You'll find the best prices for over 3,000 brand name products including: power tools and accessories, hand tools, screws, hardware, wood components, plans, books, and much more. TRENDLINES. Free. *Circle No. 950.*

COMPLEMENTARY TOOL CATALOG—Woodcraft offers over 4,000 of the finest quality woodworking tools, books, supplies, and cabinetry hardware in our complete full color catalog. Craftsmen, cabinetmakers, carvers, woodturners, and hobbyists have depended on Woodcraft since 1928. Backed by Woodcraft's unconditional guarantee. Free technical assistance. WOODCRAFT SUPPLY CORP. Free. *Circle No. 955.*

THE WOODWORKERS' STORE CATALOG—New! The Woodworkers' Store 1991-92 catalog with over 150 new items features 100 color pages of domestic and exotic hardwoods, veneers, wood parts, specialty hardware, kitchen accessories, finishing supplies, tools, books, and plans. Many exclusive items and hard to find specialties. Orders shipped in 24 to 48 hours. \$1.00 credited toward first purchase. Satisfaction guaranteed. WOODWORKERS' STORE. \$1.00. *Circle No. 965.*

KITS

OUR QUEEN ANNE FURNITURE KITS—are ready to assemble and finish. They include dining room table, chairs, hutch, sideboard, a variety of occasional tables, and a personal desk. All are made in solid cherry, oak, walnut, and mahogany. We also stock individual Queen Anne legs for every project. Complete information in our

brochure packet. ADAMS WOOD PRODUCTS. Free. *Circle No. 1002.*

OAK FURNITURE AND ACCESSORY KIT CATALOG—features a full range of top quality oak furniture kits and accessory items plus unfinished assembled furniture. Featured items include roll top desks in several styles, stacking barrister's bookshelves, tables, chairs, file cabinets, bedroom furniture, Mariner's globe, plus many more. Send for catalog and enjoy true woodcrafting pleasure. CRAFTSMANS CORNER. Free. *Circle No. 1017.*

DO-IT-YOURSELF KITS—Choose from a large selection of grandfather, wall and mantel clocks, as well as elegantly styled accent furniture pieces. Kits are made of solid $\frac{3}{4}$ " hardwoods, primarily cherry, oak, and black walnut. Buy direct from the factory and save. Send for 36 page color catalog. EMPEROR CLOCK CO. \$1.00. *Circle No. 1030.*

QUALITY CLOCK KITS AND PLANS—Handmade and semi-assembled of carefully selected $\frac{3}{4}$ in. cherry, oak, or walnut with beveled glass. Or build from "scratch" using our detailed plans and trim pieces. Choice of quality movements. Established in 1916. KUEMPEL CHIME CLOCK WORKS. Free. *Circle No. 1050.*

SHOP ACCESSORIES

WOOD TURNER'S DREAM!—De Pee's Ltd. Split Ring Holder surpasses all holders on the market in its ability to turn large projects, remove and replace project in holder quickly, and still hold concentrically. Especially desirable for craftsmen who are into vase and bowl turning where it is necessary to do inside and outside turning. Send for information. DE PEE-S. \$1.00. *Circle No. 1220.*

EASY DOES IT—with HTC'S power tool accessories. Discover many unique items, designed only with you, the dedicated woodworker, in mind. Make your machinery safer, increase the working area of your shop and accomplish nearly impossible tasks easily, quickly, accurately. Full-line catalog and price list. HTC PRODUCTS, INC. Free. *Circle No. 1245.*

WOOD MOISTURE METER—Avoid moisture problems such as cracking, warping, splitting, delamination etc. by using a moisture meter, as described in the latest brochure. Moisture Meter Mini-Ligno is designed for serious hobbyists and woodworkers. Attachments for depth measurements and remote reading during air and kiln drying are available. Available Moisture Range 6-20%, 6-36% or 4-30%, 4-60%. Catalog describes complete line of moisture meters. LIGNOMAT USA, LTD. Free. *Circle No. 1250.*

ROUTER SPEED CONTROL—Reduces speed electronically without reducing torque. Route at the speed that gives best results with the wood and bit you are using. Speed adjustable from full speed to 0 RPM. Less tear out—stops burning—less wear on bits—easy to use. Send today for information. MLCS LTD. Free. *Circle No. 1251.*

BITS, BLADES, CUTTING TOOLS

AmMax TOOL CO.—offers "Professional Quality" tungsten carbide tipped router bits, shaper cutters, saw blades, and 16" scroll saw machine, at lower "wholesale prices." 16" scroll saw featuring light load, cutting without blade breakage. UL and CSA approved. Nicholson carbide tipped saw blades from \$6.90; woodworking files from \$6.95. AmMAX TOOL CO. 50¢. *Circle No. 1304.*

ROUTER BIT AND SHAPER CUTTER CATALOG—We have one of the largest selections of fine cutting tools in stock and ready for same day shipment. All of our router bits and shaper cutters are industrial quality and affordably priced. Also included is an expanded line of woodworking tools and accessories. Send for free catalog. CASCADE TOOLS, INC. Free. *Circle No. 1315.*

PRODUCTION QUALITY CARBIDE TIPPED ROUTER BITS—MLCS Ltd. has a new 32-page catalog featuring hundreds of high quality carbide tipped router bits, shaper cutters, the Router Speed Control, the "Merle Adjustable Corner Clamp," plus other Professional Woodworking Products. Prices 50% to 70% lower than elsewhere. Value, quality and prompt service guaranteed! MLCS LTD. Free. *Circle No. 1350.*

HARDWARE/WOOD PARTS

HARDWARE CATALOG—A unique 48-page catalog of the very finest in classic, traditional solid

brass cabinet hardware. All of British or No. American manufacture. Double & single post handles, knobs, escutcheons, standard & specialty hinges, box hardware, brass screws, castors, latches, catches, locks, and more. GARRETT WADE CO. \$3.00. *Circle No. 1427.*

HARDWARE CATALOG—Horton Brasses offers the finest solid brass hardware available. Whether you are restoring your colonial home or building period furniture, you will find everything you need in this comprehensive catalog. HORTON BRASSES. \$3.00. *Circle No. 1430.*

WOOD TOY PATTERNS—Patterns for all ages including children's patterns and executive toys. New catalog has many new patterns to choose from including parts and wheels. Send for new catalog and receive a coupon for free wheels and axle pegs. TOYS AND JOYS. \$1.00. *Circle No. 1480.*

QUALITY AMERICAN-MADE WOOD TURNINGS—such as shaker pegs, spindles, toy wheels, toy parts, craft items, and dowel rods in birch, oak, walnut, and cherry. Send for complete 32-page catalog. WOODWORKS. \$1.00. *Circle No. 1490.*

INCOME OPPORTUNITIES

MAKE MONEY IN FURNITURE RESTORATION THE MINUTEMAN WAY—Earn \$200-\$1000 per day stripping, repairing, refinishing, mirror resilvering, and/or veneering, at home or in shop, spare time or full time. We provide complete training; no experience necessary. Free workshop

teaches you latest in furniture restoration. You have to see it to believe it! Business preview video \$19.95. Send for catalog. MINUTEMAN. \$2.00. *Circle No. 1661.*

MISCELLANEOUS

IF YOU ARE INTERESTED IN RESTORING ANTIQUES—this 240-page catalog packed with unusual, hard-to-find items is just for you. Included are hundreds of essential items for antique restoration including top quality brass reproduction hardware, oil lamps and accessories, numerous wood component repair parts and kits, caning and basketry supplies, everything needed for wood refinishing, related tools, books, and a complete line of upholstery equipment and supplies. All at wholesale prices. Send for this informative catalog. VAN DYKE'S RESTORERS. \$1.00. *Circle No. 2077.*

***THE WOODWORKING SHOWS* MACHINERY, TOOLS AND SUPPLIES**—Hundreds of products for the woodworker demonstrated and sold at discount prices at every "Woodworking Show". In-depth seminars and free workshops on a variety of woodworking topics. Shows are scheduled in 28 cities. Send for free brochure. "THE WOODWORKING SHOWS". Free. *Circle No. 2095.*

CARVING SUPPLIES

WOOD CARVING MACHINES AND ACCESSORIES—make all types of wood carving easy, fun and profitable. The machines do the work. Whether for sign carving, flat 3-D, decoys, panels, gun stocks or furniture, we have the proper machine for the job. Professional woodcarving for the hobbyist and superior quality for the professional. Begin your hobby or full or part-time business by ordering our catalog and price list. MARLIN INDUSTRIES. \$1.00. *Circle No. 2150.*

WOODCARVING TOOLS—Whittlers and carvers—Warren Tool Co. offers a complete catalog of whittling and carving, hand/power tools, sharpening stones, wood cut-outs and related wood carving supplies. WARREN TOOL CO., INC. \$1.00. *Circle No. 2185.*

CLAMPS

MERLE ADJUSTABLE CORNER CLAMP—Quick & easy to use. Fully adjustable from 2 1/2" to 69x69 in. Perfect for clamping picture frames, cabinets, or anything that requires 90° corner clamping. The Merle Clamp is cast aluminum & steel construction, a true industrial quality tool. Send today for information. MLCS LTD. Free. *Circle No. 2250.*

QUAKER STATE WOODWORKING SUPPLY INC.—one of the largest "Quick-Grip" and "Jorgensen" dealers on the EAST COAST. Great prices along with expert service and advice will make QUAKER STATE your supplier of wood-working clamps and acc. Information and price list. QUAKER STATE. Free. *Circle No. 2260.*

Worth writing for...



Better Homes and Gardens®
WOOD Magazine, January 1992
Dept. JAW092
P.O. Box 2713
Boulder, Colorado 80329-2713

TO ENSURE PROMPT HANDLING OF YOUR ORDER FOLLOW THESE INSTRUCTIONS:

- Circle your choice
- Enclose check or money order for cost of booklets plus \$2.00 service charge (no stamps accepted)
- NO FOREIGN ORDERS ACCEPTED
- Send coupon and remittance to address above
- ALLOW 4-6 WEEKS FOR DELIVERY
- Coupon expires February 10, 1993

WOOD SUBSCRIPTION

1. A 1 year WOOD subscription (9 issues) for \$24.97 (U.S. price)—a \$10.58 savings off newsstand rate. Allow 6-8 weeks for first issue. Canadian price \$34.00. Be sure to include payment with total below. NO FOREIGN ORDERS ACCEPTED ON THIS COUPON; please contact Subscription Dept. directly.

Circle numbers below corresponding to items in this issue. Please include \$2.00 for handling charge.

3\$2.00	84Free	345\$3.00	860Free	1030\$1.00	1350Free	2150\$1.00
4\$1.00	85Free	375\$1.00	865Free	1050Free	1427\$3.00	2185\$1.00
10Free	93\$1.00	401\$1.00	920\$1.00	1220\$1.00	1430\$3.00	2250Free
44Free	94\$2.00	496\$1.00	950Free	1245Free	1480\$1.00	2260Free
75Free	160\$1.00	510\$1.00	955Free	1250Free	1490\$1.00	
76Free	190\$1.50	592\$1.00	965\$1.00	1251Free	1661\$2.00	
77Free	310\$2.00	820\$1.00	1002Free	130450¢	2077\$1.00	
78\$1.00	328\$2.00	855\$4.00	1017Free	1315Free	2095Free	

Name (please print) _____
Address _____
City _____
State _____ Zip Code _____

I AM ENCLOSING:

\$ _____ for priced items
\$ 2.00 for handling
\$ _____ total remittance

DELTA BENCH TOP TOOLS			
Model	List	Sale	
23-700 Wet/Dry Grinder	234	159	
23-680 6" Bench Grinder 1/4 HP	86	75	
23-880 8" Bench Grinder 1/2 HP	151	115	
11-850 8" Drill Press	199	145	
11-160 10" Hobby Band Saw	210	145	
31-050 1" Belt sander 2.0 amp	104	78	
31-460 4" Belt/Disc Sander	198	145	
31-340 NEW 1" Belt/8" Disc Sander	268	184	
31-080 NEW 1" Belt/5" Disc Sander	134	94	

NEW TOOLS BY DELTA			
40-560 16" 2 speed Scroll Saw	266	184	
23-660 12" Bench Grinder 1/5 HP	62	54	
11-990 32" Radial Bench Drill Press	398	309	
43-355 3/4" Shaper 1 1/2 HP	664	665	
43-505 12" Bench Router/Shaper	994	279	
22-440 12" Bench Top Planer	595	398	
36-220 10" Compound Miter Saw	350	239	
28-180 Bench Band Saw	232	169	

DELTA STATIONARY			
34-761 10" Unisaw 1-1/2 HP	1715	1295	
39-990 10" Radial Arm Saw	818	585	
37-280 6" Motorized Jointer	488	389	
35-179 3/4 HP 2 stage Dust Collector	483	335	
50-181 2 HP Dust Collector	885	610	
50-200 NEW 20" Floor Drill Press	1049	775	
37-154 DJ15 6" Jointer w/3/4 HP motor	1020	779	
33-050 NEW 8-1/4" Sawsbuck	781	549	
33-055 above Saw complete w/legs	865	589	
34-330 NEW 8-1/4" Table Saw	134	94	
34-985 1/6 HP Stock Feeder	698	485	
34-700 10" Motorized Table Saw	511	395	
32-100 NEW Station Plate Jointer	645	285	
36-040 NEW 8-1/4" Cmpd Miter Saw	224	165	
34-915 30" Unifence	385	239	
34-897 50" Delta Unifence	525	295	
36-755 NEW 10" Tilt Arbor Saw	1264	865	

MILWAUKEE TOOLS			
6527 NEW Sawzall 8 amp variable speed with case	299	164	
0399-1 12V cdlis Drill Kit complete	299	165	
0402-1 above Drill w/keyless chuck	304	169	
0395-1 9.6V cordless Drill w/case	279	158	
0224-1 3/8" Drill 4.5 amp magnium	198	115	
0234-1 1/2" Drill 4.5A mag 0-850 rpm	219	119	
0244-1 1/2" Drill 4.5A mag 0-600 rpm	219	119	
0222-1 3/8" Drill 3.5 amp 0-1000 rpm	185	105	
0228-1 3/8" Drill 3.5 amp 0-1000 rpm	179	102	
0375-1 3/8" close quarter Drill	219	129	
0379-1 1/2" close quarter Drill	249	147	
6539-1 cdlis Screwdriver 190 rpm	125	75	
6539-1 6539-1 Driver w/bits & case	159	108	
6546-1 cdlis Screwdr 200 & 400 rpm	135	79	
3102-1 Plumbers right angle Drill Kit	350	195	
5399 1/2" D-handle Hammer Drill Kit	319	184	
1676-1 HD Hole Hawg with case	449	244	
6511 2 speed Sawzall with case	234	134	
6750-1 Drywall Gun 0-4000 5 amp	159	93	
6107 TSC Sawzall with case	249	132	
6570 1/4" Chop Saw 15 amp	479	269	
6014 Orbital Sander 1/2 sheet	209	116	
8977 variable temp. Heat Gun	114	75	
5397-1 3.8" spd Hammer Drill Kit	239	139	
5371-1 1/2" var. spd Hammer Drill Kit	335	185	
3107-1 1/2" var. spd at angle Drill Kit	360	199	
6754-1 Drywall Gun 0-4000 5.4 amp	159	114	
3390-1 1/2" var. speed at angle Drill	319	179	
5660 1-1/2 HP Router	325	185	
5680 Router 2 HP - 12 amp	355	205	
6215 1/6" Chain Saw	299	174	
6235-1 1/2" Drill w/keys chuck mag	219	125	
6142 4-1/2" Grinder 10,000 rpm	159	95	
6145 4-1/2" with case & accessories	197	129	
6749-1 Drywall Gun 0-2500 5.4 amp	209	117	
5353 Eagle 1-1/2" Rot. Hammer w/case	895	499	
6365 7-1/4" Circular Saw 13 amp	209	118	
6367 above Saw - double insulated	205	122	
6366 6365 w/ence & carbide blade	219	125	
6368 6365 w/ence, carb. blade & case	239	134	
6377 7-1/4" Worm Drive Saw	319	169	

TOOLS ON SALE™ X-TRE SPECIAL			
Buy any 7-1/4" saw (6365, 6366, 6367, 6368, 6377) & receive an Extra Mil. Carbide Tip Saw Blade an \$11.00 value - FREE			

FREUD CARBIDE TIPPED SAW BLADES			
Item	Description	Teeth	List Sale
LU27M010	Gen Pur. A.T.B. 10"	67	37
LU82M010	Cut-off 10"	60	40
LU84M011	Comb 10"	50	36
LU85M010	Super Cut-off 10"	80	52
LM72M010	Ripping 10"	24	66
LU73M010	Cut off 10"	60	42
LU78M010	Thin Kerf 10"	24	70
LU88M010	Thin Kerf 10"	60	45
LU98M010	Ultimate 10"	80	125
TK206	10" Framing	24	38
TK303	7-1/4" Finishing	30	27
TK306	10" Finishing	40	27
TK306	10" Comb	50	27
SD306	6" Dado - Carbide		215
SD308	8" Dado - Carbide		229
FD	1-3/4" x 5/8" Biscuit 1000 Qty.	32	27
F10	2-1/8" x 3/4" Biscuit 1000 Qty.	32	27
F20	3-1/4" x 1" Biscuit 1000 Qty.	34	29
FA	Assorted Biscuits 1000 Qty.	34	29
FB100	16 piece Forstner Bit Set		331
94-100	5 pc. Router Bit Door System		319

JS100	Biscuit Jointer with case-\$30 rebate	159
FT2000	3-1/4 HP Plunge Router-\$30 rebate	179
EB100	Edge Banding Machine-\$30 rebate	229

MAKITA TOOLS			
6070DW	3/8" w/spd Reverse Drill 7.2V	130	74
6071DVK	above Drill w/removable batt.	199	105
5090DW	3-3/8" Saw Kit 9.6 volt	256	137
6010DWK3/8"	cordless Drill Kit 7.2V	170	97
6010SDW3/8"	cordless Drill Kit 7.2V	99	59
DA3000DW	3/8" Angle Drill 7.2 volt	251	134
4930DW	9.6 cordless Recip Saw Kit	230	127

6012HDW	2 spd Drill w/clutch-comp	236	125
6092DW	var. spd Drill Kit complete	252	127
6093DW	w/spd Drill w/clutch-complete	261	129
6093DWL	6093DW Drill Kit w/Flash Lit.	299	169
6095DW	6093DW Drill Kit w/keys chuck	268	135
6090DE	6095DW Drill Kit w/2 batteries	270	139
632007-4	9.6 volt Battery	48	30
632002-4	7.2 volt Battery	40	28

5007NBA	7-1/4" Saw w/electric brake	238	127
5008NBA	8-1/4" Saw w/electric brake	295	158
BO4510	1/4 sheet Pad Sander	83	54
9900B	3" x 21" Belt Sander w/bag	278	144
9904GB	3" x 24" Belt Sander w/bag	293	155
9042N	1/2 sheet Fin. Sander w/bag	241	129
4301BV	Orb. var. spd Jig Saw 3.5A	289	149
9330DW	var. speed Recip Saw w/case	235	129
LS1020	10" Mire Saw 3.5 amp	580	289
9820-2	Blade Sharpener	387	195
1900BW	3-3/4" Planer with case	217	114
1901B	4-3/8" Planer 7.5 amp	255	139
1100	3-1/4" Planer with case	426	225
9207SPC	7" Sander/Polisher	288	154
3601B	1-3/8 HP Router	256	139
BO4050	1/4 sheet Pad Sander w/bag	89	57
DA3000R	3/8" Angle Drill	280	148
EY2010N	3/4" var. spd Hm Drill w/case	300	165
2708	8-1/4" Table Saw	509	265
7117	10" Table Saw with brake	851	489
1905B	6-1/8" Circular Saw	717	365
5005BA	5-1/2" Circular Saw	234	138
6404	3/8" Drill Rev. 0-2100 rpm	2A	104
6510LV	3/8" Drill Rev. 0-1050 rpm	1A	83
6013B	1/2" Drill Rev. 6 amp	258	139
5402A	16" Circular Saw 12 amp	662	345
3612BR	3 HP Plunge Router	377	165
9401	4" x 24" Belt Sander w/bag	337	175
4302C	var. speed Orbital Jig Saw	302	159
5077B	14" 1/4" Hypoid Saw	255	138
LS1440	7-1/4" Miter Saw	744	435
LS1030	NEW 10" Miter Saw	420	225
5007NB	7-1/4" Circular Saw 13 amp	210	114
3612B	3 HP Plunge Router sq/base	377	165
20128	12" Portable Planer	895	455
LS1011	10" Slide Compound Saw	842	445

DELTA TOOLS			
34-444 Table Saw Complete w/1-1/2 H.P. motor & stand 615.00			
34-445 34-444 Table Saw complete w/30" Unifence and 32-010 EMS system 829.00			
28-283 14" Band Saw w/enclosed stand and 50-274 mobile base 739.00			
22-662 13" Planer with 2 HP motor, stand, and 32-011 EMS system 1185.00			
17-900 16-1/2" Floor Drill Press 385.00			
40-601 18" Scroll Saw w/stand and blades 709.00			

SENCO AIR NAILERS			
SN1	Finishing Nailer 1" - 2"	377	275
SN2	Finish. Nailer 1-1/2" - 2-1/2"	571	395
SN325	Nailer 1-7/8" - 3-1/4"	665	455
SN4	General purpose 2" - 3-1/2"	685	475
LS2	Pinner 5/8" - 1"	351	255
SK5	Stapler 5/8" - 1-1/2"	351	255
LSS	Pinner 1" - 1-1/2"	399	285

BOSTICH AIR NAILERS			
NB00S-1	Stick Nailer Super Sale	389	
880CS-1	Utility Coil Nailer	845	409
N136-5	Health & Decking Stapler	595	305
T26-50	Coil Roofing Nailer	845	445
NE6FN-2	Finishing Nailer	625	355
T31	Brad Nailer	270	164
CWC100	1 HP Pancake Compressor	445	295

SKIL SIZZLERS			
3810	10" Miter Saw	263	219
3810K	3810 w/60 tooth Carbide Blade	230	149
77	7-1/4" Worm Drive Saw	239	144
77-04	77 saw w/case, car bid, fnc&lube	292	189
2735-04	12 volt cordless Drill Kit	210	135
2735-04X	2735-04 w/keyless chuck	235	137
1605-02	NEW Biscuit Jointer w/case	200	119
7584	NEW 5" Rndm Orbit Sander	160	104

PANASONIC CORDLESS			
EY6205BC	NEW variable speed 12 volt Drill w/15 minite charger & case	390	179
EY6005B	12V cdlis Drill w/1 hr charger	315	149
EY6200B	NEW 2 speed 12 volt Drill D-handle with 15 minite charger	350	178
EY6281BC	NEW variable speed 9.6 volt Drill w/15 minite charger w/case	350	165
EY571B	var. speed 9.6 volt Drill Kit	239	128
EY6207BCNEW	12 volt 1/2" Drill w/keyless chuck var. spd w/15 min. charger & case	421	215

LEIGH DOVETAIL JIGS			
D1258R-12	List 329.00-Sale 255.00		
D1258R-24	List 399.00-Sale 299.00		
LEIGH INSTRUCTIONAL VIDEO SALE 29.00			
MMA	24" Mort. & Tenon attachment	299	165

HITACHI TOOLS			
CT5B	7-1/4" Circular Saw	214	109
CT7B	7-1/4" Circular Saw with brake	230	129
M12V	NEW 3 HP var. speed Router	447	225
TR12	Plunge Router 3 HP	354	169
F100A12	Planner/6" Jointer	2835	1519
CI0FA	10" Deluxe Miter Saw	538	269
C12FA	NEW 12" Miter Saw	632	295
CF8F	8-1/2" Side Compound Saw	899	445
FREUD	LU81M0088-1/2" Carb bid 41"	68	43
CF15F	15" Miter Saw	745	375
FREUD	LU85M015 1.5" bid 108 tooth	180	105

1992 TOOL CATALOG AVAILABLE
 Call Toll Free 1-800-328-0457 In Minnesota Call (612)224-4859
 FAX: (612)224-8263
CHECK • MONEY ORDER • VISA • MASTERCARD • DISCOVER
SEVEN CORNERS ACE HDW. INC.
 216 West 7th St. • St. Paul, MN 55102 • Est. 1933

DELTA TOOLS			
34-444 Table Saw Complete w/1-1/2 H.P. motor & stand 615.00			
34-445 34-444 Table Saw complete w/30" Unifence and 32-010 EMS system 829.00			
28-283 14" Band Saw w/enclosed stand and 50-274 mobile base 739.00			
22-662 13" Planer with 2 HP motor, stand, and 32-011 EMS system 1185.00			
17-900 16-1/2" Floor Drill Press 385.00			
40-601 18" Scroll Saw w/stand and blades 709.00			

TOOLS ON SALE™
 AMERICA'S LOWEST PRICED TOOLS
 FREE FREIGHT TO THE
 48 CONTINENTAL STATES ON EVERY ITEM
 PRICES SUBJECT TO CHANGE WITHOUT NOTICE

PIRANHIA By B & D CARBIDE TOOTH BLADE			
Model #	Dia.	Teeth	List Sale
73-71			


PATENTED WALNUTS!

A genetically improved black walnut developed at Purdue University received the first U.S. patent ever awarded to a tree. Named Purdue No. 1, the tree was patented in 1980 after more than 20 years of research.

The improved walnut strain grows twice as fast as normal walnut trees, possesses exceptionally straight trunks, and produces a crop of nuts every year instead of every other year. Walter Beinke, an associate professor of forest genetics at the Indiana school, and other

researchers originally obtained grafts from selected wild trees chosen for desirable qualities. They then grew genetically improved seedlings from the next generation.

Since its availability, many tree farmers have adopted the Purdue No. 1 for investment plantings on their property. For more information on these trees, and prices, contact *Indiana Walnut Products, Inc., 1000 North 500 West, W. Lafayette, IN 47906.*



Former pro golfer Barry Kerr sands off the head on one of his handcrafted wood drivers.

CARICATURE CARVERS UNITE

What's the connecting thread between Desiree Hajney's wildlife carvings, Harold Enlow's wooden Ozark hillbillies, and Harley Refsal's quaint basswood farmers? These noted carvers, and many others, specialize in caricature—the art of exaggeration—to make their work humorously memorable.

To promote interest in caricature carving and to elevate it to a higher level of public esteem, these three carvers and a dozen others from across the U.S. have founded the Caricature Carvers of America. Watch for seminars, exhibitions, and competitions in this aspect of carving. For information on the organization, write: *Dave Dunham, corresponding secretary, Caricature Carvers of America, 301 North Ridgeway, Cleburne, TX 76031.*

AIMING HIGH TO SAVE A TREE

Forest Service volunteers in California's Plumas National Forest qualify as deadeyes. That's because they collect cones of the sugar pines with rifles—shooting them from the treetops before they open and scatter their contents.

Researchers test the seeds contained in the cones for resistance to blister rust. Then, the disease-resistant seeds are planted in reforestation efforts to guarantee the sugar pine's future.

Illustration: Jim Stevenson Photo: Mike Pattison



BORN-AGAIN WOODS

Just a long tee shot from the first hole at Scotland's legendary St. Andrews Golf Club, all-wood clubs are undergoing a revival. Four years ago, Barry Kerr, a former professional golfer, traded his putter for a draw knife and founded the Hickory Stick Golf Company. He now turns out reproductions of the clubs used by 19th-century masters.

With traditional hand tools, and using clubs from national collections as examples, Barry accurately duplicates in apple wood and hickory famous sticks from golf history. For instance, he replicates the putter of A.F. McFie, Britain's initial amateur champion, and the driver of Alan Robertson, the first golfer to play a sub-80 round at St. Andrews.

Golf fans just love Barry's work. He ships his reproductions around the world.

For details on Barry's hand-made wood clubs, write: *Hickory Stick Golf Company, 4 Church Square, St. Andrews, Fife, Scotland KY16 9NN.* ♣

NOW! PLANE, MOLD, SAND and SAW with



**FREE
30-DAY
TRIAL!**

Infinitely Variable Power-Feed!


MAKES YOU MONEY... SAVES YOU MONEY!

Put this versatile power-feed tool to work in your shop... see how fast it pays for itself! Quickly converts low-cost rough lumber into valuable finished stock. Turns out perfect picture frame moldings, quarter-round, casing, tongue and groove... all popular patterns... any custom design.

✓ **Just a twist of the dial** puts twice as many cuts-per-inch at your fingertips as any comparable planer — from 70 to over 1,000 CPI! This heavy-duty machine will sail through even the toughest oak at higher speeds, or you can slow it down to handle those “hard-to-work” pieces like curly maple, knotty cedar, burls, knees and much more! A valuable feature for molding work, where profiles make sanding impossible.

✓ **Change to Molding, Sanding or Sawing in just minutes!** Unique “Morse-Taper” Quick Change Cutterhead guarantees fast changeover... bearings remain factory set... precisely aligned at all times.

✓ **Now choose from three powerful models!** Woodmaster introduces the first 18" and 25" Planer/Molders... with all the features that have made the 12" model the most versatile Planer/Molder on the market! Send for Free Facts today!



Woodmaster's Quick-Change Molding Head lets you create custom moldings from any stock. Choose from over 250 standard trim and picture frame patterns... or design your own!



Power-fed sanding speeds production and improves the quality of your work. No more waves or cross-grain scratches. Separate sanding head installs in just minutes.



New rip saw attachment lets you gang-rip with power feed in a fraction of the time it takes for multiple hand-fed passes on an ordinary table saw.

**MAIL TODAY OR CALL
1-800-821-6651 Ext. PW50**



YES! Please rush my FREE Information Kit
Woodmaster Tools, Dept. PW50, 2908 Oak, Kansas City, MO 64108

NAME _____

ADDRESS _____

CITY _____

STATE _____ ZIP _____

PHONE () _____

Here's What Woodmaster Owners Say:

Shop Test Results—“It does an excellent job of planing, on a par with more expensive machines, and even better than some commercial models.”

Editor, Workbench Magazine

Best Value—“After checking them all, Woodmaster was obviously the best deal for the money. Also, I would like to acknowledge the polite and prompt service!”

E. D. Holtz, North Carolina

CRAFTSMAN® All You'll Ever Need in a Power Tool.



From project start to a perfect finish,
you can always count on Craftsman to pull you through.

Sure, you could pay more for a tool, but you'll never need to. Because the tools in our Contractor Series are engineered to handle the most demanding projects.

Rigorous life testing on every tool backs up our promise of Craftsman reliability. For example, we ripped 40,000 feet of 2" x 6" stock in just four working days with our Contractor Series tablesaw. We repeatedly jam-tested our 10" compound miter saw for 2,000 cycles. The motor was then cycle-tested at 150% of its rated amperage for 167 hours. The ability of both tools to withstand this abuse was rated excellent. They continue to be used daily in our engineering workshop.

There's more about every one of the tools in the Contractor Series that will impress you. And you don't have to call your nearest distributor to see for yourself. Just zip on down to your Sears store.

CRAFTSMAN®
Only at Sears

Horsepower shown on tools is maximum developed.