Curio shelf • Coat tree/floor lamp • Sewing center Better Homes and Gardens THE WORLD'S LEADING WOODWORKING MAGAZINE **IUNE 1996 ISSUE #88** Our Best-Ever Picnic Table & Benches See page 38 See it here first! Please display until June 12

## The New Force of Grizzly!



We are proud to introduce our Z-SERIES line of woodworking tools. The Z-SERIES represents "top of the line" versions of our standard table saws. We've taken the most sought after features in a table saw and incorporated them into the best saws you can find. So, whether you are after the contractor or cabinet-style tablesaw, you owe it to yourself to give us a call—you won't be disappointed!

#### G1022Z

- Belt driven from the rear-mounted motor to the arbor
- Heavy-duty rip fence with micro-adjustment knob
- Quick-lock fence locks front and back
- All ball bearing mechanism
- Beveled table edge
- 11/2 H.P. Single Phase, 110/220V motor
- Sturdy stand
- Precision-ground cast iron table and extensions
- Shipping weight: approx. 270 lbs.

West of the Mississippi

1 • 800 • 541 • 5537

FAX: 1 • 800 • 225 • 0021



Purveyors of Fine Machinery.

Ask For Dept. # 61T

Call
TOLL FREE
24 hours a day!
Ask for your
FREE
'96 catalog!

Circle No. 860

#### G10237

- Front rail-mounted magnetic switch for easy access
- · 4" dust port and clean-out
- Magna-Set<sup>™</sup> Fence
- New saw guard
- Beveled table edge
- Motor Cover
- T miter slots
- 3 H.P., 220V motor
- Triple V-belt drive
- · Shipping weight: approx. 425 lbs.

East of the Mississippi 1 • 800 • 523 • 4777

FAX: 1 · 800 · 438 · 5901

## Better Homes and Gardens®

THE WORLD'S LEADING WOODWORKING MAGAZINE

JUNE 1996 . Vol. 13, No. 4 . Issue No. 88

**Editor LARRY CLAYTON** Managing Editor JIM HARROLD Art Director C. L. GATZKE Design Editor JAMES R. DOWNING Senior Editor/Features PETER J. STEPHANO Senior Editor/How-To MARLEN KEMMET Assistant Managing Editor/Products BILL KRIER Senior Editor/Special-Interest LARRY JOHNSTON General-Interest Editor TOM JACKSON Associate Art Director PERRY A. McFARLIN Assistant Design Editor/Project Builder JAN HALE SVEC Project Builder CHARLES I. HEDLUND Production/Office Manager DARLENE REYNOLDS Graphic Designer CHERYL A. CIBULA Administrative Assistant MARGARET CLOSNER Art Business Office Secretary NATALIE COOLEY Correspondence Writer DON MOSTROM Contributing Editors KIM DOWNING, DAVE HENDERSON, LORNA JOHNSON, ROXANNE LeMOINE, BOB McFARLIN

Publisher WILLIAM R. REED
Director, Marketing/Advertising CHRISTOPHER W. SCHRAFT
Western Advertising Manager JON BOOK
Eastern Advertising Manager JAMES N. FORD
Direct Response Advertising Manager LISA WIEMKEN

Direct Response Advertising JANA WEDDELL
Marketing Manager RICK PALLISTER

Marketing/Advertising Services Supervisor PAT HENDERSHOTT Administrative Assistant KATHY GARLAND

Circulation Director SUSAN SIDLER Associate Circulation Director KATHI PRIEN Business Manager JANET NELSON Senior Product Manager RICK GROW

MAX RUNCIMAN, Publishing Director

MEREDITH PUBLISHING GROUP CHRISTOPHER M. LITTLE, President

BILL MURPHY, Custom Marketing; JERRY KAPLAN, Group Sales; MAX RUNCIMAN, Controller; BRUCE HESTON, Manufacturing; HAL ORINGER, Circulation; DEAN PIETERS, Operations

Meredith

JACK D. REHM, Chairman and Chief Executive Officer WILLIAM T. KERR, President and Chief Operating Officer

E. T. MEREDITH III, Chairman of the Executive Committee

©Copyright Meredith Corporation 1996 All rights reserved, Printed in the U.S.A.

Better Homes and Gardens® WOOD® magazine (ISSN-0743-894X) is published nine times a year in January, February, April, June, August, September, October, November, and December by Meredith Corporation, 1716 Locust St., Des Moines, IA 50309-3023. Second-class postage paid at Des Moines, Iowa, and additional mailing offices. Better Homes and Gardens trademark registered in Canada and Australia. Marca Registrada en México. ONE-YEAR SUBSCRIPTION PRICES: U.S. and its possessions \$25; Canada, \$36; other countries, \$45. Canadian Reg. #BN 12348 2887 RT.

CUSTOMER SERVICE INFORMATION: For service on your magazine subscription including change of address, phone toll-free 800/374-9663. Or, write to Better Homes and Gardens WOOD Magazine, P.O. Box 55050, Boulder, CO 80322-5050. Please enclose your address label from a recent issue.

EDITORIAL INFORMATION: Address letters and questions to The Editor, WOOD Magazine, 1912 Grand Avenue, Des Moines, IA 50309-3379.

ADVERTISING INFORMATION: Call 515/284-3785

ABC membership applied for.

MA

## THE EDITOR'S ANGLE

## ANOTHER WOODWORKING

## **EXCLUSIVE**

## FROM THE WOOD GANG

hen we design woodworking projects for you here at WOOD magazine, we always try to keep things simple. We don't try to bowl you over with complex joinery and techniques that only advanced woodworkers can tackle. Why? Because doing that would only frustrate you. We'd much rather help make your project-building experiences successful.

One thing we do try to do, though, is to go beyond the ordinary "look" with each and every project that we design for you. Sometimes, achieving this involves using two or more complementary species of wood for a project, rounding-over the edges of one or more project parts to create a more-tailored look, or

any number of other design enhancements.

Not long ago, we came up with an intriguing way to dress up certain projects. Jim Downing,

WOOD magazine's design editor, had just finished designing the beautiful jewelry case shown above. (It appeared in our sister p u blication, Weekend Woodworking Projects, issue 42.) But when he stepped back to take a look at it, he decided that the design needed an accent at the top of the arched door. The rose and oval you see there now is what we call a scrollsaw appliqué.

Until now, to achieve this look you had to purchase embossed birch or beech moldings and carvings from mail-order catalogs or specialty woodworking stores. Now, through the magic of this novel technique, you can transform any pattern into a professional-

Photographs: King Au



Please turn to page 53 and find out how easy it is to create stunning appliqué accents like the one shown here. You'll be glad you did.

looking appliqué, using any wood species you want.

When I first saw Jim do this, I

couldn't believe how easy it is. Then, when he and Tom Jackson, WOOD magazine's general-interest editor, had the same terrific results, I knew we had

a woodworking breakthrough. Do yourself a favor—take the time to read the article titled "Scrollsaw Appliqué" on page 53, and follow the step-by-step photos and instructions we present. I guarantee you'll become excited as you learn about this previously not-well-known technique.

Note: To order the issue that the appliquéd jewelry case appeared in (#42), call 800/572-9350 or write to: Weekend Woodworking Projects Back Issue Sales, P.O. Box 9255, Des Moines, IA 50306-9255. It's \$5.95 ppd.

gic of this articles

From this articles

## Better Homes and Gardens®

## Wood

THE WORLD'S LEADING WOODWORKING MAGAZINE

## CONTENTS



Page 33

## 33 Wee wonders

Craftsman Don Perkins discovered gold in his mail-order miniature furniture business.

44 Logging in the land of giants


Visit a company town along coastal California that's dedicated to redwood lumber production.

49 Cumulative index: Issues 77-85


Find that technique, project, or tool article you need in a hurry with this user-friendly section.


53 Scrollsaw appliqué

Transform your next woodworking project into a rare showpiece with this original technique.



Put personality (and humor) into your carving by trying one of these Dave Rushlo caricatures.





Make summer even more enjoyable by building this stylish outdoor furniture set.

#### 56 Chair-side needlecraft center

Store knitting, yarn, and/or sewing supplies in this attractive flip-top lamp table.

#### 66 Treasure tower

Display your favorite collectibles on the glass shelves of this tapered tabletop project.

#### 70 Yesterday's minivan

Scrollsaw a beautifully detailed horse-drawn wagonette from the turn of the century.

#### 72 A mission-style matched set

Pick either the oak coatrack or floor lamp design to add a traditional accent to your home.



Page 56



Page 72




## SHORT-SUBJECT FEATURES

- The Editor's Angle
- 4 Develop Your Shop Skills

Page 44

- 10 Tool Buyer's Update
  - 12 Talking Back
  - What Woodworkers Need To Know
- 20 Tips From Your Shop (And Ours)
- 31 Wood Anecdote
- 76 An Endangered Species In The Redwoods
- 78 Ask WOOD
- 100 Finishing Touches



TR215 -Slidling Compound Miter Saw

The Freud Sliding Compound Miter Saw - It's new. It's fast and it's very precise. It's versatile like a radial arm saw and easy to adjust. Best of all, it comes complete with a Freud saw blade, specially designed for our new miter saw. And the price? Very reasonable.

So what's different about this saw? We made the base wider than others on the market. This gives the saw more stability while remaining compact enough for easy transport. And the fence gap is extra close, so you won't have to worry about cutting small pieces.

We've equipped the saw with a 9.7 amp motor, powerful enough to glide through the most difficult materials. For safety, it has an electronic brake to bring the blade to a quick stop once the trigger is released. We've also included positive stops for quick adjustments. Maximum bevel and miter capacity 45° - cuts wood up to 113/4" x 23/4".

And the blade? With Freud's name on it, you can be sure it's the best. It features an anti-kickback design for safety, laser cut blade body to run true and micro-grain carbide teeth for clean, accurate cutting. If you would like more information about Freud's Sliding Compound Miter Saw or other Freud products, give us a call.

The Freud Sliding Compound Miter Saw - what a great combination!

# 

Precisely what you need.

High Point, NC 27264 910-434-3171 • 800-334-4107





Circle No. 1321

6 ways to use them in your shop

Wedges in one form or another have helped people gain a mechanical advantage for centuries. For example, did you know that screws and bolts function like wedges because they are simply inclines wrapped around a cylinder?


In this article we'll share with you some of the tasks we frequently accomplish with the assistance of wooden wedges. To safely and effectively cut your own wedges, see the simple tablesaw jig on page 94.


> Reinforcing through tenons

A tenon that goes completely through its mortise provides a mighty strong joint to projects. To make this joint even stronger, while also adding to its custom appearance, you only need to add a few small wedges.

As shown in the drawing below, you need to cut v-shaped notches into the tenons. Make the notches just slightly narrower and shorter than the wedges.

To assemble the joint, apply glue to all surfaces of the tenon except the end grain (including the surfaces of the notches). Place the tenon into its mortise and drive the wedges into the notches to tighten the tenon into the mortise. Trim the wedges.





Flattening edge-toedge glue-ups

When gluing workpieces edge-to-edge, you want to keep the assembly as flat as possible while it's clamped. This saves you from a lot of planing, sanding, or scraping to make the assembly flat after the glue dries.

To strengthen the assembly and help keep its edges aligned during glue-up, it pays to add splines or biscuits between the edges. But, even after doing this, the assembly may bow when you apply clamping pressure.


To avoid this problem, alternate the bar or pipe clamps on the top and bottom faces of the assembly. Then, use a straightedge to determine if the assembly has bowed. If so, remove the bow by tapping opposing wedges between the clamps and the assembly as shown above. If the crown of the bow faces down you will have to flip the assembly over before inserting the wedges.

## Leveling benchtop assemblies


To build furniture pieces and other projects that need to sit on flat surfaces without rocking, you must assemble them on a flat and level surface. Unfortunately, few of us have a benchtop or other large surface that fits this description. Once again, wedges provide you a solution.

First, dry-assemble the project to check the fit of its parts. Then, disassemble, apply glue, and clamp together the project on whatever surface is available to you. Check the assembly for flatness and level by using a level, or by sighting along it as shown right. (The illustration shows this

being done to a coffee table turned upside down.) To bring a corner up, loosen the clamps slightly and insert the necessary wedges. Retighten the clamps after truing up the entire project.



Continued on page 6



## -Develop-Your Shop-Skills-

## WOODEN WEDGES Continued from page 4

Leveling base cabinets


Floors are rarely level and perfectly flat, so any time you install a base cabinet you'll need to level it by tapping wedges (or "shims" as they're often called) under the cabinet at low spots in the floor as shown below. After installing the shims, trim them flush with a fine-toothed handsaw. Be careful to protect the saw and your floor by not cutting completely through the shim. Cut to within 1/16" of the floor and snap the shim off. Install a toekick to the cabinet to hide the wedges.



Clamping edge banding


You can buy special clamps for applying edge banding to plywood, but here's a way to do it using your bar clamps and a few trusty wedges. Simply secure the clamps along the edge at 6-12" intervals. Apply glue to the banding, slip it into place, and tap

wedges between the banding and the clamp bars. To precisely position the banding, tap the wedges tighter and tighter as you adjust the banding flush with the plywood surfaces. If the jaws of your bar clamps don't have pads, be sure to protect the plywood by placing scrap pieces between the jaws and the plywood.



Securing workpieces on a benchtop

Even if you have no vise, bench dogs, or hold-down accessories with your workbench, you can quickly secure workpieces with the help of a couple of wedges. All you need do is clamp a scrap block to one end of your bench, then clamp a second block about 1/2" from the opposite end of the workpiece. Next, drive opposing wedges between the end of the workpiece and the second block as shown right. This will hold your workpieces securely for routing, sanding, carving, planing, Written by: Bill Krier with Jan Svec scraping, or other tasks.



## ONE THOUSAND TWO-BY-FOURS. TWENTY-SIX DECKS. THREE OAK FLOORS. AND IT'S STILL SUITABLE FOR FRAMING.

YOU WANT TOUGH? FRAME THIS. RUGGED ALUMINUM HOUSING. SPINDLE-LOCKS FOR EASY

BLADE CHANGES. BALL AND ROLLER BEARINGS. 24-TOOTH CARBIDE BLADE. AND A POWERFUL

2.75 HP, 13 AMP MOTOR. THE CRAFTSMAN SAWMILL. ANYTHING LESS JUST DOESN'T CUT IT.



## TOOL BUYER'S UPDATE

## Dremel or Ryobi: Which rotary detail tool will work best for you?

Thtil last year, Dremel made the only hand-held, high-speed rotary detail tool on the market. It was called the Moto-Tool and recently has been renamed the Multi-Pro. Now, though, Ryobi has introduced a similar machine, the Multi-Tool, at a lower price. To see how they stack up, I took both into my shop for a comparison test.

Ryobi's main bragging point on the Multi-Tool is that it generates more torque than the Dremel Multi-Pro. I found that you can bog down and stop the Dremel with enough pressure, whereas the Ryobi hogs out waste easily because of its higher torque. The Ryobi's extra torque also saves you time on rough work such as sharpening a lawnmower blade or cutting bolts.

While the Dremel runs from 5,000 to 30,000 rpm, the Ryobi operates in a narrower speed range, 8,000 to 23,000 rpm. At top speed with the Dremel, I felt I had better control in sanding, carving, and routing. The highspeed also results in less loading on the abrasive accessories.

These two machines also differ in their speed controls. The Dremel has an infinitely variable speed control-the further you push the speed-control lever on the tool housing, the higher the speed. This makes it easy to change speeds single-handedly without shutting off the tool-the lever is right by your thumb. Ryobi employs a rocker-type on/off switch and a dial that you turn to one of five settings. I prefer the dial because it eliminates the guesswork of trying to return to a previous setting.

One thing I noticed on the Ryobi that bothered me is a tiny bit of play in the tool arbor. I discovered this while modifying the teeth on a chainsaw chain. The cutting disk I was using on the Ryobi wandered back and forth about ½2" making an accurate cut





impossible. The play, I found, comes from a loose-fitting brass coupler between the motor armature and tool arbor. Dremel uses a one-piece armature and arbor that's on-the-money accurate.

Both of these tools have brushtype motors, but the ease with which you replace the brushes differs markedly between the two. On the Dremel, just unscrew the brush caps on the side of the tool housing, remove the old brushes, insert new brushes, and replace the caps. The Ryobi requires disassembly of the tool housing to gain access to the brushes. This procedure is best left to an experienced tool repairman.

As for the collets, the Ryobi accepts 1/8" and 3/32" shanks. The Dremel collets take shanks of 1/8", 3/32", 1/16", and 1/32". And finally, Ryobi's 10' cord gives you more reach than the Dremel's 6' cord.

So which tool should you buy? I think the Dremel's smooth opera-

tion, precise control, and easy brush replacement make it a better tool. But if you're primarily interested in a general-purpose grinding, routing, and sanding tool—and less concerned with precision—you can save \$20 by buying the Ryobi.

—Tested by Dave Henderson

#### 

Performance	*	*	*	*	Z
Price	Abo	ut \$50	0		
Value	*	*	*	*	7
Ryobi, 520 Suite 1, And	1 Pea	arma	n Da	iry	Rd

Continued on page 10





## TOOL BUYER'S UPDATE

Continued from page 8

Power and portability distinguish two new compound mitersaws from Sears

Recently, Sears introduced two new compound mitersaws—a 10" and a 12" model—that include a number of convenient and desirable features. Having worked with both, I came away with the impression that the manufacturer has done a lot of homework and loaded these saws with many smart, convenient features.

For starters, both saws have a carrying handle positioned over the center of gravity. This makes them easy to pick up (without squatting) and haul around single-handed. The cast-aluminum construction keeps the weight down to 27 pounds for the 10" model (shown below) and 42 pounds for the 12" saw (shown right).

I also was impressed with the 15amp motors that power these two machines. They provide more muscle than many mitersaws in this category, most of which draw just 13 amps.

In terms of capacity, the 12" saw cuts a nominal 4×4 at 90° and 45°. It also will cut through a nominal 2×8 at 90° or a 2×6 at 45°. The 10" saw cuts clear through a 4×4


at 90° too. At 45°, it will cut a 4×4 to a width of 2¾". On nominal 2× material, the smaller saw cuts up to 5½" at 90° and 4" at 45°. For beveling, the 12" saw cuts 2¾"-thick stock and the 10" saw cuts stock up to 1¾" thick.

One of my favorite features on the smaller saw is the square edge of the plastic blade guard. It gave me an undistorted view of the exact spot the blade contacts the workpiece. On the larger saw, the rounded edge of the guard slightly distorted my view.


The miter and bevel cursors on both saws proved easy to read. The bevel scales are located to the right of the pivot assembly

where I could see them without having to crane my neck. On the 10" saw, a detent system (a springloaded catch that stops the table at specific positions) is set at 0°, 22.5°, and 45°. The 12" saw includes those settings, additional stops at 15° and 30°, and colorcoded miter scales-a red scale for the angles between 0° and 45° and a yellow scale for rafter pitches such as 4/12, 6/12, and so forth. A hairline miter cursor and Vernier calibrations (a finely graduated scale) on the 12" saw permit adjustments as fine as onequarter of a degree.

Sears puts a combination-style steel blade on the 10" saw and a 32-tooth carbide-tipped blade on the 12" saw. The steel blade cuts too rough for anything but framing lumber. The carbide-tipped 12" blade cuts much better—but not as smooth as a top-quality blade. If you need super-clean cuts, plan to spend about \$60 for a 60-tooth 10" blade and about \$90 for a 72-tooth 12" blade.



-Tested by Dave Henderson





## PRODUCT SCORECARD

Sears Craftsman, 10" Compound Mitersaw model 23520

 Performance
 ★
 ★
 ★
 ★

 Price
 \$320

 Value
 ★
 ★
 ★
 ★

At Sears stores nationwide. For ordering, information, or a catalog, call 800/377-7414.

# FOR THOSE WHO AREN'T WILLING TO SETTLE FOR "ALMOST."



The New Yankee Workshop hosted by Norm Abram and

with Scott Phillips.

The American Woodshop

800-438-2486. In Canada,

519-836-2840.

WOODWORKING MACHINERY

A Pentair Company


## TALKING BACK

Another dimension to bandsaw adjustment

Congratulations for the fine "tune up" advice in the October 1995 issue. While working on a bandsawn jewelry box, I discovered the need for an additional adjustment not mentioned in your article. The blade must be squared to the table front-to-back, as well as side-to-side, when cutting a pattern from thick material or stacked pieces. Any error will be evident when entering or leaving a cut at an acute angle on this material.

My solution is to shim between the tilt quadrant and the table on the low side. Cut the sheet-metal shims in a "U" shape, so they can easily be slipped in place after loosening the cap screws holding the quadrant to the table (refer to the drawing *below*). This adjustment should be made after you align the wheels and the blade tracking, but before setting the guides or tilt adjustment.

-David Ayres, Lakeland, Fla.



A new supplier for clock parts



We have a new supplier for the special parts needed to complete the "Turnof-the-Century Tall Clock" featured in our September 1993 issue (#63). This kit includes a quartz movement, a 40" pendulum and the 1634"-square paper face. You can order this kit, catalog #93FC, priced at \$64.95 per kit, from Schlabaugh and Sons Woodworking, 720 14th Street, Kalona, IA 52247. Or call 800/346-9663 to order. A photocopy of the article is included with the kit or available from us for \$4.


We welcome comments, criticisms, suggestions, and even compliments. Send your correspondence to: Talking Back, Better Homes and Gardens WOOD Magazine, 1912 Grand Ave., Des Moines, IA 50309-3379. To contact us via computer, use these on-line addresses: CompuServe: 74404,3516
Internet: 74404.3516@compuserve.com

A tool for tricky bandsaw alignments

I was going to use your article in the October 1995 issue to tune up my bandsaw, but found I can't align the wheels with a straightedge because the body casting of my bandsaw is in the way. Can you come up with an alternative way of doing this?


-Wayne A. Cooper, Orange, Calif.


We suggest you create a "C-frame" straightedge from a piece of 1/4" plywood long enough to cross both wheels of your bandsaw. Use your jointer to dress a true edge on this plywood. Then, cut out a notch to clear the bandsaw's body casting, as shown in the drawing below. If you start with a straight edge, you will have a good alignment tool.



Home-made lathe kit changes

We have received new price and ordering information for the "Back-to-Basics Shop Lathe" parts kit as described in the WOOD book Woodworking Tools You Can Make. The lathe spindle kit is currently priced at \$211, and can be ordered from: Rudy Sanchez, Northwest Carving Supplies. P.O. Box 407, 402 Fulton, Manhattan, MT 57941. Call 406/284-6527. The power switch (catalog #A526) can be ordered from: AMT, P.O. Box 70, Royersford, PA 19468. Call 215/948-0400 for the current price of this switch.





With six peak horsepower, Craftsman's new wet/dry vac is the most powerful, detachable blower vac on the consumer market.

It's at home in your workshop, kitchen, garage... even in the yard, thanks to the detachable blower that cleans up leaves and yard debris with a 200 MPH blowing velocity.

To complement its power, we developed a sturdy vac caddy supported by oversized wheels to resist vac tipping. There's an extra-long 20-foot cord and convenient onboard accessory storage so tools are always right at hand. The large 16-gallon capacity, built-in drain and reusable filter make cleanup a breeze. Accessories include two extension wands, four nozzles, blowing diffuser and blower adapter.

Check out this new detachable blower vac with 6 peak horsepower at your Sears store, or for convenience, call the "Sears Shop at Home" service, 1-800-377-7414.

# What woodworkers heed to know

Most woodworkers feel perfectly comfortable building a lamp like the one on page 72. But, fewer feel confident when it comes to wiring it. Here are a few illuminating facts and hints that can help you see electricity in a new light.

#### What's hot and what's not?

Alternating Current (AC) electricity—the kind the power company sends to your house—constantly varies in voltage and changes its flow direction 60 times per second. Thus, references to positive (+) and negative (-) poles, so familiar to us from battery-powered Direct Current (DC) devices such as flashlights and portable radios, don't apply to AC.


Instead, electricians refer to the bot lead and the neutral lead when talking about AC circuits. The distinction is important: the hot lead will give you an electrical shock, the neutral won't. Commonly in AC wiring, black insulation designates the hot wire; white, neutral; and green or uninsulated, ground.

#### Keep the leads straight

Electrical safety requires correct connections. In devices such as lamp sockets with screw terminals for connections, the color of a terminal screw signifies which lead connects to it. A brass or gold-colored screw identifies the hot terminal, a steel or silver-colored one signifies the neutral. Sometimes, they're labeled, too.

Even a lamp can give you a jolt if you don't connect the wires

# WORRY-FREE WIRING



properly. How? Take a look at the lamp diagrams above.

In the first one, correctly wired, neutral connects to the shell of the socket. The hot wire goes to the switch, which controls the center contact in the socket.

In the second one, the wiring has been reversed. Now, the hot lead runs to the socket shell.

The lamp will work either way. But, the socket shell in the second case will be electrically hot whenever the lamp is plugged in, even with the switch turned off.

The danger lies in the ease with which someone can come into contact with the socket shell, or the bulb base that screws into it. Simply stated, if you're grounded and touch the hot-wired shell, you'll receive a shock—even with the lamp turned off.

#### Plugs can prevent mixups

Polarized plugs help prevent hot/neutral mixups. The plug's design—one wide prong and one narrow one—ensures that it fits into the outlet only one way. This guards against inadvertently reversing hot and neutral by inserting the plug backwards.

Plugs with three prongs also prevent such reversals. In addition to fitting only one way into the outlet, the three-prong plug provides a separate path to ground for stray current. In either type, the hot lead connects to the plug's narrow prong.

#### Cords to carry the load

Standard flat electrical cords, including extension cords, carry current-capacity ratings, based on wire gauge. You'll usually find the wire gauge (and often, the safe-load rating) stamped along one side of a cord. In addition, the insulation is usually ribbed along the other side, providing a handy tracer to help you keep hot and neutral straight. (Ordinarily, the ribbed side serves as the neutral conductor.)

Here are safe capacities for cords with two conductors or two conductors plus ground. (Other factors can play a role, so follow the cord manufacturer's recommendation, if different.):

18 gauge 10 amps 16 gauge 13 amps 14 gauge 18 amps

(To find current flow in amps if you know power consumption in watts, divide by the line voltage—usually considered to be 110 volts. For example, 330 watts at 110 volts = 3 amps. Multiply amps by the line voltage to find watts. For example, 10 amps at 110 volts = 1100 watts.)

Continued on page 16



Create a Timeless Corian® Treasure Box



WOOD



FINISHED SIZE: 81/2"L x 53/4"W x 21/2"H

## Corian® Treasure Box Kit

YOUR KIT INCLUDES:

- all Corian® cut to approximate size
- all patterns, and
- ◆ step-by-step instructions

This unique book-style treasure box, made from Corian<sup>®</sup>, the easy-to-use wood alternative, looks great on any table, dresser, or desk.

It's ideal for storing jewelry, photos, collectibles, pencils, note cards, or personal keepsakes.

- ◆ Corian® is astonishingly beautiful.
- ◆ Corian® is scratch- and stain-resistant—If a nick, scratch, or stain ever does appear, simply sand it out.
- ◆ Colors and patterns are uniform all the way through.

Corian® is the perfect wood alternative. You can carve it, cut it, sand it, and rout it. Because you work with Corian® like you do wood, you can use your regular woodworking tools to build this treasure box. All Corian®, patterns, and instructions included.

Jewelry by Becky Babb not included.

Circle No. 1120

Advertisement

Pink Con Black Quartz Evergreen

Shown in Oceanic and
Bone. Book cover is also
available in Pink Coral,
Black Quartz, or Evergreen.
Specify color when ordering.

Retail Value \$85

Yours for only \$22.95

Please add \$5.95 shipping and handling for each Corian® Treasure Box Kit ordered, or order three or more kits and we'll pay the shipping and handling. NY residents add 8% sales tax.

Canadian and International orders add 35%.

Send check or money order and choice of color to:
Art Specialties International, Inc.
P.O. Box 215, Dept. BH001
Depew, NY 14043

To order using VISA, MasterCard, or American Express, call 1-800-724-4008. Please refer to Item # WM002 when ordering. Allow 3-5 weeks for delivery.



CORIAN Created For Life"

#### Deck and Patio Owners:



## OUTSMART EATHE

With a SunSetter® Retractable Awning, you can choose full sun, partial shade or total protection from rain or sun. Opens and closes effortlessly in 30 seconds!

Now get three times the use of your deck with the adjustable, affordable SunSetter Awning. It makes your deck or patio like an additional room on your house! Lets you enjoy your deck or patio rain or shine. Protects your family, guests and patio furniture from rain, harsh sun and harmful UV rays far better than a tippy patio umbrella. Adds to the beauty and value of your home. Expertly crafted in America for years of maintenance-free enjoyment.

- 100% waterproof fabric.
- Wide choice of available widths.
- Installs over any kind of siding.
- Retracts flat against the house.
- No need to take it down in winter.
- Superb quality 5 year warranty.
- Interest-Free payment plans.
- No-Risk Free Trial.

SAVE WITH FACTORY-DIRECT PRICING!

Call today!

Write or call toll free for a

and complete information

1-800-876-8060

24 hrs. a day, 7 days a week

JIL Industries, Dept. Wod596 184 Charles Street, Malden MA 02148 FAX: 617-321-8650

Circle No. 1978

# What woodworkers need to know GEB

A wire stripper removes insulation from conductor ends easily.



Wrap wire clockwise around terminal screw so tightening the screw draws the wire in.



Twist conductors together before screwing on the wire connector.

Continued from page 14

#### Here's how to make the connections

I Strip about 34" of insulation from the end of each of the cord's conductors. A wire stripper like the one shown in the photo left does the job quickly and neatly. (We got the tool shown from Graybar Electric, a nationwide electrical-supply dealer. Many hardware stores carry them, too.) Or you can carefully score the insulation with a knife, then pull it off. Be careful not to cut the wire strands.

2 Twist the strands in each conductor end tightly together. This keeps them from fanning out when you make connections.

3 For screw-terminal devices, form the end of the wire into a hook. Place the hook beneath the head of the screw with the end pointing clockwise around the screw, as in the photo *left*. This way, tightening the screw draws the wire into the connection rather than pushing it out.

4 Tighten the screw. Make sure you haven't left wire strands sticking out of the connection.

5 To join the cord to wire pigtail leads instead of screw terminals, twist the cord conductor and the lead firmly together, then screw on a wire nut connector as shown left. Select a connector of the proper size for the number and gauge of the wires you're joining. The packaging lists permissible combinations.

## Heed these safety hints

- Unplug any electrical item before working on it.
- · Double-check your connections before plugging the item in.
- hot lead, never the neutral.
- •To prevent a cord from pulling loose, restrain it where it enters a device such
- as a lamp socket. If the device doesn't have a built-in clamp, a knot tied in the wire, as shown in the middle photo, works well.
- •Wire a switch only into the •If you're uncertain about (or uncomfortable with) the wiring job you're working on, seek assistance from a qualified electrician.

Illustration: Roxanne LeMoine Photographs: John Hetherington

## impotence

The facts. An estimated 10 to 20 million American males suffer from impotence • Up to 75% of all cases are physical in nature, not psychological • It is a treatable condition • It is not necessarily a function of aging • Specialists, usually urologists, can provide safe, dependable treatments • Most men can be successfully treated.

Find out how you can join the tens of thousands of men who are now enjoying successful sexual relations with renewed confidence.

Calling for your Free Information Kit is the first step.

Call 1-800-552-6493

Your free kit details all the treatment options available to you. And because it is important that you visit a physician experienced in treating impotence, we'll also provide you with the names of specialists in your area. Your privacy is assured.

Visit our web site at http://www.impotent.com



# The only tru Magnum Power

Now it seems that Dodge Ram isn't just part of the most powerful overall line of pickups on the planet. According to a J.D. Power and Associates survey of owners, it's also the most appealing pickup in America.

As the recipient of the prestigious APEAL award for performance, execution and layout, it's pretty convincing evidence that ignoring the

rules of conventional wisdom is a very good thing to do.

It wasn't just the unmistakable look of Ram that people liked. It was the ideas and the execution they found in everything from the powertrain to the ergonomics and comfort of its interior.

Not only that, having a pickup that holds its resale value better than full-size Fords and



# ck with both and J.D. Power.

Chevrolets is pretty appealing too.\*\*


Clearly, the J.D. Power and Associates APEAL award is good news to all of us here at the New Dodge. But it's also a powerful incentive to keep looking for rules that need changing. And to keep building cars and trucks that change them. Want more information? Call 1-800-4-A-DODGE.

\*1995 Automotive Performance, Execution, and Layout Study, based on 27,859 responses. \*\*We calculated resale using avg. trade-in values for full-size '94 models vs. MSRPs, published in '95 Jan.-Sept. N.A.D.A. Official Used Car Guide<sup>60</sup> monthly editions.

America's Truck Stop



## FROM YOUR SHOP (AND OURS)



Our top shop tip ends this unstable situation with a clamp.

nyone who has ever tried to clamp something to a drill press or bandsaw table will be pleased to read our top shop tip for this issue. The ribs on the underside of these tables almost always interfere with the lower jaws of the clamp unless you use Cclamps. And C-clamps don't give you much jaw depth.

Reader Tom Ryan came up with a great solution in the tip right. I also was impressed by the fact that Tom's tip takes advantage of small pieces of scrap stock that you probably have lying around.

Many of you have, no doubt, come up with dozens of quick fixes and jigs like this over the years. By sending these ideas to us, you may earn \$40, maybe even a tool prize. To be considered for publication, send a letter with a photo or drawing of the idea to:

**Tips From Your Shop** (and Ours) WOOD® Magazine 1912 Grand Ave. Des Moines, IA 50309-3379

We try to publish original shop tips, so please send your idea to only one magazine. Also note that we cannot return submissions. Thanks!

General-Interest Editor

Dowels help clamps overcome cast-iron table ribs

To get a good bearing surface for the lower jaw of your handscrew clamps on ribbed tables, try this trick. Build a pair of the clamping

pads shown below.

Make the length of the 1/4" plywood piece about 1" shorter than the distance from the front edge of your handscrew jaws to the first screw. This gives you some latitude in positioning the pad.


Size the width of the plywood so you can position the four 1/4" dowels in the corners to fit snug over the jaw of the handscrew. Position the 34" dowel about 1/2"

back from the front of the plywood, and cut the dowel about 3/8" longer than the width of the ribs on your table.

-Tom Ryan, Fredericksburg, Texas




For sending in the top shop tip of this issue, Tom Ryan receives a Skil HD3812 Compound Miter Saw. Good work, Tom!



Right-angle sanding block keeps edges square

If you're not careful, you can put a subtle chamfer on the edge of a workpiece by sanding it freehand. To keep your corners crisp, build the rightangle sanding block shown right. By keeping the plywood top flat on the face of the workpiece, your sanding will always yield a clean, straight edge that's perpendicular to the face of the workpiece.


> -Ted Kusmak, Alexandria, Minn.



Continued on page 22

# No More Hand Sanding.



















## Introducing The Profile Sander™ From Porter-Cable.

Our revolutionary Profile Sander gets you into all the tricky, hard-to-reach corners of your work. But unlike "detail" sanders, it gets you out of the corner. And over curves. Through the grooves. Around the intricate carvings of your workpiece. Plus it does it faster and easier than you could ever dream of doing by hand.

If you'd like to eliminate hand sanding from your work, visit your local Porter-Cable

dealer. Or call 1-800-487-8665 (519-836-2840 in Canada) for the retailer nearest you and a free brochure.

## MANADABBUTTO

Choose from 17 different profiles to tackle every shape you encounter.



Professional Power Tools Since 1906



Porter-Cable is proud to be a co-underwriter of The New Yankee Workshop and The American Woodshop on public television.

## TIPS FROM YOUR SHOP (AND OURS)

Continued from page 20

### Veneer strips help old chair rungs fit tightly in new holes

Furniture that you disassemble to refinish or repair usually doesn't go back together as tightly as when it was first made. But here's a method to ensure that the rungs on an old chair will fit tightly.

First, cut some veneer strips as wide as the tenons on the rung are long and as long as the circumference of the tenons minus ½6". Make as many veneer strips as you have tenons to repair. Soak the strips in water overnight, or until pliable. Then, with a drill bit that measures the diameter of the tenons plus two times the thickness of the veneer, widen the mortise in the chair leg. Use the same bit to also drill a series of holes in a piece of scrap stock.

Place the wetted veneer in the holes and insert the tenon. Allow the veneer to completely dry. This shouldn't take more than 24

stock. When the glue dries, you'll have a tenon that, with a little bit of sanding, should fit snugly into the mortise in the chair leg.

-Julius Ventura, Kenosha, Wis. Continued on page 24


Chair-rung

tenon

Chair leg

Veneer

strip



hours. Then, remove the tenon

and veneer from the hole, apply

glue to the tenon and the inside of

the veneer band, and reinsert

them in the hole in the scrap



Ask for Department # 61U




## HARBOR FREIGHT TOOLS



LOW PRICE GUARANTEE NY IDENTICAL ITEM -EVEN IF IT'S AN ADVERTISED SPECIAL

FOR ALL ITEMS SHOWN BELOW!



FREE ACCESSORIES Stand, 6" belt, 9" disc, open-end wrench, and a hex key wrench



1 HP, 110V, 8 amps, 3450 RPM, all ball bearing motor; overall height: 40"; table tilt: 0° to 50°; table surface: 6-1/2" x 12-3/4"; two position work table for disc or belt use; disc speed: 1720 RPM; belt: 6" W x 48" L; belt speed: 1280 FPM; wt:

ITEM 06852-5VSA LIMIT 1

CENTRAL MACHINERY



\$50

#### 10" PLANER

- HP, 110V, 1 phase, 11 amp, 8000 RPM
- 1/8" working distance
- 10-1/8" x 9-1/8" feed table 19" x 16-5/8" x 16" overall dimensions
- 10-1/8" blade size
- 2-blade cutter head
  61 lbs, shipping weight
- Stand sold separately

CENTRAL MACHINERY



GALLON INDUSTRIAL PORTABLE DUST COLLECTOR

Work in a dust-free atmosphere with this quality dust collector. It develops over ten times the suction of most shop vacuums Flexible PVC hose will last through years of bending, flexing and temperature variations. 4" hose is sized to pick up large chips from 4 Trose is sized to fick up furge chips from jointers, saws, shapers and planers. Unit has heavy duty ball bearing castors. Hose sold separately. Bag capacity: 13 gallon; Motor: 110V, 7 amp. 1 HP; Hose inlet: 1; CFM: 660; Ship. wt.: 56 lbs.

31810-4VSA

CENTRAL MACHINERY

## MORTISING MACHINE

Make a square hole in the fraction of the time ittakes by hand! Easier layout for professional mortise and tenon

joints in furniture, cabinets, and restoration. Fence with hold down clamp keeps workpieces from lifting off the table. Large capacity – up to 5" maximum height. Includes fence, workpiece clamp, 1/4", 3/8". and 1/2" mortising chisels and bits.

- 5" max, workpiece height
- Accepts .745" chisel shanks
   1/2 HP, 110V, 2.3 amps
- 3-1/2" swing
- · 59 lbs. shipping weight

30036-5VSA



itanium nitride runs cooler, cuts easier and lasts longer than standard steel! Includes 3/8" shanks and individually organized wooden case. Rockwell hardness range from 55-65 HRC.

20 PC. SET

20 sizes from 1/4" to 3/4" by 16ths, 7/8", 15/16", 1" to 2" by 8ths

31130-7VSA

16 PC. SET

16 sizes from 1/4" to 2-1/8" by eighths

32404-5VSA



#### CONTROLLED PRESSURE. **NON-MARRING** HARDWOOD CLAMPS

These hand screws will clamp without scratching or marring your workpiece. Hardwood aws distribute pressure evenly, and can easily be adjusted for non-parallel surfaces and odd shapes.

LENGTH CAPACITY ITEM

04852

8.,	4-3/4"	-3VSA	. 3
10"	6''	04853 -4VSA	\$499
12"	8-1/2"	04854 -5V5A	\$599



Index pin contains 36 - 10° spacings for accurate fluting and marking on workpieces. Left and right turning face plates and 6" and 12" tool rests. (Stand sold separately). Distance between centers: 37", Swing over bed: 12"; Spindle speeds: 575, 980, 1560, 2520 and 3580 RPM; Motor: 1/2 HP, 1725 RPM, 115V, 60 Hz AC, swing mounted to headstock; Drive spindle: No. 1 Morse taper plus 3/4-16 threaded; Tailstock: No. 1 Morse taper; 2-3/8" ram travel; Ship. wt.: 80 lbs

06841-0VSA



- Indicator on drill body notifies operator
- of low battery charge Includes 6 pc. drill bit set, 6 pc. screwdriver bit set, magnetic extension
- bit, charger, battery, and keyless chuck Variable speed, reversible; 0 to 600 RPM

6 torque settings ITEM

33165-4VSA

13.2V BATTERY

ITEM 33214-0V5A

#### CENTRAL MACHINERY

1/3 HP



- DRILL PRESS 620 to 3100 RPM
- 2" stroke, 8-1/4" swing
- 8-1/4" max. distance spindle to table
- 22-1/2" high, 47 lbs. ITEM

05901-5VSA

#### 29 PC. HIGH SPEED STEEL DRILL BIT SET

- 1/16" thru 1/2" by 64ths
- M-2 high speed steel
  Jobber length, straight shank
- Includes metal index

ITEM 00986-3VSA



TABLE SAW

- Maximum depth of cut
- @ 90°: 3"; @ 45°: 2-1/2" Motor: 2 HP, 115V, 60 Hz, 13 amp,
- · Shipping weight: 40 lbs.
- Blade sold separately

5/8" arbor ITEM 00529-3VSA

05 32648-5VSA

10" SAW BLADE 40 tooth carbide tips



## 16 GAUGE INDUSTRIAL AIR NAILER/BRAD

The high capacity, universal magazine and low recoil make this heavy duty nailer ideal for industrial uses.

Includes: 3 & 4mm hex wrenches, oil, safety goggles, and molded case Load capacity: 100-16 gauge brads/nails 3/4" to 2" long; Operating pressure: 60-100 PSI; Air inlet: 1/4" NPT

32869-5VSA

CENTRAL MACHINERY



INDUSTRIAL RABBETING JOINTER

- Infeed table size: 22-1/2" Outfeed table size: 19-1/2"
- Motor: 1 HP, 110V, 4 amp, 4900 to 5900 RPM cutterhead speed

Maximum depth of cut: 3/8"

30289-5V5A

33271-1VSA

REPLACEMENT BLADE SET

\* Within the 48 States / \$2.95 handling on all orders

Call To Order or Ask for Free Catalog: a Order 24 Hours a Day/7 Days a Week Most Phone Orders Shipped in 48 Hours



FAX TOLL FREE: 1-800-905-5220

CHARGE



Or Send Check or Money Order to: Harbor Freight Tools, 3491 Mission Oaks Blvd. Box 6010, Camarillo, CA 93011

## TLPS FROM YOUR SHOP (AND OURS)

Continued from page 22

#### Get a grip on stuck stock with a grabber


Have you ever tried to free a stuck wooden plug from the jaws of a holesaw? If so, you know that you can do a lot of damage to the wood workpiece trying to pry it out. Build this grabber, though, and you can free these wooden pieces with a quick twist of the wrist.


Size the grabber about 1" wider than the circular plug you're cutting and about 10" long. Turn it on edge and drill a 1/4" hole for the machine screw as shown. Then, drill the counterbore and hole in the

face of the workpiece, and bandsaw a tapered cut from the end of the handle to the hole.

For this grabber to work, the plug must protrude below the teeth of the holesaw about 1/4". So when you cut your circles, don't lower the teeth completely through the stock. Rather, drill down until the pilot bit emerges from the backside of the stock. Flip the workpiece over, and complete the cut from the backside. This will give the grabber enough wood to grip.

-Bill Woodall, Gladys, Va.






Continued on page 26

#### At last... the ultimate workbench, downdraft table & complete air filtration system

Remove the dust before it can pass your face at a rate 3 times faster than the average ceiling-mounted unit! The Dust Eliminator Workbench collects dust at its source through a downdraft grid on its surface (for sanding) and a dust intake on the side (for airborne particles created by other shop tools). A generous 30"x 54"x1-3/4" select and better grade hard maple work surface sits atop a powder-coated,



Easy access to filters · GFI-protected convenience outlet \$889.00 + S&H meant to be. (payment plan available)

Call toll-free 1-800-845-4400

air 17.4 times per hour in a 20' x 20' x 8' shop

TO STIES DUCOME

## ₩OODMARK

Mailing: P.O. Box 211434 • Bedford, TX 76095 924 Airport Rd. • Roanoke, TX

Circle No. 1295

## The Joy of Sanding

Right!? Who would believe a job as tedious and dusty as sanding could be a joy?

Thousands of Performax owners do. With their Performax drum sander... no more sawdust in their faces, no more high and low spots on their finished pieces.

Imagine the satisfaction of sanding a wide surface (up to 32") to within .010" uniform thickness across its full width. Or sanding stock as short as 2 1/4" without a carrier board or scuffed up fingers. Fantasize sanding to as smooth a surface as you wish without any elbow grease.

Make your woodworking the pleasure it was Call us today for a free brochure and the dealer nearest you.





12257 Nicollet Ave. So. Dept. WD08 Burnsville, MN 55337 (612) 895-9922 1-800-334-4910

Circle No. 78

## AMERICA'S FINEST SCROLL SAW

The rbindustries Hawk Ultra scroll saws have become the finest and most advanced saws in the woodworking industry. Why? Because we listened to our customers and built the Hawl Ultrus to fit their woodworking needs. With having sold over 40,000 scroll saws to date, the best is just getting better!



- Quick Change Blade Holder - easiest to use
- Hold Down Foot for maximum control
- Extra Large Aluminum
   Table
- Adjustable Tilt Table table tilts both left and right
- · Heavy Duty Design
- · Variable Speed
- Rear Cam Over for no guesswork tensioning
- Front Cam Over Tension Release - for fast inside cuts

Made in the USA!

Call 1-800-487-2623 for FREE Catalog

## r b i n d u s t r i e s

The American Tool Manufacturer 1801 Vine Street • Harrisonville, MO 64701

9 1995 rbindustries. All rights reserved.

Circle No. 84

ADVERTISEMENT

Robo Grip Pliers,
One man's persistence
becomes America's
passion!

What's the hottest new hand tool in the country today? It's Robo Grip pliers. The pliers with the unique self-adjusting feature that allows one-handed use and a perfect fit every time. The pliers that have won multiple technology and design awards for innovation and performance. If it were not for one man's tenacious efforts, however, Robo Grips

might never have been developed.

That man is Hal Wrigley, president of Applied Concepts, the company which makes Robo Grips. Ten years ago he had a successful dental practice. His career was comfortable and his future secure. That all ended when he met and fell in love with the Robo Grip technology. He was so impressed with the tool that he sold his practice and

purchased the production rights. Knowing little about tool making, he spent the next seven years of his life learning the business. He ate, drank, and slept tools, often working eighteen hour days. Even after major set backs, he never lost his belief in the product. What he ended up with was an American made tool that has revolutionized the entire pliers industry, using a patented spring-loaded, cam mechanism, Robo Grips automatically adjusts to fit a wide range of pipe, bolt, and automotive part sizes. Applied Concepts, now part of the Emerson Corporation, has become one of the largest manufacturers of pliers in the United States. So when someone tries to tell you that good old American ingenuity is dead, tell them to talk to Hal

Wrigley... and hand them a pair of Robo Grips!

Robo Grips can be purchased at Sears and are available in both a 9" curved jaw and a 7" straight jaw style. Sears and Applied Concepts will be introducing three new jaw styles designed for specific needs this summer.



## The Dremel MultiPro Tool.

At 30,000 rpm, nothing works faster.

sticky door



Chaman





Refinish an iron gate

The Dremel MultiPro tool is the fastest high-speed rotary tool. It's extremely versatile. With up to 30,000 rpm it has the speed you need to effort-lessly power through hundreds of jobs. You just guide the tool, the speed does all the work. 150 available accessories let you sand wood,





Polish chrome trim



Re-slot painted screws



Install a smoke alarm

shape plastic, polish brass, grind metal, and more. Look for our book with 175+ Uses in specially marked MultiPro tool packages at hardware, home center and hobby stores. Or for a free copy, write: Dremel, Dept. W, P.O. Box 1468, Racine, WI 53406-1468.



Continued from page 24


Try looking up when you need support for long stock Finding floor space for a table

extension in a crowded shop often means that you have to rearrange tools or other objects in the way. But the next time you need support for a long workpiece, look up to your floor joists

for help instead.

To make this temporary support arm, simply clamp a 1×4 to an overhead joist with a large C-clamp. Then, clamp a shorter horizontal 1×4 to the vertical piece and position it level with your tool's work surface. If the clamps don't hold the weight of the workpiece, attach the 1×4 to the joist and the scrap stock to the 1×4 with wood screws.

-Frank Henderson, Liverpool, N.Y.



Continued on page 28

## 10% to 20% OFF SPRING COMBO SALE

Sale prices good thru 6/30/96.

## FREE \$45 IN SHARPENING COUPONS GOOD ON ALL FORREST OR OTHER MAKES OF CARBIDE

BLADES OR DADO SETS. Coupons expire 12/31/97.

Must mention WOOD magazine for discounts, coupons & bonus with purchase.

able resistance.

The Proof Is In the Cutting

iron-hard 1%"-thick ash. The 20° positive hook angle and 15° alternate

aggressive attack; we maintained a

ripping a variety of woods on the

the smaller saws, switching to the

powerful Unisaw and experienced no

discernible resistance or slowing. On

thin-kerf blade allowed very similiar

Although we've used blades that cut

faster, their cut quality couldn't touch

On solid stock, ripped edges came off

what we got with the Forrest blades.

our saws jointer-finished, smooth

marks-good enough to edge-glue without additional machining.

Crosscuts came out crisp and clean with no fuzzing or tiny splintering.

Performance of the Woodworker II is impressive enough that you could

bolt this versatile, general-purpose

blade on your saw and use it for

virtually all of your cutting opera-

SHOP TEST, Woodworker's Journal

NEW DELUXE DADO-KING!

AFTER USING SHARPENING COUPONS

C-4 Carbide Tips - 4 on each chipper with

\$299

\$321

\$389

\$499

(Bore up to 1-1/4" Add \$25 - Plus \$5.50 S&H)

对对对对对对 图

LIST SALE

\$289

\$349 \$314 \$449 \$404

\$242 \$260 \$269

\$229 \$245

\$382

and slick with no visible teeth

The Bottom Line

Nov./Dec. '95 pg.78

special negative face hooks.

6" D. 5/8" Bore NEW

10" D. 5/8" & 1" Bore

8° D. 5/8" Bore

12" D. 1" Bore

tions.

feed rates, again with barely notice-


top bevels give the blades an

brisk, uniform feed rate while

Both Woodworker II blades performed very well, whether cutting through butter-soft ¾"-thick pine or

## .95 Value

The Best of Woods Book 1 is yours FREE with any saw blade or dado purchase from this ad. This 160 page hardcover book features 35 of the best projects from



Magazine. You must mention you saw this offer in WOOD® Magazine, when ordering.

Offer Expires June 30, 1996. One book per order. Order now supplies are limited.

BUY 1 BLADE OR DADO AT 10% OFF SALE PRICE, OR BUY 2ND BLADE AT 20% OFF (EQUAL OR LESSER VALUE) 15% OFF DADO AS SECOND CHOICE.

#### **WOODWORKER II**

ALL PURPOSE RIP & CROSSCUT

WOODWORKER II	LIST	SALE	10%	20%
12"X40TX1"	\$183	\$129	\$116	\$103
10"X40TX1/8" or 3/32"	\$156	\$119	\$107	\$ 95
8-1/4"X40TX 3/32"	\$136	\$ 99	\$ 89	\$ 79
8"X40T 3/32"	\$136	\$ 99	\$ 89	\$ 79
OTHER SIZES AVAILAB	BLE			10



BUY OUR BEST SELLER 10" X 40T FOR ONLY \$119 PLUS EXTRA 10%-20% OFF FOR COMBO SALE!

RECEIVE WITH EVERY **FORREST BLADE OR** DADO LISTED, SHARPENING COUPONS WORTH \$5.00 EACH!

ONLY NET COST TO YOU AFTER

TRY A FORREST CARBIDE BLADE TODAY! **USING SHARPENING** COUPONS

Outperformed 36 other premium blades, both foreign and domestic! WOOD® Magazine test, Sept. '93, pg. 45

#### WOODWORKER I – CROSSCUT For TABLE and RADIAL SAW

12"x60Tx1" or 5/8" 1/8"K 10"x60Tx5/8" 3/32"K 8°x60Tx5/8° 3/32°K



\$198 \$139 \$129 \$109 \$162 \$150

#### **CHOPMASTER** FOR SLIDING COMPOUNDS & MITER SAWS

New specs, 5º Neg. Pts. & flat, runs TAKE EXTRA out less than .002 for perfect, tight, 10% - 20% OFF COMBO SALE! smooth, splinter-free miter joints.

**NEW SIZES AVAILABLE** LIST SALE \$ 89 \$ 00 Delta Sidekick 6-1/2\*x40Tx5/8\* \$149 Sears 8-1/4" & Delta 8-1/4"x60Tx5/8" \$170 \$109 \$109 Hitachi 8-1/2"x60Tx5/8" \$179 DeWalt 8-1/2" & Ryobi 8-1/2"x60Tx5/8" \$179 \$119 Delta 9"x80Tx5/8" \$204 \$129 Ryobi-Makita & all 10"x80Tx5/8" \$207 DeWalt, Makita, B&D, Hitachi 12"x80Tx1" \$229 \$139 Ryobi-Makita 14"x100Tx1" \$179 \$266

For good general purpose cuts use Woodworker II 30T & 40T or Woodworker I. Use small stiffener where possible.

### **DURALINE HI-A/T FOR TABLE & RADIAL SAWS ALL FLAT FACE**

\$277 \$189

5/8" HOLES. Boring up to 1-1/4" \$7.50 extra Larger holes-time basis. Shipping \$4.50.

Faster feed rates & absolute splinter control. Stops splintering on OAK/ **BIRCH PLY VENEERS &** MELAMINE.

Other sizes available

Hitachi 15"x100Tx1"

SIZES AVAILABLE 7-1/4"x60Tx3/32" K 8"x80Tx1/8" & 3/32" K 9"x80Tx1/8" & 3/32" K

SALE LIST \$149 \$129 \$202 \$207 10"x80Tx1/8" & 3/32" K \$207 12\*x80Tx1-1/8\*K

\$169 \$179 \$159 \$212 \$181

SPECIAL COMBO SALE EXTRA 10%-20%

Above 1" bore standard. CARBIDE IS THE HARDEST OF THE

C-4 GRADES AND 40% STRONGER, NOT WEAKER! FOR 50% TO 300% LONGER LIFE.

Standard C-2 Carbide (below, left) and FORREST still sharp Oxidation and Corrosion Resistant Sub-Micron C-4 Carbide (below, right). Each shown after cutting 3,500 feet of MDF. Similar results obtained cutting particle



TILL SHARP AFTER 3.500 FEE



#### **BLADE DAMPENERS-STIFFENERS**

FOR BETTER CUTS on all brands of blades, use our large 1/8" DAMPENERS-STIFFENERS against one side.

4" ..... \$21 5" ..... \$24 6" ..... \$25

7" AND LARGER AVAILABLE

REDUCES NOISE 50%-75%

WE RECOMMEND OUR FACTORY SHARPENING as some local sharpening creates problems with MICRO-CHIPPED EDGES reducing blade life & cutting quality.

3-5 DAYS ON THESE AND ALL MAKES OF FLAT FACE & CONCAVE CARBIDE TIP SAWS. Ship via UPS. Typical 10x40T S15.00, 60T S17.75. Add return UPS S5.00, S1.00 each additional blade.

FOR SPECIAL PRICE COUPONS AND BONUS MENTION WOOD® MAGAZINE. PHONE TOLL FREE! 1 (800) 733-7111 (In NJ: 201-473-5236) FAX: 201-471-3333

Fine American saw making & sharpening since 1946. DEALER INQUIRIES WELCOME

Quality is why we're different!



(800) 733-7111 or (201) 473-5236

**BUSINESS OPEN ACCOUNTS AVAILABLE** 







FL, NJ, NY Residents Please Add Sales Tax Shipping Charges with book: Sawblades S9; Dado S10; Stiffener S2 SATISFACTION GUARANTEED OR FULL CASH REFUND.

FORREST MANUFACTURING COMPANY, INC. • 461 RIVER ROAD, CLIFTON, NI 07014 • FAX (201) 471-3333



Circle No. 73






Continued from page 26

## Put some zip in your clamping with a drum sander

If you're tired of taking the time to thread a knob onto a long piece of threaded rod, grab your portable electric drill and chuck a drum sander (without the sanding sleeve) into its jaws. Then, turn on the drill with the chuck spinning in reverse (counter clockwise), and gently touch the rubber drum to the knob. The knob will race along the threaded rod much faster than you could spin it by hand.


-Tim Gant, Blooming Glen, Pa.



## Bent blade wrench prevents hurt hands

It only takes one slip when changing tablesaw blades to incur a nasty gash. To help move your hand out of the line of fire, bend your blade wrench. Place the midpoint of your wrench in the jaws of a machinist's vise and tap the wrench with a hammer until it's bent about 30°.

-Bill DeSoto, New Iberia, La.



ORDER DESK: (800) 654-7702

Small-part sanding board keeps workpieces flat

It's easy enough to hold or tape sandpaper to your bench to sand small parts. But any unevenness in your bench will translate into inaccurate results on the sanded workpiece.

If you need accurate small-part sanding, build a fixture like the one shown below. Cut a piece of melamine-coated particleboard 12" wide and 2' long. Attach four sheets of sandpaper to it, two on top and two on the bottom, with spray adhesive. Use four successively finer grits of abrasive. The melamine backs the sandpaper with a flat, hard surface, and having the four grits you need at hand helps you through the sanding in no time.

—Alvin Rosenfeld, Middletown, Conn. Melamine-coated particleboard



Adhere sandpaper to melamine with spray adhesive.

## A FEW MORE TIPS FROM OUR WOODWORKING PROS

- •Need a stopped dado with a square end? See how we made this cut with just a tablesaw on the base sides of the Treasure Tower on page 67.
- •Are you tired of wobbly outdoor furniture? Use the lagscrew construction methods we employed on the picnic table and benches on page 40.
- •Even if you don't build the lamp on page 72, you'll benefit from reading our wiring hints on page 14.

# How To Leave A Subtle Hint.

To get a great gift you have to give a subtle hint. Nothing too conspicuous, mind you. Just a small reminder strategically placed on the refrigerator. Or the car dashboard. Or the bathroom sink. A little something to remind the ones you love about the gift you'd love to get.

After all, how are they supposed to know you want QUICK-GRIP® clamps if you don't tell them?

That's exactly why we've included these handy

**QUICK-GRIP** 

clip-and-post coupons for your

convenience. It's the only way to make

100-percent certain you'll get

100-percent certain you'll get QUICK-GRIP clamps.

QUICK-GRIP clamps are great gifts for anyone who uses tools. Whether you're into woodworking, hobbies, models, car repair or just general maintenance around

the house, QUICK-GRIP clamps are the perfect companions for anyone who needs an extra hand.

In fact, there are QUICK-GRIP clamps for almost any job.

So the next time someone asks what kind of present you'd like to receive, make it easy. Leave a note and tell 'em you want QUICK-GRIP clamps. Then when you get 'em — don't forget to act surprised!

**OUICK-GRIP** 

A UNIT OF AMERICAN TOOL

© 1995 AMERICAN TOOL

#### GREAT GIFT IDEA

## **QUICK-GRIP**

Bar Clamps
THE ONE HANDERT



The revolutionary bar clamp that redefined the concept of clamping.

GREAT GIFT IDEA

## **QUICK-GRIP**

Mini Bar Clamps



With the same great features as the QUICK-GRIP® Bar Clamp, but in a smaller, handier size.

GREAT GIFT IDEA

## **QUICK-GRIP**

Spring Clamps



The more you use these versatile clamps, the more uses you'll find for them.

GREAT GIFT IDEA





Adjusts for any size woodworking job and fits both threaded and unthreaded pipe. Reverses to a spreader.

## WOOD AREGDOTE

## SEQUOIA

Imagine a single tree containing 500,000 board feet of lumber—enough for 35 new homes—and free of branches for at least two thirds of its height. This lumberman's dream will always remain just that, though, for the giant sequoia is protected.

One of two sequoia species remaining of the dozen or so that once grew in North America (the other is the commercial coast redwood), the *Sequoiadendron giganteum* are among the oldest and largest living things. Yet, there aren't many of them.

What remains of the giant sequoia can be found in some 70 groves of from five to 1,000 trees in California's Sierra Nevada mountains. You'll find the largest concentration of trees in Sequoia

The protected giants


and Kings Canyon national parks. The largest giant sequoia—at 275' tall with a 36½' base diameter—grows in Sequoia National Park. It's estimated to be between 3,000 and 4,000 years old.

How can a tree live so long? The giant sequoia boasts a high tannin content that deters insect and fungus infestation. The tree also does not have pitch tubes through which fungi could penetrate. Fire, wind, and lightning take their toll, though, and an eroding soil base frequently causes it to topple.

Long before the giant sequoias became protected, lumbermen had pretty much given up on them anyway. Not only is their home the high elevations, but the wood's brittleness meant great loss of it in the felling.

Illustration: Jim Stevenson





## Give Yourself Some Breathing Room.



Recent medical studies show that breathing wood dust can be hazardous to your health. The JDS AIR-TECH 2000 will dramatically improve the quality of the air in your workshop.

Our model 350 delivers 350 CFM of filtered air. This will clean the air in a 20 x 20 x 8 foot shop six and a half times per hour. For larger areas, our dual speed model 8-12 will deliver 800 or 1,250 CFM of filtered air for only \$495. Our model 10-16 will deliver 1,000 or 1,600 CFM of filtered air for \$695.

The JDS AIR-TECH 2000 systems will remove 99% of dust particles as small as five micron and 80% of the particles as small as one micron.

Our unique design makes both ceiling installation and filter changing quick and easy. For the removal of odors, fumes and smoke,

our optional charcoal filter is available.

Another quality product from Manufactured in the U.S.A. COMPA

To place an order or for the dealer nearest you call us toll-free.

And give yourself some breathing room.

\$259.00 Model 350

DS

1-800-382-2637



USE VISA, MC, DISCOVER
FREE SHIPPING on orders from
this add over \$50, Within continental
48 states, HI and AK extra.
Sales limited to stock on hand.

1132 N. MAGNOLIA, ANAHEIM CA. 9280 OPEN 8-5:30 WEEKDAYS 9-2 SATURDAY Calif. residents add 7.75% state sales tax SERVING YOU FOR OVER 18 YEARS Prices subject to change without notice

\$97



## Make Beautiful **Raised Panel Doors**

with your 1/4" or 1/2" Router, or with your 1/2" or 3/4" Shaper.

Professional production quality router bits and make it quick and easy to produce matching rails and stiles. The panel raising bit with ball bearing guide makes the raised panel perfect every time!

OVER \$150,00! PANEL STILE PERSPECTIVE VIEW OF PANEL DOOR (WITH ONE RAIL REMOVED)

REGULAR VALUE

SIZE & FORM	ITEM #	PRICE/SET
1/4" Shank Router	#1301	\$69.95
1/2" Shank Router	#1302	\$79.95
1/2" Shaper	#1303	\$99.95



\*REVERSIBLE COMBINATION RAIL & STILE BIT

(For making matching rails and stiles in raised panel doors, etc.) Works with stock from 11/16" to 7/8".

 PROFESSIONAL PRODUCTION QUALITY GUARANTEED

### 1/4" SHANK CARBIDE TIPPED ROUTER BITS

FREE SHIPPING IN CONTIGUOUS USA











#### TECHNICAL HELP & EXPERT ADVICE • CUSTOMER SERVICE BEFORE & AFTER SALE • FREE 40 PAGE CATALOG



## Amazing CAN-DO Clamp

Great for Framing, Drilling, Doweling, & More

- · Clamps on TWO sides for 90° clamping.
  - · Swivels for clamping boards of unequal thickness
    - · Oblong holes for quick, easy mounting.
    - · Sliding T-Handle for maximum pressure.
      - · Rock Solid Aluminum construction

Recommended by **WOOD** Magazine 12/94

Reg. \$29.95 SALE \$2495 Item #1367

#1406 .... \$22.00 1 3/4" Lrge Diameter,

1" Cutting Lngth

## ROUTER SPEED

**CONTROLS THE SPEED OF YOUR** ROUTER! Gets the best results with the wood and bit you are using!

- . Works with all routers 3-1/4" HP or LESS -120V 15 Amp
- · Full horsepower and torque at all speeds
- · Gives your router a feature only available on routers costing hundreds of dollars!

Reg. \$49.95 ..... SALE \$3495 Order Item #1304



## 5 PIECE RAD POINT

Drill accurate holes in wood, plastics & composites.

Bit sizes from 1/8" to 1/2" by 1/64" increments. Bits are deep fluted to clear chips quickly.

Reg. \$34.95 . . SALE \$1895 Item #1413



#### 22 pc TAPERED DRILL BIT SET For exceptional thread "bite".

Includes sizes 5, 6, 7, 8, 9, 10, 12, seven matching countersink heads with adjustable stop collars, & Allen key.

Item #1414 Reg. \$34.95..... SALE \$2295



5/32" Slot Cutter-1/4" Shank & 250 #20 Biscuits

Biscuit Joining with your Router". Instructional sheet included.


Reg. \$35.00.... SALE \$2995 Order Item #1385

To Order By MasterCard, VISA, Discover, or American Express CALL TOLL-FREE, 7 DAY —24 HOUR ORDER SERVICE Or Send Check To: MLCS, Ltd., P.O. Box 4053 DC, Rydal, PA 19046

1-800-533-9298









The walnut corner chair features a crewelwork seat, and costs \$90. Don painted a fauxmarble finish on the tiny tabletop.

detail. "I don't like to use simple butt joinery," Don says. "My rule of thumb is that, almost without exception, whatever type of joinery appears in the full-scale piece I'm replicating, I use it in the scale piece, too."

## How tiny is tiny?

In Don's tiny woodworking world, "miniature" usually means items built to a scale of 1" equaling 1', or 1:12 scale. That's what Don refers to as the "universal" miniature scale. There are other scales, though.

"Today, there's a trend to what is called half-scale, or ½" to the foot," Don points out. "There's even a one-quarter scale. That's one that model railroaders are familiar with. Then, there's the 2" scale that's associated with Barbie dolls. It's actually about 1.7" to the foot."

Don now talks expertly about down-sizing, but 13 years ago that expression had a totally different meaning. Back then, Don was working as a vocational rehabilitation counselor for a state agency. His concerns were directed at retraining disabled employees

rather than readying a tiny Shaker side chair for staining.

"The first miniature furniture I made was built for my daughters in 1969 or 1970. I built doll furniture for them from toothpicks, meat skewers, old wooden venetian-blind slats, and pieces from melon crates—pretty much what was on hand. They were primitive, but they were the same scale that I use today."

In those days, Don was a fullscale woodworker, that is, he had built some furniture for his and his wife Gladys' home with skills that he had learned in a junior high manual-arts class. But smallscale woodworking had its appeal. "What I liked about it was my being able to manipulate miniature pieces more than I could full-sized ones. I had more freedom in the design," Don explains. "Plus, a lot of people including me-are interested in miniature things because they're more like toys that we recall from our childhood."

In 1971, Don began selling his miniature pieces through a local gift shop. By 1983 he and Gladys had built their miniature interest

into a thriving business by selling through mail order and at miniature shows. So, after careful consideration, Don took early retirement from his state job.

"It was kind of scary, without the health benefits and all," recalls Don. "But the thing I liked about it was that no matter how productively I was working for the state, I still got paid the same amount. And vice versa. I could be minimally productive and get the same amount. But working for myself, I was in control of my income. If I worked diligently, there was a proportional payoff."

## One-stop shopping for miniatures

Don's diligence did pay off. The sale of miniatures made mortgage-payments, paid utilities, put food on the table, and sent their three children through college. Looking back, those were busy times.

"When we were trying to get established in the miniature field, Gladys and I would do about 12-14 shows a year, from coast to coast, and service the mail orders," says Don. He also began offering kits for chairs, stools, and

### Don's criteria for successfully working small

Over the years, Don has noted a growing sophistication among collectors of miniatures. "It used to be that if an item was just small, it would sell well," he comments. "Not so today. Most of the buyers, for example, have always been women, and they're getting pretty savvy about woodworking."

In order that his miniature pieces pass even the toughest scrutiny, Don strictly adheres to several criteria:

• The piece must be accurately scaled. As obvious as it might seem, this is perhaps the most important aspect of miniature work. "The overall scale must be correct or else it does not look right, especially with other pieces. All parts of the piece must be in harmonious scale with each other, especially the hardware and the wood thick-

ness. If you're off 1/16", it turns out to be fairly large in 1:12 scale," Don advises.

Regarding wood thickness, the miniaturist primarily works with 1/8"-, 3/32"-, 1/16"- and 1/32"-thick stock. The 1/8" and 1/16" thicknesses he resaws from 4/4 stock on his tablesaw. Other stock he gets through mail order.

- The piece must be properly crafted. This means that all joints must fit tightly, and the piece must be square where it's supposed to be square and round where it's supposed to be round. "Lathe turnings must be sharply defined," Don adds, "and all drawers must move in and out smoothly."
- The piece must have a pleasing finish. "Sand all wood smooth, and put on a low-luster finish," he says. "A gloss finish doesn't look right. And clean up

any glue squeeze-out because it will really show." Color also must be in scale. For example, a black or bright red piece would stand out too much in miniature scale. On his duck decoys, for instance, Don uses dark gray accents rather than black.

- Use wood appropriate to the piece. Wood grain should be as nearly in scale as possible, according to Don. Oak, with its open grain, is inappropriate in most pieces. But maple, birch, cherry, and occasional pieces of walnut have grain that doesn't look out of scale.
- The piece should have all the required detail. Don lives by the rule that if a full-scale piece has decorative molding, so should the miniature. And if it has a drawer, the small version should have one, too, and it must be functional.

rockers. Gladys, who Don says began doing miniature needlework in self-defense, started making fabric accessories such as rugs and embroidered throw pillows. She now offers these in kit form as well.

The Perkins' miniature business proved successful because—like a good furniture store—they offer a full line, plus a variety of accessories. And the buyer gets top quality at reasonable prices.

In early period furniture, buyers can select from colonial chairs, tables, cupboards, beds, stools, settees, benches, and more. There are also numerous Shaker pieces, some French provincial, and even Southwest styles. Accessories include fireplaces, candle standards, chandeliers, wall sconces, punched-tin candle lanterns, rocking horses, mirrors, pillows and quilts, pegged hat-and-coat racks, and even teensy waterfowl decoys. In fact, Don and Gladys' price list of available items is eight

pages long! And most furniture pieces fall into the \$20 to \$60 range. Kit prices run about one-third less than the finished item.

"At a miniature show you'll find everything that you would at a home show for full-sized pieces," Don notes. "There's lighting, accessories, linens, glassware, tableware, guns, everything you can think of. Everything that exists in full-scale can be found in miniature. That's why I offer so many different items—kind of like one-stop shopping, at least in early period furniture."

Another reason that Don creates such an extensive line is that he likes the type of furniture that he makes. "I started making period furniture because that's the kind that we furnish our home with," he says. "But I don't copy a historical piece exactly, unless its a specific commission, like the Governor Brewster chair. That's a copy of the original that was commissioned by a Virginia couple

who were distantly related to him. Otherwise, I feel awkward about copying—it's like stealing someone else's idea. Instead, I interpret and use some of the salient features. And my furniture has sold well, except for some regional differences. Colonial furniture sells better in the East, while the West likes Victorian styles."

#### Teeny tools of the trade

Beginning woodworkers frequently graduate from benchtop tools to floor models in order to tackle larger projects. Don was just the opposite. He went from floormodel machinery to benchtop tools in order to work smaller.

In his shop you'll only find three full-sized woodworking machines. There's a Hegner scrollsaw with a 14" throat. Don added a plastic-laminate, zero-clearance table insert, reducing the loss of parts here. Then, behind his workbench stands a Rockwell drill press; beside it, a stationary







Above: At his Lilliputian tablesaw with its 4" blade, Don crosscuts walnut that he's resawn and sanded to 1/16" thickness. Besides walnut, he regularly uses maple, birch, and cherry.

Above right: At the scrollsaw, Don cuts the fretwork legs for a Victorian side table. In the background, plastic bins cache patterns and jigs for Don's many miniature offerings.

Above: Among the assortment of decorative accessories that Don makes are waterfowl decoys barely 3/4" long. He offers ducks, geese, and shorebirds, each accurately painted.

belt/disk sander. The rest of his machines are special equipment, made for down-sized work.

"This old Montgomery Ward Powercraft benchtop tablesaw was my first piece of small equipment," says Don, patting it almost affectionately. "It has a 7" blade, and I still give it lots of use."


A few steps away, atop another workbench, sits a second tablesaw, but a teeny-weeny one. "This is made by Jarmac just for miniature work. It has a ½" arbor and takes 4" blades. I've even got a carbide-tipped one for it," Don points out. "Just as with a full-sized tablesaw, I can rip and crosscut stock on it."

Next to the tablesaw, Don has a miniscule lathe. And it does a lot of work for his period furniture. "I bought it and the duplicating attachment from Ancher

Manufacturing out in Oregon many years ago. It has a variable-speed, 1/5 hp motor," notes Don.

This woodturner doesn't have miniature chisels to match his lathe. Instead, he uses jeweler's files. "And my secret weapon," he says, "is a twist-drill bit ground to a sharp edge. You see, one of the big problems with miniature spindle turnings is that the shapes on the spindle aren't sharply defined.







Above: An inverted mini-shaper made from a die grinder contours the edge of a Victorian side-table top. In assembly line fashion, Don will make 310 such tables for a special commission.

Above right: The duplicator attachment on his miniature lathe allows Don to exactly replicate each post of a bed. In his hands, jewelers' files take the place of traditional turning tools.

Above: Making and selling quality miniature furniture means providing plenty of demanding details. Here, Don punches the tin for a \$95 pie safe that will be no more than 6" tall.

But with this, I can go in the recesses and sharpen them up, like a beading tool."

To the left of Don's lathe is his "overhead shaper." Actually, it's a Sears Craftsman die grinder modified to fit into a mount. For bits, Don relies on a selection of power-carving burrs.

With all those tools and the techniques he's learned over the years, it might seem that Don could skill-

fully do anything in miniature. But that's not quite true.

"I haven't figured out how to effectively make small-scale dovetails," he says with amusement. "I even bought a miniature dovetail jig once, but it didn't work. And I'd just love to have dovetails on my drawers." With that small problem, Don just might have something in common with many other woodworkers.

Want to try a tiny treasure?

For a descriptive price list of Don's miniatures and kits, send a self-addressed, stamped, business-size envelope to: Don Perkins, 1708 59th St., Des Moines, IA 50322.

Written by Peter J. Stephano Photographs: King Au

# Our best-ever PATIO TABLE and



Enjoy picnics on your porch or patio this summer with this beautiful table and matching benches. We've kept the construction simple so that you can spend more time enjoying the pieces and less time building them. We ran a glider project in the June 1995 issue that complements this project perfectly. If you're interested in building it, see our offer at the end of this article.

# For a firm foundation, start with the table base

I Cut the feet (A), top supports (B), and uprights (C, D) to the sizes listed in the Bill of Materials. (We cut the base pieces from 2×4 and 2×6 cedar. Since this stock comes with mill-rounded edges, we planed some of the pieces to 1¼" thick for flush joints. Redwood, although more expensive and becoming increasingly difficult to find, would also work as an attractive alternative.)

**2** Transfer the full-sized half pattern for the feet (A) from the WOOD PATTERNS® insert in the


center of the magazine to a piece of hardboard, thin plywood, or poster board. Cut the template to shape and use it to mark the outlines and notches for both feet. Note that the notch on one A is on the top edge while the notch on the mating A is on the bottom.

3 Bandsaw the feet (A) to shape. Fit your drill press with a 2"-diameter drum sander, and sand the

bandsawed radii smooth.

4 Mount a dado blade to your tablesaw, and attach a wooden extension to your miter gauge. Now, cut the mating notches where marked.

# BENCHES



6 To break the sharp edges, rout or sand 1/8" round-overs along all edges. Sand the feet smooth.

7 Transfer the pattern and cut the four top supports (B) to shape. Mark the centerpoints on the top edge of each, and drill mounting holes like you did for the feet. Sand or rout 1/8" round-overs along the edges.

**8** Make a template for the apple, and transfer it to each of the four 4"-wide

uprights (D). Drill a blade start hole, and use a scrollsaw to cut each apple cutout to shape.

**9** Paint the apple cutouts now. To do this, brush the surfaces around and inside the apple cutouts with lacquer. The lacquer minimizes wicking of the paint to the surrounding wood. Brush on red and green high-gloss exterior enamel paint. After the paint has dried, use a palm sander to sand the lacquer off the surrounding surfaces.

Bill of Materials						
Part	Finished Size			=		
	T	W	L	Matl	Off.	
	TABLE	BASE				
A feet	11/2"	31/2"	32"	С	2	
B top supports	11/2"	11/2"	131/4"	С	4	
C uprights	11/4"	2"	211/8"	C	8	
D uprights w/ cutout	11/4"	4"	211/8"	С	4	
E corner braces	1½"	2"	41/2"	С	4	
	TABL	ETOP				
F* top	11/8"	53/8"	45"	C	2	
G* top	11/8"	5%"	44"	C	2	
H* top	11/8"	5%"	381/2"	C	2	
I* top	11/8"	5%"	30"	С	2	
J top cleats	3/4"	21/2"	38"	C	2	
K top cleats	3/4"	21/2"	16"	С	2	

\* Blank size, cut to shape according to the how-to instructions

Material Key: C-cedar

Supplies: 2" and 2½" deck or stainless steel screws, 32–5/16×4½" lag screws with 5/16" flat washers, #8×1½" flathead wood screws, red and green high-gloss exterior enamal paint for the apple cutout, clear exterior finish.

**5** Using the dimensions on the WOOD PATTERNS® insert, mark the eight centerpoints on the bottom of each foot. Using a Forstner bit, drill ¾" holes ¾" deep, centered along the bottom of each foot. (We clamped a fence to our drill-press table to keep the holes centered on the edge.) Switch bits, and drill a ¾6" hole through the center of each ¾" hole.

(0

11/2" notch 11/4" deep

Continued

5/32" hole,

bottom side


countersunk on


21/2" deck screws

**UPRIGHTS** 

FOOT

(0)





I Working on a flat surface, dry-clamp (no glue) each base half together, using the dimensions on the drawing above. (We used ¾" spacers between parts C and D for even gaps. Cut a spacer block measuring 1½×1½×18" to separate the inner uprights C 1½" apart. To center the 1½"-thick uprights C and D between the 1½"-thick feet and top supports A and B, we laid ½" strips of wood under parts C and D as shown in the photo above right.)

**2** Using the previously drilled holes in the feet (A) and top supports (B) as guides, drill ¼" pilot holes into the ends of the uprights (C, D).

3 Disassemble the base half, keeping the pieces in the same order in which they'll be reassembled. Finish drilling the pilot holes to their final depth of 3½".

**4** Glue, clamp, and screw the base half together as shown in the photo *above*. Be careful not to overtighten the lag screws and strip the wood. Repeat steps 1-4 to assemble the other base half.



Working on a flat surface and using spacers to establish even gaps, glue, and screw each base half together.

**5** Rip a piece of cedar 2×4 stock to 2" wide and crosscut it to 25" long. Now, miter-cut the corner braces (E) to the shape shown on the Corner Brace detail accompanying the Table Exploded View drawing and the WOOD PATTERNS® insert. Drill a pair of mounting holes through each brace where shown.

6 Slip the two base halves together to check the fit. Fit the 1%×1%×18" spacer block into the top center of the base assemblies. Using the spacer block to align the top supports (B), screw the corner braces (E) in place with 2" deck screws where shown on the Corner Brace detail. Remove the spacer blocks.


Top things off with a tabletop

I Cut the tabletop parts (F, G, H, I) to the sizes listed in the Bill of Materials. (We cut ours to length from 1½" cedar deck boards.) Now, cut the cleats (J, K) to the sizes listed in the Bill of Materials. Cut seven ½×1½" spacers the same lengths as parts F-I.

**2** Rout a ¼" round-over along the bottom edges of the cleats (J, K) where shown on the Tabletop

drawing at right.

3 Clamp the two Fs together with a spacer between the boards and the ends flush. Go to your drill press, and drill a 1%" hole in the center to accept an umbrella if you plan to use one. Drill through




the face side, backing the stock to minimize chip-out. (We used a Forstner bit.)

4 With the face side down, dryclamp the tabletop parts (F-I) and spacers in the configuration shown on the Tabletop drawing. Install a new 1/4" spacer between the center pieces (F); you'll need it to support one of the trammel points in Step 5. Make sure the hole for the umbrella is still lined up. Glue (we used Titebond II) and screw the cleats (J, K) in place. Remove the clamps and turn the tabletop face side up with the spacers still in place.

5 Using trammel points, mark a 22" radius on the top side of the tabletop. Since the center of the tabletop is between the two center F pieces, center one of the trammel points on the spacer

between the pieces.





With the base assembly centered on the bottom of the tabletop, glue and screw the two assemblies together.

**6** Using a jigsaw, cut slightly outside the marked circumference. By leaving the spacers in place, you'll eliminate the chip-out between the tabletop pieces (F-I) when cutting the outside edge to shape. Sand (we used a belt sander) to the line to finish shaping the tabletop.

7 Chuck a ¼" round-over bit in your portable router, and rout the top and bottom outside edge of the tabletop. (We did this in two passes.) Remove the ¼" spacers, and sand the tabletop smooth.

8 Place a blanket on your workbench or on the top of a pair of sawhorses. Position the sanded tabletop face down on the blanket. Center the base assembly on the cleats on the table bottom. Drill mounting holes, and glue and screw the base to the tabletop as shown in the photo above.

**9** Finish-sand the tabletop and base, and add a clear exterior finish. See the box on the *opposite* page for a few tried-and-true outdoor finishing tips.

Add a set of benches for comfortable seating

Using the benches' Bill of Materials (enough for four benches) and the same construction procedures you used on the table, cut the pieces and assemble the benches. See the WOOD PATTERNS® insert for the shape of parts A, B, D, F, and G. As you did with the tabletop, cut the bench boards (F, G) to the sizes listed in the Bill of Materials. Using spacers to hold them apart, cut each pair to shape. We used 2×4 and 2×6 cedar stock for the base and 11/8" deck boards for the seat boards.

Since the screw heads on the bench will be exposed, we prefer that the head of the screw is slightly below the surface of the wood it's being driven through. To avoid unsightly depressions often caused when driving screws too far into soft woods such as cedar with a power screwdriver, we drive the screw with a power screwdriver until the screw head protrudes about 1/4". Then, we fin-

E	Bill of M	ateria	ls		
Part	Finished Size			-:	
	T	W	L	Matl.	Oty.
	FOUR B	ENCHES	3		
A feet	11/2"	3"	10"	С	8
B top supports	11/4"	11/2"	8"	С	8
C uprights	11/4"	51/4"	101/2"	С	8
D bottom crsmbrs.	11/2"	21/2"	207/8"	С	4
E top crsmbrs.	11/2"	21/2"	207/8"	С	4
F* seat boards	11/8"	5%"	32"	С	4
G* seat boards	11/8"	53%"	32"	С	4

\*Blank size, cut to shape according to the how-to instructions

Material Key: C-cedar


Supplies: 2" and 2½" deck screws, 32–5/16–×4½" lag screws with flat washers, red and green high-gloss exterior paint for apple cutout, clear exterior finish.



Want to build a matching glider?

Our comfortable country glider from the June 1995 issue of WOOD magazine was such a success, we've put together a WOOD PLAN® for you to build the project. Order Apple Glider, OFS-1028, for \$12.95 ppd. from WOOD Magazine Plans, P.O. Box 9255-Dept WD-88, Des Moines, IA 50306. Or, call 1-800-572-9350 to order.

ish driving the screw by hand until the screw head is about 1/16" below the surface of the wood. The 1/16" depression allows us to sand over the screw head.



#### How to maintain the beauty of redwood and cedar


Having built and finished several cedar and redwood outdoor projects, I've learned a lot about retaining that natural wood tone look. For starters, I've experienced that preparing the project for the finish is as important as the finish itself. To do this, I sand all parts with 100-grit sandpaper after machining and before assembly to remove the mill glaze that limits penetration of a finish. I use an orbital sander on the flat surfaces and a palm sander on the routed edges and ends. For stubborn areas, I'll resort to a belt sander fitted with a 60- or 80-grit belt. For weathered wood, I sand completely through the grey weathering to obtain the original color of the wood. Later, I'll resand any pieces that have become soiled or have gotten wet during construction. For a project like the table and benches, I'll finish-sand all the pieces with 150-grit before applying the finish. Sanding an entire project takes time, but I find the end results worth the effort.

Depending on the size of the project, I either brush-on or use a paint roller to roll-on two coats of Flood's CWF-UV Penetrating Sealer. The sooner you can do this after sanding, the better. Left unfinished, the wood will begin to weather within days, and a rain can really darken the wood. I put the finish on evenly, brushing out any runs. Once a year, I smooth the surface with Scotchbrite pads, and apply another coat of finish. A soiled surface wipes clean with a cloth and soap and water. For more information on CWF-UV Penetrating Sealer, call Flood's deck care hotline at 800/321-3444.

Marlen Kemmet

Marlen Kemmet
Senior Editor/How To







The coast redwood only grows in a long, narrow, mountainous strip of northern California. Here's a look at this famed tree, the people who nurture and harvest it, and how they go about ensuring its future.


cotia, California, some 250 miles north of San Francisco, remains as probably the last "company" town in America. It was built—mostly of local redwood and Douglas firbefore the turn of the century by the Pacific Lumber Company to provide housing, shopping, a school, a meeting hall, a recreation facility, and other amenities for its employees. Even today, a fog-horn whistle atop the main sawmill in town blasts reminders of when to leave for work, stop for lunch, return to work, and call it a day.

Of course, Pacific Lumber Company (PALCO) employees aren't required to live in Scotia (there aren't enough houses for the 1,200 of them anyway). But the fact that the town still exists, even thrives, indicates how long-term the company's commitment to redwood was and still is.

In fact, throughout the spectacularly beautiful Redwood Empire—especially Humbolt and Del Norte counties—runs a vein of permanence. No doubt because the people there always have been anchored to the coast redwoods, the ancient giants that continue to provide a great percentage of them with a livelihood.

# The redwoods: a history of persistence

The coast redwood (Sequoia sempervirens, the only commercial species of redwood) grows in a strip of California coast that runs from about the Oregon border to Monterey County south of San Francisco. The area encompasses some 1.74 million acres, and rates as the most productive forest land in the United States. (About



At Strong's Creek Overlook, near Scotia, California, Pacific Lumber Company's resource manager, Tom Herman, points out the sprouting redwoods after a timber harvest. Law requires the site to be fully restocked within five years.

255,000 acres of coast redwood forest is permanently preserved in state, county, regional, and national parks. Timber companies own 52 percent of the privately held redwood lands.)


As the dominant species, redwood overshadows Douglas fir and grand fir and the other trees that fall in the forest mix. That's especially true north of the Mendicino County line where mountains nudge the ocean and fog moisturizes the forests. There, redwoods 300' tall aren't uncommon, and an acre of growing trees easily can add 1,000 board feet of volume in a year. In 30 years, a redwood can grow 130' tall, making the species one of the fastest-growing softwoods known.

The first settlers in this part of California learned a lesson in how determined redwoods are to grow. "One of the most unique things about redwoods is that they sprout from the stump and grow a new tree, besides having cones that shed seeds," explains Henry Alden, the timberlands manager for PALCO and a professional forester. "And there's no difference in the tree quality, no matter how they got started. Pioneers around here tried to get rid of the redwood so that they could grow grass for grazing, but the forest kept coming back. Why, you have to dig the stump out of the ground before a redwood will quit sprouting!"

Henry and Tom Herman, PALCO's resource manager (also a forester) walk from the truck to point out one of the many 8"-high redwoods coming up through the debris of a recently logged tract. They explain how their company focuses on high-quality redwood products, such as vertical-grain architectural stock and patterned siding, which requires the fine grain of slow-grown trees.

"We have 200,000 acres of timberland, of which about 10 percent is virgin old growth," says Tom. "The rest is 70- to 90-year-old second growth resulting from the cuts made during the early part of this century. And we primarily harvest the redwoods by a series of partial cuts.

"Here's how it works: If we started with an acre of 100 young, growing trees, we'd thin them down to 50 trees when they reached 50 years old. This increases the growth potential of the remaining trees. Then, at age 70, we would cut to leave 10-12 trees per acre. Then, at 90 years, we would come in and log those residual trees. In the meantime, there's natural regeneration of a new stand. With this silvicultural sequence, we are producing larger trees than our competitors that will provide the highergrade, clear products that PALCO is known for."



Henry Alden, Pacific Lumber Company's timberland manager, indicates the narrow growth rings of a 90-year-old redwood. It and the other older-growth logs in the yard will be sawn for vertical-grain lumber and a variety of high-end products.

Under the regulations of the California Forest Practice Act, land that has been logged must be fully restocked with growing trees within five years. To Henry and Tom, that means seeing to it that any natural regeneration of the redwoods—through seeding and stump-sprouting—is supplemented by planting. And on the average, PALCO plants 500,000 trees a year.

But logging and forestry in redwood country isn't as simple as it sounds. "We operate under the most restrictive forest practice regulations in the country," Tom comments. "Our cuts are usually limited to 30 acres, and before we can harvest we have to prepare a comprehensive analysis of the environmental impact—how it affects such things as stream quality, erosion, and wildlife. In some cases, that has meant a document two inches thick that took years to prepare and cost \$30,000!"

"The impact is the rising cost of lumber," adds Henry. "But logging replicates the natural process, and if we do it right, we grow better trees and the environment and wildlife benefit, too." (See page 76 for "An endangered species thrives among the redwoods.")

# Maximizing production of the redwood resource

About 25 miles north and a bit inland from Scotia lies Korbel, headquarters for Simpson Timber Company, a forest-products company a bit unlike others in the redwood region. Although its purpose is to produce redwood products, too, this operation goes about it in a different manner.

"We're probably the most aggressive forest managers in

A 92"-diameter log flies past the headsaw at Pacific Lumber Company's oldgrowth Mill B at Scotia, California.

terms of capitalizing on the productivity of the land base," says David Kaney, Simpson's vice-president and general manager. "Behind that is our basic operating strategy of even-age management through clearcutting. Redwood and Douglas-fir grow more quickly in open sunlight, so our harvest technique is clearcutting, followed by planting and intensive treatment to make sure that a site is fully stocked. We try to get as much as we can get out of every acre."

That forest management philosophy means that unlike PALCO's penchant for older redwoods, Simpson harvests trees when they turn 50. This young, less tightly-grained wood goes for decking and other construction. And their 380,000 acres of timberland produces a lot of wood.

"Right now, we're harvesting about 100 million board feet a year, and our lands are growing about 150 million board feet a year," comments Bill Houston, area forester for Simpson. "Both the growth and the harvest over the next 20-30 years will increase to the point where the sustainedyield capacity of this land, under good management, will be somewhere between 250-300 million board feet per year. We can double and even triple our output and growth while continuing to protect the wildlife habitat. Our people have the ability and knowledge to actively manage the tim-



In PALCO's manufacturing plant, workers prepare a vast selection of vertical-grain redwood building products for shipping.



Like propagating houseplants, forestry researchers at Simpson Timber Company's nursery clone superior redwood trees for planting by snipping branches and rooting the cuttings in jars. By repeating the process, a single 70-year-old redwood tree can be replicated 100 times or more.

berlands from a scientific base." That scientific base includes a high-tech computerized inventory and analysis of the timberlands.

"The Geographic Inventory System (G.I.S.) incorporates satellite images of our lands," says Bill. "But our crews actually gather physical, on-site data, such as measuring trees, every day to feed into the system. This gives us the ability to take cover-type information and make growing estimates for an area as small as 20 acres. We can tell how much volume will be there in the year 2,000." Simpson's neighbor to the south, PALCO, also relies on data from a similar G.I.S. system to manage their forests. At both companies, managing for the future includes the care and nurturing of the northern spotted owl and other species (see page 76). But at Simpson, plant genetics is an important part of the picture.


# Super trees from the forestry lab

"Here in our nursery, we have developed practices that go above and beyond those normally needed to grow trees," states research forester Mark Diegen. Mark stands in the corridor of the laboratory at Simpson's tree nursery near Korbel, California. He explains the normal practice of developing redwood seedlings, which amounts to randomly gathering seed cones in the forest, then germinating the seeds and nurturing

them until planting time. Then, he goes on to detail the process at Simpson.

"We rely on genetics to try and improve our trees," he says. "We pick the best trees at every type of site that we own to collect seed from. Next we grow those trees with the desirable characteristics we want to an age where we can crossbreed them for a second generation of superior specimens. And we keep statistical data on all the crossbreeding. That's one of our methods."

Their second tactic might have been inspired by Star Trek. "It's



On a clear-cut of Simpson Timber Company land near Korbel, California, a swing yarder brings young-growth redwood logs up the slope via a skyline of steel cable. The site will yield about 40,000 board feet per acre.

called cloning," comments Mark. Visible through the window behind him are rows upon rows of shelves containing hundreds of glass jars. In each jar are several tiny trees (see photo above).

"We find superior trees on our sites, cut branches from them, then sprout the cuttings in the laboratory." Because of redwood's tenacious sprouting ability, each cutting that grows into a little plant can be recut, sprouted, recut, and sprouted again. "The results are what we call 'stecklings.' They look like seedlings, but they come from tissue culture-pure replication. We're not adding or taking away from the genotype [original tree]. But it will eventually bring the cost of the stock for replanting down. Of course, we rank these stecklings, too, and replicate the top ones for another generation."


# Redwood logging: it's a transportation business

Combine the Pacific Lumber Company's annual production of about 300 million board feet of various redwood products and Simpson's 100 million per year and it's plain to see that they keep loggers busy. And no matter the harvest method, getting the wood out of the region's rugged terrain isn't easy.

According to timberland foresters like Simpson's Bill Houston and PALCO's Tom

# **GIANTS**

Herman and Henry Alden, loggers in the Redwood Empire have two choices of how to yard, or clear, a site of downed trees. First, there's tractor yarding, where the crew uses a self-propelled vehicle to pull (skid) logs out of the woods. Such an operation moves more logs per day, but because the machines can result in accelerated erosion on steeper slopes, California logging laws limit them to a 20-acre area of clear-cut.




At an overlook of the Mad River, Simpson Timber Company forester Bill Houston surveys the regrowth of redwood trees following clear-cuts along the watershed.

The second choice is *cable yarding*, where a large crane called a swing yarder hauls one to three logs maybe 40' long up the slopes via a running skyline made of 34" steel cable (see photo *above*).

"Swing yarders are good for yarding distances of 400-800 feet," notes Bill. "If you erect steel towers, you can run up to a 11/2" diameter cable 1,500'. Each way, the crew has to plan out paths for the cable to follow through the swath to reach the most logs. Then there are the roads that the log trucks use to haul them out of the forest to consider. It comes down to logging being a transportation business. You have to balance location of the trees against the cost and environmental impact of building roads."

On a forest site harvested by clearcutting, the aftermath is a thick mat of slash—branches, limbs, and brush. To penetrate that in replanting would be



Hooktender Dave Circe sets the choker on a redwood log. A yarding operation like this can run a steel cable 800' to yard logs, with little disturbance of the soil.

impossible. That's why you'll see fires burning in the redwood region each spring and fall. As Bill explains, "Fire simulates a natural disturbance, and prepares the ground. Controlled burning also releases nitrogen to stimulate plant growth. We burn a site the first fall or spring after logging."

Historically, burning isn't new to the redwood forest. Before the advent of man, lightning-caused fires periodically scorched the redwoods. When homesteaders arrived, they attempted to burn away the forests to make room for agriculture. Today, redwoods grow in these burned-over areas.

In the early days of redwood logging-to reduce the weight of the logs hauled by the small, shortline steam locomotives-crews felled the trees, then pried the thick bark from the trunks with iron bars. After packing any cracks or splits in the wood with mud to protect the trunk, they'd set the loose bark afire. When the fire had burned itself out, they sawed the logs into manageable lengths, yarded them, and hauled them out. Despite all of this, the vigorous redwood continued to thrive, as it does today.

Written by Peter J. Stephano Photographs: Dan Sullivan

### CUMULATIVE INDEX FOR ISSUES



feature story in issues 77 through 85, use this handy reference to help you find it fast. We kept it simple. For instance, when searching alphabetically for the story on a mission buffet, you'll find "Buffet, mission, 77:62-69." To locate the story, go to issue 77, page 62.

Acrylics, 85:61-65 Acrylic urethane finishes, 77:52-53 Aerosol finishes, 78:20-21

Air-filtration systems, 78:4; 83:48-51; 84:32 Aliphatic resin (AR) glue,

79:70-73

Aniline dye, 83:32 Antique and

> collectible tools: association, 77:78 compass planes, 84:98

slitting cutter, 81:10 Artist desk, child's, 83:70-73

Arts and Crafts style: clocks, 83:68-69; 84:62-66

copper, aging, 84:8, 10 shelf, 84:82

Auger bits, 79:6

Auto finishes, 77:52-53 Balls, turning, 78:52-55

Bandsaws:

plastics cut with, 85:62 tuning up, 82:74-78 Bank, whale, 81:54-55, 90 Basswood, 78:33-34 Beds, 82:62-67, 102

Bench, storage, 78:40-45 Bench hook (bench stop), 85:73

Benchtop tools: drill press, 83:102 jointers, 84:47

Bevels (tools), 85:30, 32 Birch, paper, 85:18

Birdhouses, 77:70-72

Birds, carved, 77:29-33,

42-44, 59; 83:74-77 letter opener, 81:74-75

Biscuit joints, gluing, 81:15; 84:28

Bluegill, carved, 79:74-77

Boards:

dressing, 82:28 drying, 82:8

edge-gluing, 81:28; 83:24 hauling, 77:10

lengthening, 79:66-67

measurements, 82:31 repairing, 79:64-65

stresses in, 85:94 Boat, toy, 84:70-71

Boatbuilder, 81:37-41 Bookcase, child's, 77:50-51 Bowls, turned:

lathe chuck for, 79:24

silver inlay for, 79:46-48

chip-carved, 78:72-73 oval, Shaker, 82:43-46 potpourri, 84:72-73

Brad-point bits, 79:4

Bubinga, 78:84 Buckeye, sweet, 77:94

Buffet, mission, 77:62-69 Build-A-Toy® contest, 82:

34-38, 104

Butternut, finishing, 78:12 Buttons, decorative, 84:67 Buymanship:

air-filtration systems, 83:48-51

finishes, spray, 78:20-21

glues, 79:70-73 grinders, wet-wheel, 77:

34-39 jointers, 84:44-49

power-carving bits, 77:19-20

routers for table mounting, 81:56-61

vacuums, shop, 78:56-62 workbenches, 80:44-49 Cabinets:

ice chest, 79:38-42

jewelry, 82:48-53 sanding-supply, 81:68-73

CAD programs, 83:80, 82-83 Candleholders, 78:66-67

Christmas tree, 84:74-75

Canoes, 81:37-41

Carpenter, carved, 85:72-75 Carving:

bluegill, 79:74-77 carpenter, 85:72-75

chainsaw, 85:100 chip-carving, 78:72-74

clowns, 82:58-61, 100

Edwards, Wayne,

83:43-47 fishing flies, 79:33-37

heron, blue, 83:74-77 holding, 79:12; 83:26

letter opener, loon, 81:74-75

patterns for, 82:12; 83:28 pendants, 77:59;

80:70-73 power tools:

bits for, 77:19-20 detail carver, 80:30 robot, 80:100

shorebirds, 77:29-33,

42-44, 59

signs, 78:96 skiing troll, 84:78-80, 100 spaghetti set, 79:60-61 Casters, 83:4, 6 CD rack, 84:76-77 Cedar, 83:104 Chairs: children's, 77:46-49 refinisher, 79:1 Shaker, 82:43, 46-47 Children's items: artist desk, 83:70-73, 92 beds, 82:62-67, 102 boat pull toy, 84:70-71 Build-A-Toy® contest, 82:1, 34-38, 104 cradle, 85:54-59 dump truck, toy, 78:68-71 rocking horse, 83:54-59 shelves, 77:50-51 table and chairs, 77:46-49 teeter-totter, 79:68-69 whale bank, 81:54-55, 90 Chip-carving, 78:72-74 pattern transfer, 82:12 Chip separator, 77:22 Christmas trees, 83:104 tabletop, 84:74-75 Chrysler Building clock, 77:60-61 Circle cutters, 79:6, 8; 82:22 Circular saw, 82:22 Circular saw blades. See Saw blades Circus, scrollsaw, 81:48-49 Clamp crutch, use of, 85:21 Clamps and clamping: band, substitute, 83:22 carvings held with 83:26 cauls, serrated, 83 24 curved-profile edges, 78:28 pipe: keeping in place, 77:24 rack for, 79:18 right-angle jig, 84:53 for small jobs, 84:18 spreader, 81:22 Workmate ShopBox, 83:100 Clocks: Arts and Crafts, 83:68-69; 84:62-66 chimes, 78:18 Chrysler Building, 77:60-61 contest, 85:100 turned, 78:52-55; 81:50-53

Coffee table, 81:42-47; 83:16 Collet wrenches, 77:26 Compass planes, 84:98 Compost bin, 81:62-65 Compound miters: calculating, 83:79 cutting, 81:12 Compound mitersaw, 78:92 Computer desk, 80:62-69 Computers, 83:78-83 Contests: Build-A-Toy®, 82:1, 34-38,104 clock, 85:100 pampered pooch, 77:1, 17; 82:1 scrollsaw design, 80:6 Copper, aging, 84:8, 10 Corian, use of, 84:28 napkin holder, 80:74-75 plant stand, 77:54-58 Coves, cutting, 77:14 Cracks in wood, 83:32 Cradle, 85:54-59 Craftsman Closeups: canoes: Carl Bumbaca, 81:37-41 custom woodworking: Bob Newton, 84:37-41 fishing flies, carved: Gary Barnard, 79:33-37 fretwork: Carl Weckhorst, 85:37-41 sculpture: Wayne Edwards, 83:43-47 Shaker products: Charles Harvey, 82:43-47 shorebird decoys: Robert Swain, 77:29-33 stringed instruments: Stanley Hess, 80:39-43 wagons, hitch: Gary Stull, 78:35-39 Cutting board, 83:62-63 Cyanoacrylate (CA) adhesives, 77:15

shims, 82:18, 20; 85:20

Dadoes:

stopped, shelves notched for, 78:22 Dating of projects, 78:30 Decoys, shorebird, 77:29-33, 42-44 Dents, raising, 79:66 Desk caddy, 85:76-77 Desks: artist, child's, 83:70-73, 92 computer, 80:62-69 Detail sanders, 77:12; 82:4 hand-powered, 82:10 Display cases, 85:68-71 Doghouse, 80:52-55 contest, 77:1, 17; 82:1 Dogwood, flowering, 82:41 Door-handle jig, 84:55 Doorstops, turned, 85:66-67 Dovetail joints: jig for, 85:45 separation of, 83:35 Dowel-centering jig, 77:6 Dowel substitute, 85:14 Drawers: plywood bottoms for, 77:4 pulls, jig for, 84:54 slides for, 80:93, 95 Drawing programs, computer, 83:81 Drill bits, 79:4, 6, 8 holder for, 84:24 Drill guide, 78:94 Drilling, 79:8 metal, 85:8 plastics, 85:62-63 Drill presses: benchtop, 83:102 jigs for, 84:51, 53, 55 for mortising, 77:4 for plastics, 85:63 spindle speeds, 81:30 Drills: cordless, voltage for, 79:43 lures turned on, 81:18 plug cutter in, 84:20 Drive center for lathe, 78:52-53 Drive fixture for lathe, 77:40 Drying of wood, 82:8 Drying oils, 83:52-53 Dump truck, toy, 78:68-71 Dust collection and control. 78:4 air-filtration systems, 78:4; 83:48-51; 84:32 chip separator, 77:22 with open-frame motors, 79:14

sanding tables, 79:98;

84:32

static removal, 82:8 vacuums, shop, 78:56-62 accessory storage, 80:32 filters, 83:20 floor-nozzle skids, 80:22 Ebony, imitating, 83:32 Edge-gluing, 81:28; 83:24 Environmental concerns: certified tropical wood, 79:100 mahogany harvesting, 78:14; 84:28 plywood, 80:100 reforestation, 77:96 songbirds, 84:104

# F-G

Finger-joint bit, 85:49 Finishes and finishing: automotive, 77:52-53 bottoms of pieces, 82:13 bubbles in, 79:83 butternut, 78:12 ebony-look, 83:32 hand-rubbed, 85:17 oils, drying, 83:52-53 Watco, 79:12; 80:21 plywood, painting, 77:92 shellac, 81:66-67, 96 spray, 78:20-21, 46-51 stain, 84:30 water-based: with HVLP sprayer, 78:46-51 polyurethane, 77:4; 79:83 Fire prevention, 79:14 with drying oils, 83:52-53 Fish, carved, 79:74-77 patterns for, 83:28 Fishing flies, carved, 79:33-37 Foot switches, 77:10; 85:51 Forstner bits, 79:6 for pocket holes, 81:14 Frames, picture: compound angles on, 81:12 turned sphere, 78:52-55 Fretwork, 85:37-41, 52-53 Garage-door opener, 81:15 Glass, 81:92, 94 Glider, 79:53-59; 80:21 Glues and gluing, 79:70-73; 81:20; 83:16 angle gluing, 85:21 biscuit joints, 81:15; 84:28 cap, attaching, 80:26

Clowns, carved,

82:58-61, 100

cyanoacrylate (CA), 77:15 edge-gluing, 81:28; 83:24; redwood, 83:25 Goblets, 80:50-51, 98 Goncalo alves, 80:37-38 Grinders: angle, mounting, 85:10

angle, mounting, 85:10 wet-wheel, 77:34-39

## H-I

Hall seat, 78:40-45 Halving joints, 85:78-79 Handsaw, 82:26 Hanging of projects, 78:9-10; 84:4, 6; 85:16 Hearing protection, 77:10 Heating, radiant, 81:24, 26 Height/depth gauge, 80:30 Heron, blue, carved, 83:74-77 Hinges, pivot, 85:8 Hold-downs, 79:12; 84:55 Holesaws, 79:6, 8 Housed joints, 85:79 HVLP sprayers, 78:46-51 Ice chest, 79:38-42 IDEA SHOPTM2 81:20 lathe stand retrofit, 85:42-43 radial-arm saw stop, 79:44-45, 93 sanding-supply center, 81:68-73 Identical parts, 77:6 scrollsawing, 78:12; 82:14 Inlay kit, router, 85:51

# J-M

Ironwood, 79:83

Jewelry cabinet, 82:48-53 Jigs, 84:50-55 bench-flattening, 80:12, 14 compound-miter, 81:12 dowel-center-finding, 77:6 radius-sanding, 83:30 for routed joints, 85:45-46 scarf-joint, 79:66-67 tapering, 81:4 Jigsaws: in-line, 80:34 plastics cut with, 85:62 Jointers, 84:44-49 dressing wood with, 82:28 laminate, hand-held, 85:26 tapering legs with, 81:8 safety, 84:42-43 Joints and joinery: antique, 85:78-79 biscuit, 81:15; 84:28 dowel substitute, 85:14

miter, 79:67; 81:12; 83:79; 84:52; 85:20, 21 plastic, 85:65 pocket-hole, 81:14 redwood, 83:35 router accessories for, 85:45-46, 49 scarf, 79:66-67; 85:79 slotted screw holes, 79:12 Knitting needles, turned, 77:40-41, 74 Lacquer, spraying, 78:51 Laminates, plastic, 80:56-61 jointing, 85:26 Lathe chuck, 79:24 Lathes: miniature, duplicator for, 79:14 tool rest: nicks, avoiding, 82:32 positioning, 79:30 Lathe stand retrofit, 85:42-43 Legs, tapering, 81:4, 6, 8 Letter opener, 81:74-75 Lignum vitae, 79:83 Longleaf (Southern yellow) pine, 78:96; 85:35-36 Loon letter opener, 81:74-75 Lumber. See also Boards imports, 84:104 pallet, recycling, 77:96 Lures, making, 81:18, 96 Mahogany, 78:14; 84:28 Mail-order machines, 84:47 Manuals, owner's, 82:84 Measuring and marking, 77:45; 82:6 height/depth gauge, 80:30 removal of marks, 82:16 Meranti, 83:41-42 Mid-West Tool Collectors Association, 77:78 dresser, 82:54-55, 94 purse, 84:68-69 wall, 78:63-65 Mission-style pieces: buffet, 77:62-69 clock, 84:62-66 shelf, 84:82 Miters: calculating, 83:79; 85:20 gaps in, 79:67 gluing, 85:21 jigs for, 81:12; 84:52 Mitersaws, 78:92 tuning up, 82:79-83 Moldings:

curved, clamping, 78:28

fastening, 79:12, 78

making, planer for, 81:22 Mortise-and-tenons, 85:78 making, 77:4; 85:45 Multi-spur bits, 79:6 Musical instruments stringed, 80:39-43

# N-P

Nailers, marking, 85:16 Nails, 85:4, 6 Napkin holder, 80:74-75 Necklaces: shorebird, 77:59 Tanglewood Fireball, 80:70-73 Oils, drying, 83:52-53 Oscillating spindle sanders, 78:6; 79:17 Outdoor projects: birdhouses, 77:70-72 compost bin, 81:62-65 doghouse, 80:52-55 glider, 79:53-59; 80:21 Outfeed table, 84:50 Owner's manuals, 82:84 Paint and painting: automotive, 77:52-53 plywood, 77:92 spraying, 78:51 Pallet recycling, 77:96 Panels, raised, router for, 84:14 Patches, making repairs in boards, 79:64-65 Patterns: making, 83:28; 84:16 transferring, 80:16, 18; 82:12 Pencil holders, 79:26; 85:76-77 Pendants: shorebird, 77:59 Tanglewood Fireball, 80:70-73 Perforated hardboard, storage on, 78:24; 79:26 Phenolic laminate, 85:61 Philippine mahogany, 83:41-42 Picture frames: compound angles on, 81:12 turned sphere, 78:52-55 Pine, longleaf (Southern yellow), 78:96; 85:35-36 Planers, 81:22 auxiliary bed, 84:54-55 dressing wood with, 82:28

knives, setting, 83:98 stand for, 80:21 Planes: bench, storing, 80:22 compass, 84:98 Stanley Bailey, 78:90 Plant stand, 77:54-58; 81:20 Plastic laminates, 80:56-61 jointing, 85:26 Plastics, 85:60-65 Plate rack, 83:64-67 Plug cutter, use of, 84:20 Plywood: drawer bottoms, 77:4 EcoPanels, 80:100 MDO, 79:69 painting, 77:92 repairing, 79:63 router bit for, 85:50 Pocket holes, 81:14 Polycarbonate, 85:60-65, 64.65 Polyethylene, UHMW, 85:61 Polygon, side length of, 80:16; 85:20 Polyurethane glues, 79:70-73 Polyurethanes, 78:51 water-based, 77:4; 79:83 Potpourri box, 84:72-73 Power carvers, 80:30 bits for, 77:19-20 Power tools: first, 82:104 owner's manuals, 82:84 setup tool for, 84:34 tuning up, 82:1, 68-83 WOOD workshop, 80:76-80

# Q-S

Rabbets, routed, 79:94 Radial-arm saws: accuracy with, 82:6 stop, 79:44-45, 93; 80:21 tuning up, 82:70-73 Radiant heating, 81:24, 26 Radius-sanding jig, 83:30 Raised panels, routed, 84:14 Random-orbit sanders, 82:4 discs, organizing, 78:26 use of, 83:8 Reduction of plan, 84:28 Redwood, gluing, 83:35 Reforestation, 77:96 Relief carving, 85:72-75 Rocking horse, 83:54-59 Routers: accessories, 85:44-51 bits, 85:49-50

arbor, 79:79 flush-trim, 77:6; 78:22 for laminate trimming, 80:59-60 rabbeting kit, 79:94 raised panels, 84:14 setting distances, 80:24 storage of, 78:24 with table-mounted routers, 81:56, 57 bushing, loosening, 83:22 collet wrenches for, 77:26 fences, 85:46-49 movement direction, 85:94 pads, 82:24; 84:18 for plastics, 85:62 raised panels with, 84:14 safety, 77:10 for table mounting, 81:56-61 tables, 81:34, 59, 61; 85:46-49 Safety concerns, 82:1 dust, powdery, 78:4 fire prevention, 79:14 jointers, 84:42-43 oils, drying, 83:52-53 in owner's manuals, 82:84 routers, 77:10 Salt and pepper shakers, 82:56-57 Sanders and sanding, 83:8, 10 angled cuts, 85:12 detail, 77:12; 82:4, 10 drum, 80:28; 81:22 dust from, 78:4 emery boards for, 82:14 grip, 79:96 multi-function, 79:94 oscillating spindle, 78:6; 79:17 pads, 82:24; 84:18 radius-sanding jig, 83:30 random-orbit, 82:4; 83:8 supplies, organizers for, 78:26; 81:68-73 tables, 79:98; 84:32 Saw blades, circular: arbor holes for, 81:18 cleaning, 81:32 combination, 84:32 dado sets, shims for, 82:18, 20; 85:20 for radial-arm saws, 82:73 spacers for, 84:22 Sawdust. See Dust collection and control, 85:88 Sawhorses, pads for, 79:22

Screw holes, slotted, 79:12 Screws, 82: insert; 83:98 for plastic, 85:65 Scrollsaws: blades, 80:26; 81:16 CD rack, 84:76-77 Christmas trees, 84:74-75 circus, 81:48-49 comfortable use of, 78:24 design contest, 80:6 fretwork, 85:37-41, 52-53 letter patterns, 83:78; 84:16 multiple pieces, cutting, 78:12; 82:14 pendant, shorebird, 77:59 plastics, cutting, 85:62 skyscraper clock, 77:60-61 transfer of patterns, 82:12 Seat, hall, 78:40-45 Shaker products, 82:43-47 Shapers, 81:60-61 Shellac, 81:66-67, 96 Shelves: children's, 77:50-51 fretwork whatnot, 85:52-53 mission-style, 84:82 notching, 78:22 plate rack, 83:64-67 Shims, dado, 82:18,20; 85:20 Shop skills: bevels, using, 85:30, 32 hanging projects, 84:4, 6 legs, tapering, 81:4, 6, 8 measuring and marking, sanding, 83:8, 10 Silver inlay, turnings with, 79:46-48 Skiing troll, 84:78-80, 100 Skyscraper clock, 77:60-61 Slitting cutter, 81:10 Southwestern designs, chipcarved, 78:72-74 Spade bits, 79:4, 6 Spaghetti utensils, 79:60-61; 83:12 Spheres, turning, 78:52-55 Spray finishes, 78:46-51 aerosol, 78:20-21 Stain, 84:30 Staved wishing well, 79:80 Steady rest, turner's, 77:76 Stickering of wood, 82:8 Storage, workshop: baskets, wire, for, 79:20

drill bits, 84:24

in lathe stand, 85:42-43

pencils, 79:26
pipe clamps, 79:18
planes, bench, 80:22
router bits, 78:24
sanding supplies, 78:26;
81:68-73
scrollsaw blades, 80:26
ShopBox for, 83:100
vacuum accessories,
80:32
Storage bench, 78:40-45
Switches, foot, 77:10; 85:5

T-V
Tables:

Storage bench, 78:40-45 Switches, foot, 77:10; 85:51 Tables: children's, 77:46-49 coffee, 81:42-47; 83:16 work, wall-mounted, 79:28 Tablesaws, 78:90; 85:98 base, 84:30 coves cut on, 77:14 drop-leaf extension, 81:20 fences, 78:16; 83:36 inserts for, 80:18 legs tapered with, 81:4, 6 miter jigs, 81:12; 84:52 plastics cut with, 85:62 Tanglewood Fireball pendant, 80:70-73 Tape measure, use of, 77:45; 82:6 Tapered legs, 81:4, 6, 8 Teak, 77:96 Teeter-totter, 79:68-69 Thickness blocks, 84:51 Thread cutter, 85:44 Tool rest, lathe: nicks in, avoiding, 82:32 positioning, 79:30 Toys. See Children's items Troll, skiing, 84:78-80, 100 Truck, toy, 78:68-71 Tune-ups for tools, 82:68-83 Turning: association, 77:96 clocks, 78:52-55; 81:50-53 doorstops, 85:66-67 goblets, 80:50-51, 98 knitting needles, 77:40-41, 74 lathe chuck, 79:24 lidded containers, 83:60-61 lures, 81:18 mirror, purse, 84:68-69 silver inlay for, 79:46-48 spheres, 78:52-55 steady rest for, 77:76

tool rest, 79:30; 82:32

Twist drills, 79:4 UHMW polyethylene, 85:61 Vacuums, shop, 78:56-62 accessory storage, 80:32 filters, 83:20 floor-nozzle skids, 80:22 Veneer mill, 84:56-58 Vises, 80:45-47 carver's, 83:26

Wagons, hitch, 78:35-39

# W-Z

Wall-hung projects, 84:4, 6; 85:16 hardware, 78:9-10; 84:4, 6 Washers, plastic, 83:12 Water-based finishes: HVLP sprayers, 78:46-51 polyurethane, 77:4; 79:83 Wet-wheel grinders, 77:34-39 Whale bank, 81:54-55, 90 Whatnot, fretwork, 85:52-53 Wheels: blacksmith's work on, 82:6 casters, 83:4, 6 Wise Men and camels, 84:60-61 Wishing well, staved, 79:80 Wood species: basswood, 78:33-34 birch, paper, 85:18 bubinga, 78:84 buckeye, sweet, 77:94 butternut, 78:12 cedar, 83:104 on computer, 83:81 dogwood, 82:41 goncalo alves, 80:37-38 lesser-known, 79:100 lignum vitae, 79:83 mahogany, 78:14; 84:28 meranti, 83:41-42 pine, longleaf, (Southern yellow) 85:35-36 teak, 77:96 witch hazel, 83:38 Workbenches, 80:44-49; 84:32 flattening, 80:10, 12, 14 hold-down used on, 79:12 stop, sliding, for, 79:20 trough for, 85:11 Worktable, wall-mounted, 79:28

Scarf joints, 79:66-67; 85:79


Yacht, toy, 84:70-71

# A great way to dress up your projects SCROLLSAW APPLIQUE




WOOD MAGAZINE JUNE 1996

# 8 EASY STEPS TO SUCCESSFUL SCROLLSAW APPLIQUÉ



. Adhere your patterns to the workpieces

Make two reverse-image patterns of your design. Do this by tracing the pattern with translucent paper and flipping the tracing. Otherwise, your final appliqué will be a mirror-image of your original design. Apply one pattern to a piece of ½"-thick scrollsaw stock and the other to the backer board—a smooth, flat piece of ¾" plywood large enough to hold the pattern.



2. Scrollsaw the appliqué


54

With a scrollsaw, cut out the pieces of the appliqué pattern from the 1/8" stock. After you cut each piece, peel off the paper and lightly sand any ragged edges. We found it useful to keep the cut pieces organized on the bench in the same layout as the finished pattern to avoid confusion or mixing up small parts.



3. Glue the pieces on the backer board

After you've cut and cleaned up all the pieces, grab a bottle of yellow woodworker's glue and a small glue brush. Working with one piece at a time, apply a very light coat of glue to the underside of the stock. Then press the piece down firmly in its matching location on the paper pattern adhered to the backer board.



4. Apply glue to the tops of the pieces

Once the glue holding the scrollsawn stock to the backer-board pattern dries, lightly sand the tops of the pieces to remove any residue from the spray adhesive. Then, brush a thin lay of white woodworker's glue on the top surface of the pieces. (The white glue gives you a bit more working time.)


# Where to get scrollsaw appliqué patterns

One of the big advantages of this technique is that any pattern you can copy onto paper and scrollsaw will work as an appliqué pattern. For a good source, check out the clip-art books available at art-supply stores.

Precut stencils also make good pattern material. With these you need only trace the shape

of the pattern on the scrollsaw stock and a piece of paper adhered to the backer board. This eliminates the chore of photocopying and tracing reversed patterns, and it makes a lot of sense when you have a pattern you intend to repeat frequently. We used the "Fuschia" stencil from StenSource International for the painted flower design on the cabinet door

# **PROJECTS**




5. Clamp the appliqué to the workpiece

Now, align the applique with the workpiece that will receive it, and clamp the two together. To avoid glue marks on the workpiece, take care not to let the glued surface of the appliqué slide around on the workpiece. Place a flat plywood clamping pad on the back side of the workpiece to evenly distribute the clamping pressure.



**6.** Separate the workpiece and backer board Allow the glue to dry fully (about 24 hours), and then carefully pry apart the workpiece and the backer board with a putty knife. Slip the putty knife between the paper and the backer board, not between the paper and the workpiece. Then, peel the paper off the appliqué.



7. Reduce the thickness of the appliqué

Cut an opening about 1/8" bigger than the appliqué pattern out of a piece of cardboard. We used a mat board about 1/16" thick. Cereal-box cardboard also will work. Use this as a protective mask by taping it to the work-piece. Then, with a belt sander, sand the appliqué flush with the surface of the cardboard mask, taking care not to gouge the workpiece.



8. Round over the edges

To finish up and create a sculpted or carved look, round over the edges of the appliqué by hand with 150-grit sandpaper. With a light touch, you can also use a flap sander on this step. Work carefully around small or pointed pieces as these may pop up with rough handling.


on *page 53*. To order this company's stencil catalog (\$2.50), write to: P.O. Box 220, Standard, CA 95373. Call 800/290-8921.

Last but not least, your local library has plenty of books worth investigating. Look for their scrollsaw pattern books. But also browse through the applied-arts section. There, with a little creative digging, you'll uncover scores of ideas for patterns in books about wrought iron, ceramics, and other crafts.

Written by Tom Jackson Technical consultant: Jim Downing Photographs: John Hetherington



# Chair-side NEEDLECRAFT



# Start with the front, back, and side frames


I Cut the front-, back-, and sideframes pieces (A-H) to the sizes listed in the Bill of Materials. Using a pencil, lightly mark a part letter on each piece to match the letter on the Exploded View drawing and Bill of Materials. Since several of the machining processes are similar for the different pieces, it saves time to cut all these pieces to size now.

2 Rout ¼" stopped grooves ¼" deep and 12" long in the front and back frame legs (A) and side frame legs (E) centered along the inside edge of each leg where dimensioned on the Legs drawing. (As shown in the photo at right, we used our table-mounted router to rout the stopped grooves.)

3 Rout ¼" round-overs along the outside edge of each front and back leg (A).

4 Cut or rout a ¾" rabbet ¼" deep along the inside face of each front and back frame leg (A) where shown on the Frames and Legs drawings. The rabbet needs to be as wide as the thickness of the legs (E), so measure carefully before setting the depth of cut.

# CENTER





Use your table-mounted router fitted with a fence, stop, and straight bit to rout the stopped grooves.

(We used our router table fitted with a ½"-diameter straight bit and fence, and routed the rabbet in two passes for a cleaner cut.)

5 Mark the cutlines for the taper on each leg (A, E) where dimensioned on the Legs drawing. Using a taper jig or a bandsaw, cut the tapers. Sand the cut edges smooth to remove the saw marks.
6 Cut tenons on rails (B, C, F, G) to fit into the previously routed grooves in the legs (A, E). Cut scrap stock first to verify a snugfitting tenon before cutting the

required pieces.

	Fi	nished S	ize		Otv.
Part	T	W	L	Mati	
FROM	VT & BA	ACK FRA	MES	N/E	I
A legs	3/4"	13/4"	271/4"	Α	4
B top rails	3/4"	13/4"	11"	Α	2
C btm. rails	3/4"	21/2"	11"	Α	2
D panels	1/4"	11"	81/4"	AP	2
	SIDE F	RAMES			
E legs	3/4"	11/4"	271/4"	Α	4
F top rails	3/4"	13/4"	19"	Α	2
G btm. rails	3/4"	21/2"	19"	A	2
H panels	1/4"	19"	81/4"	AP	2
TRIM	AND BO	OTTOM F	PANEL		
I bottom	1/4"	21"	13"	AP	1
J* end moldings	3/4"	1/2"	143/4"	A	2
K* side moldings	3/4"	1/2"	22¾"	A	2
	L	.ID			
L* rear top panel	3/4"	111/8"	77/8"	LAP	1
M* front top panel	3/4"	111/8"	11"	LAP	1
N* panel center back	3/4"	5/8"	13"	A	1
O banding blanks	3/4"	13/4"	42"	A	2
P trim blanks	3/4"	3/16"	42"	М	2
rolls II	TF	RAY			
Q supports	1/2"	1/2"	181/2"	Α	2
R front/back	1/2"	21/8"	12%"	Α	2
S sides	1/2"	21/8"	8"	A	2
T bottom	1/4"	8"	121/8"	AP	1

\*Cut parts marked with an \* oversized. Trim to finished size according to the how-to instructions.

Materials Key: A-ash, AP-ash plywood, LAP-laminated ash plywood, M-mahogany

Supplies: One left-hand and right-hand lid support (we used Brainerd brass-plated friction lid supports, part numbers L1085XC and R1085XC), four 1½×1¼" solid-brass hinges with mounting screws (we used Brainerd hinges and accompanying screws, part no. 7150XC), clear finish.

Assemble each frame, and then join them together

I Using the applique technique on page 53 and the full-sized rose pattern at the end of this article, add the rose to the front-frame panel (D).

### KNITTING CENTER

**2** Dry-fit the front and back frames (A, B, C, D), and then the side frames (E, F, G, H) to verify the fit of all the pieces. See the assembly configuration on the Frames drawing for reference. Then, glue each of the four frames together, checking for square.

3 To house the bottom panel (I) later, use a ¼" dado blade in your tablesaw. Now, cut a ¼" groove ¼" deep ¼" from the bottom edge of the bottom rails (C, G) on the *inside* face of each assembled frame where shown on the Exploded View and Frames drawings. To do this, run the top edge of each frame against the tablesaw fence to position the groove in the same exact location on each frame. This is important when assembling the frames later, and the grooves have to align.


4 For housing the decorative molding pieces (J, K), cut a 34" dado (a rabbet on the lower rails) 16" deep along the bottom edge of each frame where shown on the Exploded View and Frames drawing. As explained in Step 3, run the top edge of each frame against the fence for consistently placed dadoes from frame to frame.


5 With the ends against the fence, clamp the front frame to your miter-gauge extension, and cut the dado on the outside face as shown in the photo below. Repeat for the back frame

**6** From ¼" plywood, cut the bottom panel (I) to size.

**7** Dry-clamp the four frames and the bottom (I) together to check the fit. To minimize glue clean-up when doing the actual assembly,

place masking tape on the surfaces of the stock next to the mating joints. Glue and clamp the four frames together, keeping the dadoes and grooves aligned. Later, remove the masking tape with the glue dried to it.





Add the decorative molding now

I Cut a piece of 34"-thick stock to 3×40" for molding pieces J and K. The thickness of the stock needs to be the same as the width of the dado on the outside face of the assembly. Rout 38" round-overs along both edges of the 3"-wide stock. Rip a ½" strip from each routed edge of the 3"-wide piece.

**2** Miter-cut the molding pieces (J, K) from the ½"-wde strips just machined in Step 1, to fit into the dadoes in the base. Measure and cut carefully for snug fitting corners.

**3** Glue and clamp the four ash molding pieces (J, K) in place. Remove excess glue immediately.

# The two-part lid comes next

I Hand-cut hinge mortises in the side rail (F) where shown on the Hinge-Mortise Layout drawing. The depth of the mortises needs to be the same as the thickness of both hinge leaves when the hinge is closed (ours measured 1/8").


**2** Cut three pieces of ¼" ash plywood to 13×21" to form a blank for lid pieces (L, M). Cut two pieces of ¾" particleboard or plywood to 14×22". As shown in Step 1 on Forming the Lid drawing,


1/4" round-over edge and stopped 12" from top 1/4" round-over SIDE FRAME 19 (D) (E) (H) 111/4 81/4 1/4" groove 1/4" deep cut in one pass after assembling 3/4" 1/4" groove 1/4" deep the front and back frames cut after assembling the side frames 271/4" 1/4" dado (rabbet on rail) 1/8" deep cut in one pass after assembling the front and 3/4" dado (rabbet on rail) back frames 1/8" deep cut after Note: Bottom of groove should be flush assembly of side frames with outside bottom edge of rail (C). 3/4" rabbet 1/4" deep FRONT AND BACK FRAME

**FRAMES** 

glue the three pieces of ash plywood together face-to-face with the edges and ends flush. Drive a brad in each corner to keep the pieces aligned when clamping.


3 Keeping the good side of the bottom plywood panel facing down and the good side of the top piece facing up, clamp the three glued-up pieces of 1/4" plywood between the two pieces of particleboard. Get as much clamping pressure toward the middle of the setup as possible. Let set for 24 hours.





1/4" grooves 1/4" deep centered on

### KNITTING CENTER



4 Remove the lamination from between the particleboard. Joint one edge, place this edge against your radial-arm saw fence or your tablesaw's miter gauge, and crosscut the lamination 12" from one end where shown on Step 2 of the drawing.

**5** Cut a piece of ¾"-thick solid ash to %" wide by 13" long for the panel center (N). Trim it if necessary so it is the same exact thickness as the laminated lid panels (L, M). Since ¼" plywood measures a hair under ¼", the three pieces laminated together measure about %". Glue the solid ash strip between the lid panels (L, M) where shown in Step 2 of the drawing. Be careful to keep the top edge of the solid ash flush with the top edges of the plywood panels.

6 Trim the lid center assembly to

111/8" wide by 191/2" long.

**7** To form the banding for the lid, cut two pieces (O) of ¾" ash to 1¾" wide by 42" long. Cut two pieces (P) of ¾" mahogany to ¾6" wide by 42" long. Glue and clamp the two pieces edge-to-edge. Rout a bead along the edge of the banding where shown on the Bead detail accompanying Forming the Lid drawing.

**8** Miter-cut the laminations to frame the lid center where shown in Step 3

of the drawing.

**9** Crosscut the lid assembly twice, leaving you with one section 13" long and a second one 10" long. When crosscutting the lid, crosscut so the remaining strips from the panel center blank (N) are 1/8" wide each.

Add the tray and support cleats

I Cut the tray supports (Q) to size. Glue the supports to the inside of the project where shown on the Exploded View drawing.

**2** Cut the tray front and back (R), sides (S), and bottom (T) to the sizes

listed in the Bill of Materials.

**3** Cut ¼" rabbets along the bottom edges of the front, back, and sides (R, S) where shown on the Tray drawing. Then, cut ½" rabbets ¾" deep across the ends of the front and back pieces (R). Glue and clamp the tray in the configuration shown on the drawing. Check for square.



TRAY

123/8"

1/2" rabbet
3/8" deep

1/4" rabbet 3/8" deep

1/4" rabbet 3/8" deep

Sand, finish, and add the lid I Finish-sand the pieces and

apply a clear finish.

**2** Secure the lid sections to the carcase with  $1\frac{1}{4} \times 1\frac{1}{2}$ " hinges. To do this, fit a  $\frac{1}{6}$ " shim between the lid sections. Tape the lid sections together with masking tape, keeping the side edges flush.

3 Lay the lid assembly bottom side up, and make a couple of pencil marks ½" from the outside edge. Mount the hinges into their mating mortises in rail (F). Position the cabinet so the hinged edge of the cabinet is aligned with pencil lines on the lid assembly. Drill mounting holes and secure the lid assembly to the cabinet. Remove the spacer.

4 Then add a lid support to each lid section. Tighten the screws on the lid supports so the lids will stay upright when opened.

Written by Marlen Kemmet Project Design: Jan Hale Svec Illustrations: Kim Downing; Lorna Johnson Photographs: Hopkins Associates

# FOUR FABULOUS



Our friend Dave Rushlo, a carving instructor in Scottsdale, Arizona, loves to carve caricature heads. Here's how he varies features to create different personalities, starting from a single pattern.

Project prep Stock: Basswood or other carving wood 134×234×41/4". For presawn blanks, see the Buying Guide.

Gouges

No. 3, 3/4"

No. 9, 3/8" and 1/2"

No. 11 U-veiner, 1/4" No. 12 V-tool, 1/8" and 1/4"

Knives Bench knife

> SEE THE **WOOD PATTERNS®** INSERT FOR **FULL-SIZED PATTERNS**

### Start with the basic head

Trace the Profile view in the WOOD PATTERNS® insert in the middle of the magazine onto a 134×234×414" piece of stock. Bandsaw the blank, and draw a centerline around the edge.

Refer to the Front view as you lay out the nose on the front of the blank. Taper it from 1/4" wide at the bridge to 1/2" wide at the tip. Extend the nose lines down onto the upper lip for later reference. Draw the 1/2"-wide neck on the front and back.

Draw in the sideburn line and the ear, following the pattern. Sketch the cap lines, too. The ears stick out past the cap, so don't bring the line down too far in relation to the top of the ear.

Note that Gus and Woody wear baseball caps, but Bert and Dan have different styles. For a baseball cap, draw an arch about 11/8" wide and 3/8" high on the front of the bill. For the other types, shorten the bill as indicated on the pattern. Draw a line connecting the cap lines behind the ears.

From establishing personality to showing reaction, a caricature carving "speaks" through its facial expression. To demonstrate bow facial features work together to create an expression, caricature carver Dave Rushlo fashioned from identical blanks the four distinctly different beads shown here. The four guys are, from left:





·Bert, who knows a lot of bird calls, and whistles them while taking his weekly walk in the woods.

# **FACES**

#### Take your first cuts

Cut in the hat line from the forehead to the front of the ear, using the 1/4" V-tool. Hold the open side of the V-tool straight up, and cut along the line to form a V-groove. Be careful not to cut into the ear.

Similarly, V-cut the sideburn line. Then, cut around the top, back, and bottom of the ear, and finish cutting the hat line behind the ear. Cut a V-groove across the back of the head, connecting the hat lines on the sides.

V-cut the lines marking the sides of the neck on the front and back of the blank. Then, with a shallow gouge, such as a no. 3, or a knife, cut away the waste on the sides of the blank. This will leave a rectangular stem on the carving which you'll later shape into your character's neck.

Round the face from the centerline to the sideburns. Cut back the wood on the sides, leaving the ears and sideburns standing out slightly from the surface. Pay attention to the centerline as you work so you can keep the face centered on the head. But don't worry about getting both sides of the face exactly alike-nobody's face is perfectly symmetrical.

If your character wears a baseball cap, hollow out the underside of the bill with a deep gouge, such as a no. 9. Carefully round the corners of the bill. For the other caps, shape the front.



Above: Begin carving the eye sockets with a V-cut along the brow line to the nose. The left eye socket has already been carved out here.

Right: Gouge out a smooth surface as you cut the eye socket into the face. Make it at least 1/8" deep.

### Carve the eye sockets

Refer to the Brow Lines drawing, then draw the appropriate line on your character. Gus, of course, has glaring eyes, Bert and Dan have regular ones, and Woody's droop. Draw the brow line across the bridge of the nose, about 1/2" from the end of the nose-34" if you want to give your character a longer nose.

V-cut the line from each end to the nose centerline, as shown in Photo 1 above. Then, cut alongside the nose up to the brow line with the U-veiner. Open up the eye socket with a deep gouge, as shown in Photo 2 above.

Set the eye socket back into the head 1/8-1/4". When you look at the eye-socket area in profile you should be able to see through to the side of the nose. You also should see a rounded cheek below the eye socket.

Continued on next page



· Woody, a long-time woodworker who gives plenty of advice, and backs it with experience.



·Dan, a duck hunter who's just about bushed after a cold, damp, not-verysuccessful outing.



·Gus, the grimacing semi-pro pitcher who believes the ump erred in calling that last one a ball.





### FOUR FABULOUS FACES


### Rough-in the nose

Refer to the Noses drawing in the WOOD PATTERNS® insert. Note the placement of the wings in relation to the end of the nose for the different expressions.

With a narrow no. 9 gouge or Uveiner, set in the wings at the appropriate location. Here's how: Place the curved back of the gouge on the nose-width line with the open side of the gouge toward the centerline. Then, press it straight in as shown below.



Above: Press a gouge straight into the face to set the nose wings. Go in to the depth of the surface under the nose.



With the gouge, shave the nose sides above the wing. Narrow the upper part of the nose to the extent shown in the drawing.

Draw a line curving down from just above the wing to the upper lip area, shown in the drawing above. With a knife, cut straight in along the line.

Then, cut across under the nose from the frown line to the center-line where shown. Cut deeper at the frown line than at the center-line, releasing a wedge of wood around the lower part of the nose. This sets the nose into the face.

Round the upper lip area back to the frown line to prevent the flat-mouthed look. This will require deep cuts at the curve of the frown line, which also helps form the cheeks.

Draw a circle about 1/8" diameter on the end of the nose. With the 1/4" no. 9 gouge, cut straight up the nose just outside the circle on each side. This will set the nose wings back from the end of the nose. With the same gouge, cut on an angle across the top of the wing to a point just above the frown line.

#### Now, for the eyes

Pencil in the eyebrows, following the Eyebrows illustration in the WOOD PATTERNS insert. Using a sharp-pointed detail knife, make a hollowing cut from the eyebrow up to the cap. This will in effect raise the eyebrows from the forehead. The deeper you cut, the more the eyebrows will stand out.

Now, sketch the upper and lower eyelids into the eye sockets. Draw the eyes high in the sockets, referring to the Eyes illustration. Place the eyes \( \frac{3}{4}\)" apart, and don't let them run into the nose. When drawing the eyes, put all of the arch into the upper lid. The lower lid will be nearly a straight line, as shown.

To carve the eye, hold the head with the neck pointing toward you. Using a 1/8" V-tool, cut along the outermost line of the upper lid—the fold above the upper lid. Then, V-cut the lid line right below it, keeping the cut parallel and close to the previous one. If you carve closed eyes, such as Woody's, make this line nearly straight across.

Now, make a shallow stop cut along the V-line you just cut. With the tip of your detail knife, shave up to the stop cut from below. This forms the upper lid, which should stand out 1/16" or less.

Redraw the lower lid line, and cut it from the outside across to the inside corner with the V-tool. This begins shaping the eyeball. Stop-cut the V-cut as before, then shave down to it with the knife.

Make a short cut along the upper and lower lid in each corner of the eye, then insert the knife point at about a 45° angle toward the corner to pop out a small wedge at each side, defining the sides of the eyeball. Shape the eyeball. You should be able to see some of the eyeball when you look at the side of the head.

Using the V-tool again, form the lower lid and the bag under the eye. With the tool lying on its side, cut across right below the eyebrow to establish the lower lid. Then, using the tool in the ordinary fashion, carve a shallow downward arc underneath the lid.

### Next, the mouth

Sketch in the mouth (check out the Mouths drawing in the WOOD PATTERNS insert). Place the middle of the mouth on the centerline, about one-third of the way between the nose and the chin. In general, make the mouth approximately as wide as the center-to-center distance between the eyes.

For Bert or Dan, cut along the upper line with a ¾6" or ¼" Uveiner. With your knife, cut along the middle of the U-groove. Still wielding the knife, pare down from the top of the groove to the stop cut with a rolling cut, as shown in *Photo 4, opposite page*. This forms the upper lip.

For the lower lip, cut just below the lower line. For Dan, make the cut parallel to the upper lip. For Bert, cut a downward arc to create the mouth opening. Cut deeper at the corners of the mouth so the middle of the lip will curl outward. Finish shaping and softening the lips with your knife.

For old Woody's mouth, hollow the mouth area about ½" deep, cutting down from the nose and up from the chin. Draw the mouth in, and cut the line with a ½" V-tool. Pare both lips to the bottom of the V-cut as with Dan's



Above: After stop-cutting the U-groove, pare down to the stop cut to form the upper lip. Deeply carved frown lines accentuate the cheeks and upper lip.

Right: A couple of gouge cuts across the back of the ear will give it more realistic shape. The marker lines show where to cut to establish the jawline.

lips. Add some cuts for wrinkles as you shape and soften the lips.

To carve glaring Gus's mouth, cut the lines with a 1/8" V-tool. Stop-cut the bottoms of the V-cuts with your knife, and pare the lips. Then, shave down the area for the teeth under the curled lip, and carve the teeth.

### Carve the ears and jawline

Scoop out the ear with a 3%" no. 9 gouge. Start low on the back of the ear and make a curving cut up around the top, stopping at the sideburn line, indicated by the arrow on the Ear drawing.

Then, press the gouge straight into the wood a little above the center of the ear to form a semicircular stop cut. Gouge out the ear from the edge to the stop cut, then cut across the lower part from front to back to give it some curl, as shown in *Photo 5*.

Stop-cut the line between the ear and the sideburn, and shave the front of the ear down so it appears to come out of the side of the head. With a series of stop cuts, slice wedges of wood from behind the ear to give it shape and make it stand out from the head. Pare down the top of the sideburn to go under the hat.

To establish the jawline, cut straight down from the front of the ear to the bottom of the blank. From the same point at the front of the ear, make another knife cut toward the back of the head, angling it down past the ear. Pop out the triangle of wood, then blend the area into the neck. Leave a shallow ledge to delineate the hairline. Angle the jawline from about ¼" below the ear to the chin. Lines for these cuts are shown in *Photo* 5.

#### Catch up on some details

Turn up the sides of the nose wings slightly by cutting an angle

across the bottom on each side. Leave the bottom of the nose flat in the center for the septum.

Carve in the nostrils with a no. 9 gouge or U-veiner, then make a shallow gouge cut from the upper lip to the septum. (In case you were wondering, this facial feature is called the *philitrum*.) Shape the nose as you wish.

Texture the hair, sideburns, and eyebrows with the 1/8" V-tool. You can use it to add facial wrinkles or crow's-feet, too. For Dan's stubbly beard, texture his face with the point of a small nail.

Model the cap. On baseball caps, carve the bill to about \%" thick. Add details such as a logo, stitching, or a button to any of the hats.

Inspect the carving, tidying up rough cuts, if necessary. Remove any fuzz with a gray or white Scotchbrite pad. Finally, whittle the neck down to fit in a hole in a cork stopper or block for display.

Now, your carving is ready to stain or paint, as you prefer. The carvings shown received washes of thinned paint. After finishing, sign the carving on the back of the neck, and insert into a stand or install the cork.

#### **Buying Guide**

Bandsawn blanks. Package A: one of each character, \$16. Package B: one of each character with carving lines drawn on, \$36.

Study castings. Resin castings taken from original carvings. Package C: one character (specify which), \$15. Package D: one of each character, \$46.

**Combination.** Package E: bandsawn blank of each character with lines drawn on and study casting of each character, \$72.

All prices ppd. in U.S. Carving tools available also. Order from Dave Rushlo Wood Carvers Supply, 2530 N. 80th Pl., Scottsdale, AZ 85257, or call 602/994-1233 to order.

Project Design: ©Dave Rushlo Photographs: John Hetherington Illustrations: Roxanne LeMoine; Lorna Johnson

# TREASURE TOWER

A tapered top sets this stylish étagère apart from the ordinary. Yet building it doesn't call for extraordinary workshop heroics, just straightforward sawing and routing.

### Start with the base

I Cut the base top and bottom (A) to the dimensions shown in the Bill of Materials.

2 Chuck a ¼" roman ogee bit into your router. (You can use either a table-mounted router or a handheld one.) Rout all four edges of both pieces. Rout the parts with the best surface of one facing up and the best surface of the other facing down,.

**3** Cut out parts B and C. Make them 1/4"-1/2" wider than shown in the Bill of Materials. Cut part D to

the size shown.

4 Refer to Step 1 of the three-step Forming the Base Sides drawing on the *opposite page*, and rip a ½" strip from the front edge of each part B. You'll glue this piece back on later, so draw pencil marks on it for repositioning.

5 Install a ¼" dado blade on your tablesaw. Adjust the cutting depth to ¼", and saw a dado ¼" from the top of part C. Saw like dadoes in the large pieces of part B, shown

in Step 2.


**6** Glue the ½" strip back onto the front edge of each part B, shown in Step 3. Clamp until dry.

**7** Using the dado blade again, rabbet the back edge and both ends

of part D.

8 Reinstall your standard tablesaw blade, and tilt it to 45°. Miter-cut each part B where shown and both ends of part C. The dado should be on the inside (short) surface of each piece.

**9** Sand all parts. Refer to the Exploded View drawing, and glue parts B, C, and D together. Square the assembly, and clamp. To check for squareness, measure




diagonally from each back corner to the opposite front corner; the measurements should be equal.

Next up, the slanting sides I Cut the two uprights (E) to the width listed in the Bill of Materials. Make them about ½" longer than specified.

**2** Tilt your tablesaw blade to 7°. Cut the uprights to length, referring to the Full-Sized Side View pattern for part E. (You'll find the pattern in the WOOD PATTERNS® insert in the middle of the magazine.)

3 Keeping the same tilt angle, install a ¼" dado blade on the

# A GRACEFUL DISPLAY FOR YOUR CURIOS



tablesaw. Adjust the cutting depth to %", and saw the two shelf dadoes where shown in each side. See the photo *right*.

4 Using the Full-Sized Side View pattern, lay out the tapered edges on the uprights. Bandsaw slightly outside the lines, then sand or plane down to them to remove saw marks. Sand the uprights.

**5** To make the two upper rails (F), start with a  $3/4 \times 3/8 \times 12$ " piece of stock. Tilt your tablesaw's blade 3° from vertical, and rip the top edge to a finished width of 3/4".

**6** Return the blade to vertical and set the miter gauge at a 7° angle to the blade. Crosscut parts F from the bevel-ripped stock.

7 Adhere the two parts together with double-faced tape. Refer to the Full-Sized pattern, and lay out the arch. Bandsaw the arch, and sand with a drum sander to remove saw marks. Separate the parts and sand them smooth.

8 Chuck a 1/8"-kerf slot cutter into your table-mounted router. Adjust the cutter's height to center the blade on the edge of part F. Refer to the Exploded View drawing and the Spline Detail, then rout the stopped slots in both ends of each part F and on the inside faces of each part E.

**9** From 1/8"-thick stock, scrollsaw four 15/16"-wide splines 27/8" long. Round the corners of one end to match your slot cutter's radius.



Saw the ¼" shelf dadoes straight across each upright with the blade tilted to 7°. The dadoes angle toward the bottom.

10 Dry-assemble parts E and F with the splines. Glue the parts together. Clamp, using the wedge-shaped scraps ripped from the uprights as fillers, as shown *above right*. Sand the assembly after the glue dries.

Build the towering top

I Cut the top (G) to the size shown. Rout both edges and ends with a ¼" roman ogee bit. Sand.

**2** Glue the top to the assembled uprights and upper rails (E and F). Clamp in position, protecting the upper surface of the top and the lower edges of the upper rails with scrapwood.

**3** After the glue dries, stand the assembly on its top. Center a part A (the one with its best face unrouted) on the ends of the uprights (E), the plain face toward the uprights. Clamp in position.



The waste edges ripped from the uprights make convenient pads for clamping the tapered top section.

4 Drill 7/64" pilot holes through part A into the uprights where shown. Drill on an angle so the screws will go into the middle of each upright, as shown on the Section View drawing. Enlarge the holes through part A to 5/32", and countersink them. Attach part A to the uprights with #8×1½" flathead wood screws.

#### Attach the base

I Center the base assembly (parts B, C, and D) on the inverted top assembly, with part D against the bottom of part A. Clamp the assembly in position.

2 Drill 764" pilot holes through part D into part A. Place a stop collar or piece of masking tape around your bit 1" from the end so you won't drill through part A.

3 Enlarge the holes through part D to \%2", and countersink them

# TREASURE TOWER

where shown. Attach the base assembly to the top assembly with #8×1" flathead wood screws.

4 Cut the drawer guide (H) to the dimensions shown in the Bill of Materials. Center a 3/32" hole 5/8" from each end. Sand smooth, rounding the edges slightly.

**5** Center the assembled top and base unit on the remaining part A, its routed surface facing up. Slide the drawer guide (H) into the middle of the opening until the end hits the back (C). Hold the drawer guide in place on part A, and remove the upper assembly.

**6** Using the holes in part H as guides, drill 3/32" pilot holes 3/8" into part A. Enlarge the holes through the drawer guide to 3/4", and countersink them. Attach the drawer guide to part A with #6×5/8" flathead wood screws.

7 Center the upper assembly on part A. Clamp in position, then drill %4" pilot holes through part A into the base sides (B) where shown. Enlarge the holes through part A to \$\frac{1}{2}\text{"}, countersink them, and fasten part A to the upper assembly with \$\pi 8\times 1\frac{1}{2}\text{"} flathead wood screws.

#### Construct the drawer

I Cut the drawer front (I) to size. The dimensions shown allow 1/16" clearance on each side and on top in the 41/4×91/2" drawer opening.

**2** Saw or rout a ½" rabbet ¾" deep along the top edge and both ends on the inside of the drawer front. (See the Drawer drawing.)

**3** On the outer face of the drawer front, saw a ½6" kerf ¼" deep, shown by the Drawer Front Reveal detail. This provides visual clearance of ½6" at the bottom of the drawer to match the side and top. To cut it, position the saw fence 4½" from the blade, and adjust the cutting depth to ½".

**4** Cut out the remaining drawer parts, J, K, and L.

**5** Saw or rout a ½" rabbet ¼" deep at the back end of each drawer side (J). On the bottom surface of the drawer bottom (L), form a ¾" rabbet ¼" deep along the front

edge and a ¼" rabbet ¼" deep along each end.

**6** With your tablesaw and a ½" dado blade, cut a ¼"-deep dado in the center of the bottom side of the drawer bottom (L).

7 Install a ¼" dado blade on your tablesaw. Adjust the cutting depth

61/8"-(G) (F) 31/4" SECTION VIEW 253/4" Glass shelves (E) E 1013/16" (A) (D) B 93/8" 311/16 (A) 3/4" 121/2"

to ¼", and saw a groove ¼" from the bottom of each drawer side (J). Crank up the cutting depth to ¾", and saw a groove along the bottom inside of the drawer front (I) where shown.

**8** Sand all parts smooth. Be careful not to round over the corners or edges. Glue and clamp the drawer parts together.


#### Take care of some details


I Drill a hole in the center of the drawer front for a knob. (For the étagère in the photo, we used an antique-brass bail-type pull, but a knob of plain wood, brass, or porcelain would work, too.)

2 Cut cardboard or hardboard templates to fit into the shelf slots. Take the templates to your glass dealer, and have shelves cut from ¼" glass. Ask for polished edges on the shelves. (You also could make wooden shelves, and glue them into the slots.)

3 Finish-sand the shelf unit and drawer to 220-grit. Apply the finish. (We stained our walnut project with medium walnut stain for more consistent color, then applied four coats of Minwax Antique Oil Finish.)

4 Slide the glass shelves into place. Then install the drawer pull, and, finally, slide the drawer into the base.





#8 x 11/2" F.H. wood screw

Photographs: King Au; Craig Carpenter

Lorna Johnson

Illustrations: Kim Downing; Roxanne LeMoine;

# YESTERYEARS

When a train pulled into the station during the 1880s, travelers often boarded a horse-drawn wagonette for the ride to their hotel. Large families also liked this horse-drawn forerunner to the passenger van. Build yourself a model of one with just a scrollsaw and a drill.

Note: You'll need 3/4"-thick pine or basswood and 1/8"-thick Baltic birch plywood to build the model.

#### Start on the inside

I Photocopy the full-sized patterns in the WOOD PATTERNS® insert in the middle of the magazine. Make two copies of the Coach Roof (A) and Coach Interior (B) patterns.


2 Cut out the roof and interior parts first. With rubber cement or spray adhesive, adhere the roof and interior patterns to two 3/4×41/4×8" pieces of stock, placing a part A and a part B on each.

3 For cutting the ¾"-thick stock, install a #5 blade (.038×.016" with 12½ teeth per inch). On each interior section, cut out the piece indicated by the dotted line. Stand each cutout piece on edge, and resaw it to ¾" thick to make the seats (C). Glue one piece into each interior section, making the outside faces flush.

4 Refer to the Exploded View drawing, and glue the two roof sections together. Also glue the two interior parts together, leaving an aisle between the seats. Sand the roof and interior edges flush, as necessary.

### Do some fine cutting

I Cut the remaining parts from 1/8" Baltic birch plywood. For cutting



the thin material, change to a #2 blade (.029×.012" with 20 teeth per inch).


2 Stack-cut the sides (D), lanterns (E), rear springs (F), and front and rear wheels (G,H) in threes. This way, you can sacrifice the bottom piece, which is likely to be chipped out in spots, and have two splinter-free parts remaining. Group the patterns for the front spring (I), axle hangers (J), axle keepers (K), and reach bar (L) on a stack of two blanks, keeping the

top pieces and sacrificing the bottom ones.

**3** Cut the blanks to approximate size, allowing space at the edges to tape, glue, or nail the cutting stacks together. Adhere the patterns to the top of each stack.

4 Drill blade start holes in the areas shown on the sides, lanterns, springs, and between the wheel spokes. Drill 1/8" holes in the wheel hubs and axle keepers, and %4" holes in the rear springs, axle hangers, and reach bar.

# Scrollsaw this 1880s wagonette



5 Begin cutting each piece with the largest inside cut. Complete all the inside cuts before sawing around the outside line. When cutting the outside line of the side pattern, start where indicated on the pattern. Cut into each interior line as you reach it. When you reach the end of a stopped line, back the blade out to the starting point, and continue.

6 To cut out the small parts, such as the axle keepers, you'll need a saw table with a zero-clearance

blade slot. To make one, cut a piece of 1/8" Baltic birch plywood about the size of your saw's table. Align the edges of this auxiliary table with the edges of the saw table, then saw into it until the front edge of the auxiliary table mets the saw table's front edge. Hold the auxiliary table in place with double-faced tape.

Put it all together

I Glue the sides to the interior. and glue the roof between the sides, referring to the Exploded View drawing. (We used yellow woodworker's glue.) Glue the front and rear springs and the front axle hangers into position.

2 Now, paint the wagon body and springs as an assembly. Apply gloss black spray enamel in several light coats to avoid filling the finely cut detail lines. Sand with 220- and 320-grit sandpaper between coats to reduce fuzzing

and grain show-through.

3 Paint the driver's seat with dark tan enamel to represent leather upholstery. (We used Testor's Model Master paint, available from hobby shops, in a color named leather.) Paint the seat rails and front footsteps brass (also a Model Master color), along with the coach lanterns. Glue the lanterns to the front body pillars where shown. (For best results, scrape away the paint on the body and lantern where you glue.)

4 Paint the wheel spokes red and the rims yellow (we used naphthol crimson and cadmium yellow medium in acrylic artist colors, available from art or craft stores). Paint the wheel treads black. (A black marker works well for this.) Paint the reach bar black, too.

5 Cut two pieces of 1/8" dowel rod 31/4" long for the axles. Assemble the wheels, axles, keepers, and reach bar through the springs as shown. (We left the axles unfinished for contrast; you could paint them, if you like.) 4

**Buying Guide** 


Catalog. For a catalog showing hundreds of scrollsaw patterns, including other wagon and carriage models, write to Scroller Ltd., 9033 S. Nashville, Oak Lawn, IL 60453, or call 800/486-6053.

71

Project Design: © Scroller Ltd. Photograph: Hopkins Associates Illustrations: Roxanne LeMoine

# A MISSION-STYLE

# Floor Lamp/Coat Tree Combo



Note: The two projects shown here contain posts that differ in length, hardware, and construction, depending on use. The base construction for both projects is the same. See the Buying Guide accompanying the Bill of Materials for the specialized hardware kit for each project.

Let's build the laminated lamp post first

I From 11/16"-thick oak (commonly called five-quarter stock), cut two post halves to 23/8" wide by 51" long each.

**2** Cut or rout a 3%" groove 3/6" deep *centered* along the inside face of each post half. See the Lamp Post drawing for reference.

3 Mark a line 3½" from the top end of each post half on the *inside* surface. Now, measure the thickness of the lamp-rod hex nut, and mark a second line this distance below the first marked line. See the Lamp Post drawing and accompanying Lamp-Post Nut detail for reference. Our hex nut measured ½" thick.

4 Chuck a 1/8" bit into your drill press so only about 34" of the bit protrudes from the chuck. On some smaller chucks, more might protrude. This will keep the bit from flexing. Now, drill overlapping holes to form a slot wide enough in both post halves for the nut to fit into once the post halves are laminated together. (We had to use an X-acto knife to clean up each slot.) Our nut measured 1/2" wide so our slots measured just over 1/4" deep in each post half. See the Lamp-Post Nut detail for reference. Now, thread the rod into the hex nut. Insert the rod/nut into the lamp post and hold the two post halves together. Make sure the two post halves come together tightly.

5 With the edges and grooved ends flush and the threaded lamp rod and hex nut in place in the groove, glue and clamp the two lamp-post halves together to form the lamp post (A). When applying

# MATCHED SET

the glue, hold it back from the groove about 1/2" to keep from getting glue in the groove.


6 After the glue has dried, remove the threaded rod, leaving the nut in the mating slots. Now, trim 1/8" off each laminated edge (the edges with glue joints) for a 21/8" finished width.


7 Trim ½" off the top and bottom ends of the laminated post (A) for a 50"-long post.

8 Tilt your tablesaw blade 19° from center, and using a miter gauge with a long wood extension for support, angle-cut the top of the post to the shape shown on the Post and Finial detail below.

9 Fit your table-mounted router with a chamfer bit, and rout a 1/4"

Continued





FLOOR LAMP Bill of Materials					
	Fin	-			
Part	T	W	L	Matl.	Oty.
A* post	21/8"	21/8"	50"	LO	1
B* feet	21/8"	23/4"	18"	LO	2
C supports	11/16"	41/4"	15"	0	4
D* finial	13/4"	13/4"	21/8"	LO	1

\*Initially cut parts with an \* oversized. Trim to finished size according to the how-to instructions.

Materials Key: LO-laminated oak, O-oak

Supplies: #8×21/2" flathead wood screws, #8×3"


Floor lamp parts kit. Includes all the electrical components shown on the Lamp Section View drawing. Kit no. 1221, \$7.45/kit plus \$3.50 S&H. Minnesota residents please add \$.48 tax per kit. Meisel Hardware Specialties, P.O. Box 70W, Mound, MN 55364. Or call 800/441-9870 to order.

**INSERT FOR FULL-SIZED** PATTERNS

# **MATCHED SET**

chamfer along each corner of the post (A), starting 17" from the bottom end of the post. See the Coat-Tree Exploded View drawing for reference. (We used a fence when routing the chamfer to prevent accidentally running the chamfer around the top chamfered end of the post.)

10 For adding and aligning the four supports (C) later, cut or rout a 1/8" groove 1/2" deep and 14" long centered along each face of the post at the bottom end. See the Coat-Tree Exploded View drawing on the *opposite* page for reference. Use a stop for consistent 14"-long grooves.



For minimal waste, we laid out the two supports side-by-side before we bandsawed them to shape.



Using a handscrew clamp clamped to your disc-sander table for alignment, sand the angled ends of the supports.

### Add the feet for a rock-solid base

I To form the feet (B), start by cutting four pieces of 11/16"-thick stock to 27/8" wide by 19" long. Glue and clamp two pieces together face-to-face for each foot.

2 Remove the clamps and trim each foot to 23/4" wide by 18" long.

3 Using the dimensions on the WOOD PATTERNS® insert in the center of the magazine, mark the half-lap joint on the bottom side of one foot blank and on the top side of the other. Then, transfer cutlines to one side of each foot.

**4** Fit your tablesaw with a dado blade, and cut the notches to size. Test-fit the pieces together.

**5** Remove the dado set. Switch back to a regular blade. Tilt the blade 19° from center, and bevelcut both ends of each leg.

**6** Bandsaw the other angled cut on each end of each foot. Then, bandsaw the bottom of each foot to shape. Sand the bandsawn surfaces to remove the saw marks.

7 Fit the feet pieces together, but do not glue them yet. Rout ¼" chamfers along the top edges where shown on the Coat-Tree Exploded View drawing. Glue and clamp the feet together.

Cut and add the four lamp-post supports

I Transfer the full-sized pattern from the WOOD PATTERNS insert to a piece of hardboard or thin plywood. Cut the template to shape, and use it to mark the outlines for four supports (C) on 11/16" stock. As shown in Photo A, bandsaw the supports to shape.

2 Using a drum sander, sand the curved edge of each support.

3 Using a disc sander, sand the angled ends of each support. (For consistent 19° angled ends, we clamped a handscrew clamp to our disc-sander table and used it as a guide as shown in Photo B.)

4 Rout a 3/6" chamfer along the outside edge of each support where shown on the Coat-Tree Exploded View drawing.

**5** Cut four <sup>1</sup>%6"-wide by 13%"-long splines from <sup>1</sup>%" stock. Sand the top end of each spline to fit into the routed mating grooves in post and supports.

Let's add the base to the post

I Working from the bottom side of the base assembly, drill countersunk mounting holes through the base for attaching it to the post and supports later.

2 Mark the mating centerpoint, and drill a 3/8" cord-access hole

through the base.

3 Center the base on the bottom end of the post. Using the previously drilled shank holes in the base as guides, drill pilot holes into the bottom end of the post. Secure the two assemblies together with 3" flathead wood screws. Check for square. If the cordaccess hole in the base doesn't align perfectly with that in the post, enlarge the hole in the base. 4 Test-fit the supports (C) with the splines in place. Drill pilot

Top it off with a finial

I Laminate, then plane 11/16" stock to form a finial blank 13/4" square by 6" long. The extra length is necessary in the following steps for safety in machining.

holes, then, glue, spline, screw,

and clamp the supports in place.

Note: Use the same procedure described here to machine the top end of the coat tree. See the Top detail accompanying the CoatTree Exploded View for reference.

2 Tilt your tablesaw blade 19° from center. Using a miter gauge with a wood extension for support, angle-cut all four edges of one end of the blank. See the detail accompanying the Lamp Section View for reference.

**3** Lay out the 7° cutlines on the finial blank, and bandsaw the four tapers to shape. Sand the bandsawn surfaces.

**4** Rout a ¼" chamfer on the final where shown on the detail.

5 Crosscut the finial (D) to length.

6 Supporting the finial with a handscrew clamp, drill a %" hole ½" deep in the bottom center of the finial. See the Lamp Section View for reference. Epoxy the lamp-shade knob into the hole.

Add the stain, finish, and electrical parts

I Finish-sand the lamp-post assembly and finial. Stain and finish the parts. (We used Minwax Special Walnut Stain, followed by several coats of Deft Semi-Gloss Lacquer.)


2 Install the electrical parts in the configuration shown on the Lamp Section View drawing. For wiring specifics, see the electrical wiring article on page 14.

#### Let's make the coat tree

The construction procedure for the coat tree is nearly identical to that of the lamp except for the following changes: First, the coat tree uses a post 67¾" long, and the post is not hollow. Next, machine the top end of the coat tree using the same procedure as you did for the finial on the lamp. Drill pilot holes and add the four brass coat hooks to the post where shown on the Coat-Tree Exploded View drawing.

	Fin	-:			
Part	T W		L	Mati	ag.
A* post	21/8"	21/8"	673/4"	LO	1
B* feet	21/8"	23/4"	18"	LO	2
C supports	11/16"	41/4"	15"	0	4
ished size acco Materials Key:	rding to th	e how-to			III-
ished size acco	rding to th LO-lamin 2½" flathe	e how-to ated oal ead woo	instruct k, O-oak d screw	tions.	

Written by Marlen Kemmet Project Designs: Chuck Hedlund Illustrations: Kim Downing; Lorna Johnson Photographs: King Au




# AN ENDANGERED SPECIES

After 10 minutes of the wildlife biologist's hooting, a northern spotted owl comes into view. His enticement to come close enough for banding will be a live white mouse on a stick.

#### Print this article

Its attention diverted by a fake mouse tied to a string, the northern spotted owl looks away long enough for entrapment by the wire noose.



# THRIVES AMONG THE REDVOODS

In California's rugged redwood country, the northern spotted owl happily lives on, with busy logging crews as neighbors.

"Hooo. Hoo, Hoo. Heoo." It was eerie—the haunting call of an owl skillfully voiced by a brawny man in shirt sleeves. The sound echoed among the redwoods of the northern California mountainside.

Lowell Diller, the caller and wildlife biologist for Simpson Timber Company, shivered, not only from the chill air and brisk wind, but in anticipation of the soon-expected sight of a northern spotted owl. The bird was a representative of an endangered species, an animal whose feared loss had caused logging operations up and down the Pacific Northwest to shut down in order to preserve the virgin, old-growth forest it called home.

This site, though, was not virgin timber. It was a second-growth redwood forest logged about a half-century ago. And adjacent to it was a growing redwood forest perhaps 15 years old. Northern spotted owls weren't supposed to live there.

"It seems that almost by accident we have created an atmosphere where northern spotted owls can thrive. So we certainly can do it on purpose," says Bill Houston, a Simpson forester whose job that day was to assist in the banding of owls. "We have banded 747 owls on our property to date, and they weren't supposed to be here, given our timber type," adds Lowell. "They thrive on a prey base of dusky-footed wood rats, which have the highest densities in 20-year-old redwood stands. In Oregon and Washington, though, the owls feed on the flying squirrel, which prefers to live in oldgrowth Douglas-fir."

In acknowledgment of that fact, in 1992 the U. S. Fish and Wildlife Service approved Simpson's Habitat Conservation Plan, which allows the timber company to continue to log on its own lands (see "Logging in the Land of Giants," page 44) as long as the company plans for the preservation and enhancement of the owl population. It was the first such plan from a private company ever approved by the agency.

"We have to monitor the owls all the time, but the plan is based on the fact that over time we will grow more habitat. The owls will simply move around," comments the forester.

Written by Peter J. Stephano Photographs: Dan Sullivan



Biologist Diller handles the threepound bird gently, and with care. Its long needle-sharp talons could easily bury themselves in a finger.

# Be a Home Inspector Earnings of up to \$900 per day possible!

Train at home in your spare time...no previous experience needed!

Home inspection is one of the hottest career fields of this decade. Over 60% of all homes sold today are inspected for structural and mechanical defects... banks, mortgage companies and potential home owners want to know about a house before they invest their money. According to ASHI Home Inspectors throughout the country are charging up to \$300 per job, and many are performing three or more inspections per day. And there's plenty of opportunity for you to earn this kind of money, because the demand for Home Inspectors exceeds the supply. Once you've gained some experience and established your reputation as a topnotch Home Inspector, it's possible for you to start earning up to \$900 a day!

Only ICS gives you training this practical, this complete. Our unique "Quick-Learn" method enables you to start making money while still training!

You get real-world instruction in all the important areas of home inspection. When you finish your training you'll be a skilled professional, confident in your abilities to deliver thorough "top to bottom" inspections. Step-by-step lessons show you how to inspect basements... crawl spaces...heating and cooling systems...electrical systems...plumbing... interior structure...attics...doors and windows...garages...exterior structure... grounds...appliances and much more. You're also taught about checking for pests, radon gas and other health hazards.

We give you special tools and test instruments to use during your training and later on the job.

These include wire gauges, circuit

pocket caliper, punch/awl, screwdriver set, high-powered professional flashlight, inspection mirror, binoculars and more. Unlike many home inspection courses, we go beyond the mere technical aspects and teach you how to prepare special forms and reports that document your inspections. You'll be able to provide your customers with clear, detailed reports on your conclusions and

recommendations about the property. You'll be amazed at how quickly the word spreads that you are an expert inspector who can be relied upon to

deliver top-quality home inspections. Your business will grow by the day as more and more people request your services.

course adheres to the American Society of Home Inspectors (ASHI) Standards of Practice

Whether you want a full- or part-time job or want to start your own Home Inspection business, ICS training is the fastest way to get started in this high-paying field.

With ICS you train at home, during the hours you choose. Keep your present job while you train for a better one. Everything is explained in plain English. And our tuition is the lowest of any Home Inspection \$ correspondence course!



#### nationally accredited.

ICS is a member of the Distance Education and Training Council in Washington, D.C. whose

accrediting commission is listed by the U.S. Department of Education as a nationally recognized accrediting agency.

#### Call Now or Send for FREE information!

We'll send you full information and color literature ABSOLUTELY FREE. Everything you'll need to know about our revolutionary Home Inspection Course is explained in complete detail...including all the facts on

the opportunities waiting for you in this high-paying career field.



MAIL THIS COUPON TODAY FOR FREE FACTS! OR CALL TOLL FREE!

1-800-595-5505 Fxto

Call Anytime-24 hours a day, 7 days a week. Internet World Wide Web address: http://www.icslearn.com

#### SEND TODAY FOR FREE FACTS.

ICS LEARNING	School of Propo Dept. A8D\$468,	erty Management 925 Oak Street, Scranton	, PA 18515
	ourse. There's no obligation	out how I can train to be on and no salesman will visit. CH  01 Computer Programming 87 TV/VCR Repair 85 Drafting 53 Desktop Publishing & Design	ECK ONE COURSE ONLY!
Name			Age
Address			Apt. #
City		State	Zip
Phone ( )			

# ASK WOOD

How to rip gluing edges on a tablesaw

I am a beginning woodworker, who recently glued several pieces of wood together to form a panel. However, I had a lot of trouble in ripping straight gluing edges on my tablesaw. Do you have any suggestions that would help me with this?

-John H. Roland, Wyomissing, Pa.

We sure do, John. Here's what we recommend:


1 Use a sharp, high-quality 40- or 50-tooth carbide-tipped saw blade to rip the straight edge on your lumber. If your saw and rip fence are adjusted correctly, these blades will leave a smooth surface ready for gluing. To find out which circular-saw blades work the best for this, see our reviews in the September 1993 and December 1994 issues.


2 Add a rip-fence extension to your tablesaw to provide more support to the board being ripped. Make the extension guide-rail from a 4- to 6-foot length of ¾"-thick × 6"-wide plywood. Fasten this guide rail to a 1×4 with screws, with the factory-ripped edge of the plywood opposite the 1×4. Then clamp the extension to your rip fence.

3 Lay out the boards best-face up on a flat surface. Arrange them for the best match by color and grain. Then mark one side of each joint with "up," and the other side of the joint "down." Follow this by ripping the gluing edges on the tablesaw. To rip the edge marked "up," place the board on the tablesaw with its best face up. To rip the edge marked "down," place the board on the saw with its best face down. Glue an "up" edge to a "down" edge at each joint to compensate for any variation from 90° in the saw blade setting.

Whether your woodworker's license reads "Beginner," "Intermediate," or "Advanced," you're bound to have a few questions about your favorite hobby. We can help by consulting our staff and outside experts. Send your questions to Ask WOOD, Better Homes and Gardens, WOOD Magazine, 1912 Grand Ave., Des Moines, IA 50309-3379. CompuServe: 74404,3516 (or)

Internet: 74404.3516@compuserve.com





What's a radius, anyway?


I am ready to start on a few projects that say to "mark a 1" radius." I have a compass, but I'm not sure how to mark a radius or where to measure from. Do you have any advice for me?

-Mike Brady, Grayslake, Ill.

Yes we do, Mike. A radius equals the distance from the center of a circle to its outside rim. When setting a compass, measure the radius from the point of the compass to the tip of its lead.

To draw a radiused edge on a panel or tabletop, mark a line back from the edge of the workpiece at a distance equal to the radius. Place the point of the compass on this line centered between top and bottom surfaces. Then, move the pencil in an arc to mark the curve of the edge as shown *below left*. Cut the edge to shape with a router.

To mark a corner radius, draw lines at a distance equal to the radius down from the top and in from the side. Place the point of your compass at the intersection of these lines, and draw the radius as shown *below right*.



Radius (R=1")


One good way to ease a boring job

I want to make a cribbage board, but I find it hard to believe that all those holes are bored separately. I know woodworking is supposed to be relaxing, but drilling all those boles would drive me to the funny farm, especially if I made several boards. Is there a jig or tool that would belp in this task?

-George Kerber, Maple Grove, Minn.

Wouldn't it be nice if there was an inexpensive, multi-spindle boring machine available

for a job like this? Unfortunately, there's not, so you have to drill holes the oldfashioned way-one at a time. You can make the job a bit easier by using an Incra Jig, JoinTech Universal Positioning Machine, or another incremental positioning device, combined with a drill press fence and spacer strips to locate the holes (see drawing right). This will eliminate the need to measure and then "eyeball" the placement of each peg hole. Drill the holes with a 1/8" bradpoint drill bit.



Continued on page 80

# Relieve

\*Based on customer testimonials

#### Frustrated With Your Sleep?

Do you toss and turn at night? Can't seem to find a comfortable position? Does your back ache when you awake? These are signs that your mattress may not be supporting you properly.

#### Sleep Better On Air

A Select Comfort Sleep System doesn't rely on springs or water, but on a cushion of air. Air gently





With Select Comfort, you each get exactly the firmness you need.

Tests show it helps provide a more natural spinal alignment and better support, which can lower the tension in the surrounding muscles. So you can sleep comfortably in any position and wake feeling great!



contours to your body.

#### Call For More Information

You owe it to yourself to learn more about this revolutionary way to a better night's sleep.

For FREE Video and Brochure, Call


Yes! Please rush me a FREE Video and Brochure Name Address City Phone Zip. Ext. 6112

SELECT COMFORT Mail to: Select Comfort Corporation

6105 Trenton Lane N., Minneapolis, MN 55442

Select Comfort provides proper back support and contours to your body. Weight is more evenly distributed

and pressure points are reduced.



# Like Having A Lumberyard Right in Your Shop!



NOW! Plane, Mold, Sand & Saw... with Infinitely Variable Power-Feed!


Put this versatile power-feed tool to work in your own shop. See how fast it pays for itself! Quickly converts low-cost rough lumber into valuable finished stock, quarter-round, casing, base mold, tongue & groove...all popular patterns... even custom designs!

#### **NEW! Variable Feed Rate**

Now, just a twist of the dial adjusts your planer from 70 to over 1000 cuts-per-inch! Produces a glass-smooth finish on tricky grain patterns no other planer can handle. Converts to Drum Sander or Gang Rip Saw in under five minutes.

FREE 1-800-821-6651, ext. PW87

Woodmaster Tools, Inc., Dept. PW87 1431 N. Topping Ave., Kansas City, MO 64120



Promium Quality

KEEP OUT OF REACH OF CHILDREN

30 Minute Open Time

**Expands as it Dries** 

Sands & Scrapes Easily

- Exterior/Interior Use
- Fully Guaranteed
- Distributor/Dealer Inquiries Welcome

Tel: (318) 876-2495

Fax: (318) 876-2213

**EXCEL** 

The First Polyurethane Wood Glue in America

The AmBel Corporation, P.O. Box 819, Cottonport, LA 71327

### ASK WOOD

Continued from page 79

### Here's some information on universal motors

I am considering buying a tablesaw with a universal motor. However, I am concerned about the reputation these motors have for making noise. Just what are the advantages and disadvantages of a universal motor. Why are they noisy?


-Paul Kaufmann, Las Vegas, Nev.

Paul, for an answer, we contacted Gene Holladay, an electrical engineer and avid WOOD® magazine reader. Here's what Gene had to say:

"Universal motors get their name from their ability to operate on both alternating and direct current. These motors generally run at a higher speed than an induction motor running at the same applied voltage and workload. Because of the work energy produced by this higher operating speed, (over 20,000 rpm for a router under no load), universal motors can be made smaller and weigh less than induction-type motors of the same continuous horsepower. For this reason, manufacturers use universal motors in portable hand tools and smaller bench tools.

"The speed of universal motors can be electronically adjusted, and convenient variable-speed controls are often added to tools that use this type of motor. This makes speed changing much easier than the belt-and-pulley sytems most often used with single-speed induction motors (compare speed changing on your universal-motor powered variable-speed drill with your induction-motor powered drill press).

"However, the universal motor design does have some drawbacks. The high running speed of the motor components, combined with a larger volume of air flow through the motor and its fan, creates more noise than induction motors, which run at



cause of its higher operating speeds, a universal motor is smaller and weighs less than an induction motor of the same continuous horsepower.

#### Random-orbit vs. finishing sander

I am considering buying a new sander, which I will use to prepare table- and desktops for finishing. I've worked with a random-orbit sander in the past, and I liked the speed at which it removed material. However, I'm also considering a ½-sheet finishing sander. What are the advantages of each type of tool?

-John Lucier, Winslow, Maine

For an answer, John, we talked with Jan Svec and Chuck Hedlund, the guys who build most of the projects here at  $WOOD_{\odot}$  magazine. And we found that each of our builders has his own preference.

Jan told us his choice for sanding large, flat surfaces is the ½-sheet sander. He feels that the large sanding area of these tools produces a smoother

1/2-sheet sander

and flatter surface than does the smaller randomorbit sander. The ½-sheet sanders also use regular sandpaper rather than the more costly abrasive discs of the random-orbit sander (one abrasive disc costs as much as one full-sheet of sandpaper). And because of their rectangular shape, ½-sheet sanders also can sand farther into a corner than can the round random-orbit sanders.

Chuck prefers to use an in-line random-orbit sander with a pad brake for much of his work. He likes the fact that this sander will remove material at a faster pace than the ½-sheet sander. And it


works well in situations where you have to sand cross-grain joints, such as in finishing cabinet face frames.


Chuck said he prefers the "second-generation" in-line random-orbit sanders over the rightangle sanders because the in-line tools are easier to control on a flat surface. And the pad brake reduces the chance of leaving swirling marks at the end of each sanding stroke.





Continued on page 89







# Woodworker's Marketplace

#### Heavy Duty Park Bench Kit

(Solid Steel Frame)





These benches are beautiful and will last forever.

2 Styles: Free Standing or Post Type

Kit includes: 2 Solid Steel Framés, 14 Carriage Bolts and Complete Plans for \$89.00
Quantity Discounts Available

Bench Measures: 60" long by 30" high

\*SPECIAL: Also included, easy method to sell 10 benches and make \$1,000.00.


The Roudebush Company PO Box 348A, Star City, IN 46985

800-847-4947 Visa, MC accepted. Price includes shipping UPS

Circle No. 1085

### Simply the Best

For over 100 years, craftsmen have found Bessey clamps to be simply the best. Don't settle for less - use original Bessey clamps, available at local dealers across North America.




#### American Clamping Corporation

P.O. Box 399, Batavia, N.Y. 14021 1-800-828-1004 Fax 716-344-0025

American Clamping (Canada) Inc.

P.O. Box 490. Cambridge, Ont. N1R 5V5 1-800-265-8612 Fax 519-621-3442



OVER 100 SPECIES LUMBER • VENEERS • TURNING STOCK

**WOODWORKERS SAMPLER** Discover the perfect wood for your projects

30 GORGEOUS WOODS Standard collectors size 1/2" x 3" x 6" sanded smooth, labeled with the common and botanical name, Ideal

or finish, or just experience and feel these beautiful products of nature. BOOK OF FINE HARDWOODS included

Provides geographic source, description, uses and availability for over 200 woods. Over 70 woods shown in full color. Charts compare physical properties. 60pgs.

A great reference tool!

1-800-423-2450 WOODWORKERS Source

5402 S. 40th St. Phoenix, AZ 85040 • 602-437-4415 SATISFACTION GUARANTEED

Circle No. 598, 2090

#### Full-Size Professional Plan MORRIS CHAIR

Build this comfortable chair with wide bow arms and adjustable 3-position back. An excellent example for the Arts & Crafts Style.



 Plan #724 (postpaid) . . . Fine Furniture Plans Since 1968

FURNITURE DESIGNS, INC., Dept. BC-66 1827 Elmdale Ave., Glenview, IL 60025 1-800-657-7692

Circle No. 345

#### FREE CATALOG CALL 1-800-929-4321





The Best Machinery Value in America.

Circle No. 97

#### Classic Heirloom Cradle

You can easily build this classic cradle which will become a cherished family heirloom to pass from generation to gen-eration. Two availsizes able... Baby or



Baby size Plan (21 x 35) \$14.95 ppd. Doll size Plan (10 x 18) \$8.95 ppd.

Spindles available in Oak or Maple. See our catalog which is sent free with your order.

M/C VISA orders call toll-free 1-800-292-8296 ARMOR Box 445 A, East Northport, NY 11731

Circle No. 315

## Supergrit® SANDPAPER

**HOOK & LOOP** 8 Hole \$10.00/50 5 or 8 Hole \$12.50/50 6 Hole \$17.50/50 Solid "E" \$15.00/50 Solid "E" \$18.00/50 Solid "E" \$12.00/6

#### **BLUE ZIRCONIA** Best in the World

DISCS BELTS 5" P.S.A. 35¢ 1" x 42" \$1.75 6" P.S.A. 40¢ 6" x 48" \$5.50 35¢ Each

RED HILL CORP. P.O. BOX 4234

FREE 28 PAGE CATALOG & Incredible close-out sheets. GETTYSBURG, PA 17325 800-822-4003

Circle No. 1267

#### AMAZING SCROLLSAW FRETWORK **PATTERNS** Easy to advanced designs

Clocks Photo Jewelry boxes Candle holders Furniture



Silhouettes on Christmas religion farming western nature transportation & more. Books Saw blades

catalog

Hardwoods WILDWOOD **DESIGNS** 

P.O. Box 676-WD Richland Center WI 53581

Circle No. 475

1-800-470-9090

Woodworker's Marketplace is a section of advertisers offering products by mail. Please contact the advertisers directly or use the number below each ad to request information through the Woodworker's Resource section.







Circle No. 465



- Financing Available! Low
- Monthly **Payments!**

Save on Select Models

25×36 • 30×48 40×62 • 50×120



Circle No. 2030





#### The Portable Sawmill.

The "affordable portable" one man band sawmill. Weighs only 45 lbs. Cuts 20" diameter logs into lumber. Minimum 1/8" to maximum 9" thickness. 14"W x 9"H throat capacity. Write or call for free brochure. Videos also available




(508) 657-5636 845 Woburn St., Suite 3, Dept. W5/6, Wilmington, MA 01887









GRINDING AND SHARPENING SYSTEM











Gouge Jig

Knife Jig

- . PLUS other jigs to help you grind, hone and polish all your edge tools like a professional.
- Water cooled SuperGrind stone can be switched from fast grinding at 220 grit to fine grinding at 1000 grit using the TORMEK Stone Grader.
- · Genuine leather SuperSharp honing wheel gently removes the burr and polishes the edge to a razor sharpness.

Europe's favorite water cooled grinding system.

For complete details, 1-800-5-TORMEK or 1-800-586-7635 TORMEK USA, P.O. Box 1522, Blue Springs, MO 64013

Circle No. 101

### Dry 8/4 Red Oak in eight days!

Wood-Mizer's

Vacu-Kiln dries wood

in days-

not weeks

or months!

The Wood-Mizer Vacu-Kiln is a self-contained 2,000 bd. ft.-capacity vacuum kiln that excels at drying any thickness of wood. Vacu-Kilns use a unique low-temperature/high vacuum system to dry 8-10 times faster than conventional kilns without degrade, warping, or checking. Short lengths and squares are handled easily because no stickering is required.

Isn't it time you experienced the quality and savings of drying your own lumber?

Call today for complete information and a free video.

Wood-Mizer Products, Inc. 8180 West 10th Street, Dept. QQ90-K; Indianapolis, IN 46214-2400 Circle No. 94


# Woodworker's Marketplace



"Cuts project time In half, eliminates the need for an expensive arsenal of clamps and is simple to use. The Kreg Jig outperformed its competition by a wide margin. It's worth the investment."

Wood Magazine, Jan. 1995

DISCOVER THE POCKET HOLE ADVANTAGE






THE POCKET HOLE

Discover the pocket hole secret for yourself. 30 day trial. Order today! Free catalog!

800-447-8638

Circle No. 877



Discover the world's oldest and most rewarding hobby... model ship building! Watch our 25-minute VHS video and learn the secrets of building museum quality wooden ship models. You'll see the finest selection of authentic ship models- superb replicas you build yourself- close up and in incredible detail. Even if you've never built a model before, you can create a magnificent keepsake to be treasured for many generations. Send \$5.00 for your video today! (Refundable with your first order.) Free with your video! 92 page color catalog of ship model kits and accessories.

INCO	MODEL EXPO, INC.	Dept. WD66
P.O. Box 1000, Tobyhanna, PA	Mt. Pocono Industrial 18466-1000	Park,
Enclosed is \$5.	00, to be refunded with	my first orde
Name:		
Address:		

State:

Item No. SST900C

Model Expo, Inc. 1993

Circle No. 1075

# OWN A MACHINE SHOP

The Smithy 3-in-1 lathe-mill-drill gives you all 3 basic machine tools in one easy-to-use benchtop machine. Have fun, save money and time too. Thousands sold. For shop, business,



Four machines to choose from starting at \$895! Backed by service, training, books, videos, customer hotline.



1-800-345-6342 Operator WOODS

P Smithy Dept. WOOD6 PO Box 1517
Ann Arbor, MI 48106-1517

"Like owning a machine shop"

Circle No. 99

#### Wood Moisture Meter

Professionals and hobbyists can choose from 8 different Mini-Ligno moisture meters:

Versatile Affordable Sturdy! Over 100,000 units sold.

LIGNO

LI

Also introducing New Mini-Ligno XL

For brochure contact: **Lignomat USA, Ltd.** PO Box 30145 503/257-8957 800/227-2105 Portland, OR 97230

Circle No. 1250



# WILLIAM ALDEN

27 Stuart Street • Boston, Ma. 02116

1.800.249.8665



#### \*HITACHI

C10FS 10" Slide Cmpnd Saw 760-389 **\$699.97** 



#### \*PORTER CABLE

9444 Profile Sander Kit 756-890 **\$101.99** 



#### \*FREUD

90-100 15 Pc. Router Bit Set 709-907 **\$149.99** 



#### \*RYOBI

OSS450 Oscl. Spindle Sander 757-807 \$148.00

Shipping & Handling Charges
your purchase totals: Your S&H Charge is:
\$0.00 - \$25.00 \$5.00
\$25.01 - \$75.00 \$6.00
\$50.01 - \$75.00 \$7.00
\$75.01 - \$100.00 \$8.00
\$100.01 & Over \$10.00

Circle No. 4

#### EMPEROR Grandfather Clocks



- ✓ DO-IT-YOURSELF KITS for those who love to work with wood.
- ✓ FINISHED CLOCKS Superbly finished in solid hardwoods.
- ✓ FURNITURE KITS 3/4" Solid Oak and Cherry

ALL PRICES FACTORY DIRECT


> Send or call for FREE CATALOG.

World's Largest Manufacturer of Grandfather Clock Kits

Emperor Clock Company PO Box 1089, Dept. 5801 Fairhope, Alabama 36533 Phone 334-928-2316



Woodworker's Marketplace is a section of advertisers offering products by mail. Please contact the advertisers directly or use the number below each ad to request information through the Woodworker's Resource section.



plus other related items.


Wholesale/Retail

Call or Write:

#### #BereaHardWoods...

6367 Eastland Rd. Brookpark, Ohio 44142 216-234-7949 Master Card/Visa

Circle No. 510, 1900



**OVER 300 HARD TO FIND TITLES** Looking for information? We have it!

The Best Books on

CARPENTRY • BLACKSMITHING **FURNITURE • CABINET MAKING** STAIRBUILDING . JOINERY . CARVING COACHBUILDING . FINISHING WOOD & TIMBER • TOOLS TOYS & GAMES • TURNING • VIDEOS Send \$1.00 for two year catalog subscription

SPECIALIST PUBLISHERS & BOOKSELLERS



#### LINDEN PUBLISHING


**SINCE 1977** 3845 N. BLACKSTONE FRESNO, CA 93726

Circle No. 1140

### Simply the Best Square Drive Beats Driver Slippage Hardened Steel for Extra Strength Deep Thread for Super Grip Also Stainless and Brass Send \$3 for Samples and Catalog MCFEELY'S P.O. Box 11169

SQUARE DRIVE SCREWS Lynchburg • Va • 24506 1-800-443-7937 or FAX (804) 847-7136

Circle No. 2450



FEEDER: 12" x 30" (KITS AVAILABLE) BIRD HOUSE: 16" x 40" PLANS \$23.95 ea. including S&H. Send check or money order or call 800-421-8221 Visa, Mastercard accepted GOOSE POND MILL

P.O. Box 578, Great Falls, VA 22066-0578 Circle No. 365

#### STEVE WALL LUMBER CO.

Quality Hardwoods and Woodworking machinery For The Craftsman and Educational Institutions

	n A mn A mn	A POR A TO
Ash	Select	2.15
Basswood 4/4	Select	1.80
Birch 4/4	Select	2.25
Butternut 4/4	1C	2.00
Cherry 4/4	Select	3.40
Hickory - Pecan 4/4	Select	1.85
Mahogany (Genuine) 4/4	Select	3.40
Maple (Hard) 4/4	Select	2.40
Maple (Soft) 4/4	Select	1.80
Poplar 4/4	Select	1.55
Red Oak 4/4	Select	2.35
Walnut 4/4	Select	3.25
White Oak 4/4	Select	2.30
Cedar (Aromatic Red) . 4/4	1C+Btr.	1.55
Cypress 4/4	Select	2.15
White Pine 4/4	F.G.	1.10
Vollow Pino 4/4	Clear	1.60

Above prices are for 100' quantities of kilndried rough lumber sold by the Bd. Ft. FOB Mayodan, NC. Call for quantity discounts. Other sizes and grades available.

\$ 69.00 \$ 59.00 \$ 71.00 UPS Specials \$ 85.00 63.00 \$ 88.00 \$ 73.00 \$ 61.00 \$ 56.00 \$ 72.00 \$87.00 \$ 58.00 \$ 66.00

Above prices are 20 bd. ft.bundles of clear kilindried lumber 3"-10" wide • 3'-7' long (Random widths & lengths) Surfaced 2 sides or rough. Delivered UPS prepaid in the Continental U.S.

#### LOG RUN SPECIALS

100 bd. ft. Bundle 4/4 Cherry \$120 4/4 Walnut \$140 Add \$20 for S2S

Motor Freight Only FOB Mayodan

#### STEVE H. WALL LUMBER CO.

**BOX 287 MAYODAN, N.C. 27027** 910-427-0637 1-800-633-4062 FAX 910-427-7588

Send \$1.00 For Lumber Catalog

Call or write TODAY for your FREE Information Kit about the easy-to-follow video program and pattern book that will reveal to you the secrets of scroll sawing success for fun or profit. Learn all the tips, techniques, and short cuts from a professional scroller!

POBOX 925-W12 CENTRALIA, WA 98531 360-736-7020 FAX 360-736-7336



Circle No. 323



CabinetMaker's System™



Call. Write or Fax for Details of our Special Summer Incentives.

#### **JoinTECH** P.O. Box 790727

San Antonio, TX 78279 TOLL FREE

(800) 619-1288 TEL: (210) 377-1288 FAX: (210) 377-1282

JOINTECH proudly offers the ULTIMATE in a Precision Woodworking System. You don't have to be a master craftsman to build beautiful cabinetry, furniture or even jewelry boxes. Our 48 templates enable you to easily make every type of dovetail and box joint. The SmartFence will accommodate any cutter in your shop allowing you to make raised panels, rails & stiles, tongue and groove, face frame construction, drawer design

edgework and more. Don't limit yourself to a iig that can barely do dovetails or other small

JOINTECH'S Cabinet Maker's System™ can do it all! Simply the best investment in quality and at a very affordable price



SEND \$5.00 OR CALL FOR A COMPLETE VIDEO BROCHURE

Circle No. 610

# Woodworker's Marketplace

### One Stop Wood Shop

- · Plywood & Veneer made to order (no min.)
- 30 species
- Custom Cutting
- Competitive Pricing
- · We bundle & ship to U.S. & Canada
- · Over 65 years of personal service


For catalog & quote: (617) 666-1340

#### Boulter Plywood Corp.

24-WD Broadway, Somerville, MA 02145

Where the finest cabinetmakers select & blend domestic & exotic hardwood in plywood, veneer & lumber.

Circle No. 512





Washington Woodworking & **Hobby Exposition** 

EVERGREEN STATE FAIRGROUNDS June 1 & 2

Leading Manufacturers \* Cutting Edge Technology Professionals and their Secrets \* Live Equipment Demos How-to Clinics \* Many other related Interest Hobbies.

Supplies Shop Accessories Equipment Materials

Truck Accessories lob site aids **Books & Videos** Lots of Answers **Much More** 

Vendor & Ticket info. 1-800-484-5890 Ext. 3067

Circle No. 2875



#### SECO INVESTMENTS COMPANY

WOODWORKING DIVISION 145 W.Hillcrest Ave., San Bernardion, CA92408 Tel:(909)889-1799 Fax:(909)885-1799

Circle No. 91

#### Creativecraft Plans



CRP 1804 \$6.95

Lawn or **Porch Swing** CRP 775-6 \$11.95



**Gun Cabinet** CRP 1413 \$7.95

\$6.95 Curio Cabinet Clock

ARC 202

\$5.99 Send Check or Money Order to Creativecraft Plans

PO Box 36336 - Indpls, IN 46236 Add \$4.00 S/H MC / Visa Orders Call Toll Free

- 800 - 576 - 9174

Don't forget your '96 Catalog \$4.00 Featuring 50 companies, with over 2,000 products to choose from.

Circle No. 330, 331



Rugged, lightweight aluminum housing. Pressure-activated head controls cut depth, speeds to 10,000 VPM. Makescarving easy Convertible to rotary use. Heavy-duty 80W motor

operates on household current. Includes instruction booklet and 5 steel blades.
Specialized blades available.

Prices start at Don't be fooled by cheap imitation

Prices \$17800 start at Visa and Mas (708) 397-9401

Sugino Corp. 1700 Penny Lane Schaumburg, IL 60173

Circle No. 2170

WITH HTC MOBILE MACHINE BASES

For a FREE **Full-Color Catalog** of HTC's Complete **Product Line Call:** 1-800-624-2027



Woodworker's Marketplace is a section of advertisers offering products by mail. Please contact the advertisers directly or use the number below each ad to request information through the Woodworker's Resource section.















Circle No. 830



Circle No. 1285





Woodmaster's new embossing machine can be the start of your own high-profit millwork business ...or a welcome addition to your existing operation.

Embossed molding sells for \$1 to \$6 per lineal foot. You can produce this millwork at 26 feet per minute! Choose from hundreds of patterns including picture frames.

Call or write today for free facts:

# **1-800-821-6651 ext. AC7**Woodmaster Tools, Inc., Dept. AC7 1431 N. Topping Kansas City, MO 64120

# Woodworker's Marketplace



1-800-942-4406 ext. SW34

TIMBERKING, INC. Dept. SW34 1431 N. TOPPING, KANSAS CITY, MO 64120



ADDRESS:\_\_ CITY: \_\_

STATE:\_ \_ ZIP: \_

Mail to:

Cherry Tree • Box 369-WJ Belmont, OH. 43718 or call TOLL FREE 1-800-848-4363 ext. WJ

Circle No. 1420

#### SPIRAL STAIRS

Coast to Coast Delivery

FREE ENCLOSED TREAD ENDS \$220.00 VALUE

Save 30 % to 50% Stock & Custom Stairs Strong Steel Frame Oak or Brass options 3'6" to 7' Diameter Easy To Install

FREE BROCHURE Call or Write -



#### SALTER INDUSTRIES

PO BOX 183 EAGLEVILLE PA 19408 610-631-1360 FAX 610-631-9384

Circle No. 1995

#### DO-IT-YOURSELFERS!

You can build your very own Classic Concept Quilt Rack® in your shop. Full scale plans and instructions for only \$20 including shipping and handling.



Send order with check or money order to:

Charles McLendon 2401 Dexter Avenue Silver Spring, MD 20902-4922

Please allow 3-4 weeks for delivery



- traditional cabinet makers workbenches
- Full range to suit all requirements
- Contact Sjöberg USA for full color catalog and list of dealers

Tel: 1-800-586-7635

Circle No. 440



Circle No. 326

#### Pen Turning Materials


■Wide Selection ●Tropical woods: S. American, African and Tasmanian Stabilized and dyed woods; spalted, burls, and figured hardwoods@Largest Dymondwood pen stock dealer in the U.S. Dymondwood pen blanks as low as .55 each Pen Mechanisms/ (Trans KitseHUT Finishes

Sherline Miniture Machinist Lathe: excellent for pen turner who needs higher production than on conventional lathes Wholesale Diagonal Cut Dymondwood, Ph 1-713-261-5512 Accessories High Quality/Service

**HUT Products For Wood** 

15361 Hopper Road - Sturgeon MO 65284 For orders or free wood turning/pen supply catalog CALL 1-800-547-5461

Circle No. 230



With Wind Speed and Direction, Over 20 Temperature, Wind Chill, Highs **Features** and Lows, Alarms, Optional IBM and Mac Interface Plus Compass Rose

\$75 Rainfall Option ONLY \$195.00! (Plus \$8.00 Shipping & Handling)

For more information or a free catalog, call

1-800-678-3669

DAVIS INSTRUMENTS 3465 Diable Ave., Hayward CA 94545

### ASK WOOD

Continued from page 81

#### Which tools should I start my shop with?

I am in the process of building a small workshop. Which tools would you recommend I buy to get started in woodworking?

-Lee Torbush, Dallas, Ga.

Wow, what a question, Lee! We checked with some of our staff members for their opinion, and received about as many of those as we have people. However, here's the consensus list of power tools we came up with:

1 Start your shop with a tablesaw, either stationary or benchtop, depending on the space in your shop. This machine will allow you to do accurate crosscutting and ripping.

2 Next, buy a drill press or a band saw. If you want to do a lot of projects that involve curved edges, choose the bandsaw, and buy a hand power drill to make holes. Otherwise, buy a drill press for its ease of use, accuracy, and ability to help you make joints, such as mortises and dowel joints. A handheld jig saw can serve as a temporary curve cutter.

3 Buy a router. And build a router table. This combination will allow you to mold edges of boards,

cut grooves for spline joints, cut rabbets and dadoes, as well as perform many other joint-making and decorative processes.

4 Buy the tool you didn't select in number 2. We suspect your jigsaw will spend a lot of time resting on the shelf after you get a bandsaw. And it's a real treat to be able to take work to a drill press and know that the holes you bore will be accurate and square to the table.

5 By this time you should have made

enough projects and done enough hand-sanding to really appreciate a hand-held power sander. Get a 5" random-orbit sander or a ¼-sheet finishing sander to ease the clean-up work on your projects.

6 Buy a jointer. This tool can accurately straighten edges and flat-plane the faces of a board. While you often cut acceptable glue joints with a tablesaw and a good quality sawblade, a jointer will make this process easier and more accurate.

Continued on page 93



Complete Strip • Repair
Shop Touch-Up • Fake Grain
Marbelize • Resilver • Refinish
Duplicate Parts • Repair Frames • Veneer

#### Why Minuteman?

- · Proven, Low-Risk, Cash Return
- Low Start-Up Costs; Expert Training
- Environmentally Friendly System
- Wholesale Supplies
- Handy Sample Kits Available
- Systems From \$1,500-\$11,000
- 28 Years Experience; 3,000+ Shops

No Experience Necessary

◆ Part-Time, Full-Time ◆
Ideal for Men & Women

FREE 2-Day Business Exploration Seminar

No Obligation to buy!

Register Now – Limited Seating!

Call For FREE Catalog
MINUTEMAN, INC.

Ste. 17, P.O. Box 8, Waterloo, WI 53594 1-800-733-1776

Circle No. 1661

#### This is the ultimate HOME IMPROVEMENT mortiser machine. Complete, powerful, and a comprehensive work center for any woodworker. Our FREE video will demonstrate why you 50" cross cut 12" jointer/ need the Robland X31 cast iron planer combination machine sliding table in your shop. For 50 years European wood-3 separate workers have made 3 hp German motors Robland the #1 choice in combination machines. If you want precision, ingenious design, incredible value and a space saver, call (800) 234-1976 ext. 7000 now, and invest in your HOME IMPROVEMENT today! LAGUNA TOOLS

# Woodworker's Resource

You can get useful ideas and product information by mail. Use the coupon in this section to order your choice of literature listed below. Each company mails the catalogs or information directly to you.

#### **POWER TOOLS**

ABBEY TOOLS—The much-requested, long-awaited, you'd-better-hold on-to-this-one-because-who-knows-when-we'll-print-another tool catalog, is here. Packed with 1000's of top brand name power tools and accessories—all at the lowest possible prices. Whether you are a beginning woodworker or an old pro you'll find just the tool you need. Remember—if you can plug it in, we've got it! ABBEY TOOLS, \$1.00. Circle No. 2.

SCROLL SAW, CRAFT & WOODWORKING CATALOG—Our '96 catalog features the 7 models of HEGNER Precision Scroll Saws, the consistent choice of the experts. Complete information on scroll saw blades and accessories is included. Also ZYLISS Portable Vise, ACCURA Benchtop Combination Machine, HEGNER Lathes and Duplicators, METABO Hand Tools and PLANO Vertical Glue Press information. ADVANCED MACHINERY. Free. Circle No. 3.

WILLIAM ALDEN CO.—The catalog everyone is talking about is available today! Direct to your door "wholesale pricing" on tools and accessories for the woodworker, contractor and do-it-yourselfer... Freud, DeWalt, Delta, Porter-Cable, Milwaukee, Hitachi, Bosch, Stanley, Ryobi and more all at unbeatable prices! Catalog. WILLIAM ALDEN CO. Free. Circle No. 4.

TRANSPOWER, CP TOOLS INC.—A fine line of quality woodworking machinery, saws, shapers, planers and more. Send for free catalog. CP TOOLS INC. Free. Circle No. 15.

HARBOR FREIGHT TOOLS CATALOG—The finest professional quality tools and equipment at the lowest prices...GUARANTEED! Our NEW Woodworking catalog has been expanded to contain hundreds of additional brand name woodworking tools & supplies. See why millions of woodworking professionals and Do-It-Yourselfers have shopped at Harbor Freight Tools for over 27 years. HARBOR FREIGHT TOOLS. Free. Circle No. 46.

EUROSHOP COMBINATION MACHINES—Complete line of combination machines from Europe, designed for the American woodworker. Highest quality table saw, jointer, planer, shaper, router and mortiser/horizontal borer in one space saving machine. If you are a beginning woodworker or a seasoned pro, we have a machine to fit you and your budget. The Right Combination. OLD WORLD MACHINERY CO. Free, Circle No. 73.

GET TO THE FINISH LINE FASTER—with a Performax drum sander. Don't spend hours with a hand-held belt sander. Sand ultra-wide stock ultra-smooth in just minutes. Models start at \$300 to \$3495. Select the model that fits your budget and your needs. New metal abrasive fasteners keep sandpaper tight without re-wrapping. PERFORMAX PRODUCTS. \$1.00, Circle No. 78.

RBINDUSTRIES, WOODWORKING TOOLS & ACCESSORIES—100% Made in USA. The NEW 1994–1995 RBI catalog features the all new HAWK Precision ULTRA Scroll Saws, "4-in-1" and "3-in-1" Universal Woodplaner

Systems, and 26" Variable Speed Drum Sander, 38" Drum Sander, the all NEW Panelmaster II Raised Panel Door Machine, Router Tables, Books, Accessories, Patterns, and Much More. When you buy from rbindustries, you're saving big money by buying factory-direct from one of America's premier woodworking tool manufacturers. We stand behind every piece of equipment we manufacturer with our exclusive 30-Day, Money Back Guarantee and 5-Year Warranty. Send today for your FREE catalog. RBINDUSTRIES, INC. Free. Circle No. 84.

MINI POWER TOOL CATALOG—Designed for easy reference, Ryobi's "shirt pocket" Power Tool Catalog includes our complete line of power tools, categorized by type: bench top, cordless, handheld and stationary models. It features individual tool photographs with specifications and clear descriptions that offer specific uses and benefits. Accessories are also listed. Send for catalog. RYOBI. Free. Circle No. 86.

THE ADVANTAGE—That's what you'll have over other woodworkers when you are using SECO MACHINERY. With choices of straight-line rip saws, wide belt sanders, dust collectors, power feeders, and lots...lots...more. Write today for a catalog of this woodworkers choice. Se habla espanol. Dealer inquiries welcome. Send for catalog. SECO INVESTMENT CO. Free. Circle No. 91.

TOOLS ON SALE™—A division of Seven Corners Ace Hardware, Inc. offers a catalog of over 400 pages of the most popular brands of power tools available anywhere, all at discounted prices. Included are saws, planers, sanders, routers, drills and more from manufacturers such as Milwaukee, Makita, Porter Cable, Black & Decker, Dewalt, Freud, Bosch, Delta, and many more. Now introducing a full range of Werner brand ladders. Tools on Sale™ division of SEVEN CORNERS ACE HARDWARE, INC. \$1.00. Circle No. 92.

PORTABLE SAWMILLS—Convert logs into valuable lumber—Wood-Mizer® Products manufactures a line of portable bandsaw mills that allows the novice as well as the experienced sawyer to safely convert standing logs into lumber. Then, with the use of our SolaryDry™ Kiln or Vacu-Kiln™ to dry your lumber, you could increase the value of every board you produce. We manufacture some of the most progressive woodworking equipment on the market today. Product videos available. Send for our 31-page catalog. WOOD-MIZER PRODUCTS. \$2.00. Circle No. 94.

THE LATEST SUNHILL MACHINERY CATA-LOG—If you're looking for quality woodworking machinery at affordable prices, Sunhill has what you need. Table saws, planers, jointers, sanders, shaper cutters and more. All machines carry one year warranty. Catalog. SUNHILL MACHINERY. Free. Circle No. 97.

**SMITHY**—Do your own Machining and Shop work with a Smithy 3-in-1 Lathe-Mill-Drill. You will save time and money with versatile, easy to use Smithy machines. Request your Info Pak today! SMITHY. \$1.00. Circle No. 99.

TORMEK—Made in Sweden, is an advanced water cooled grinding system for all types of edge tools. The system includes jigs to sharpen accurately and safely, electric planer knives, plane irons, chisels, turning tools, knives, scissors and axes. The SuperGrind stone works quickly without overheating the steel and the leather honing wheel is ideal for a razor sharp edge. TORMEK. Free. Circle No. 101.

#### STAINS/FINISHES

PERFECT PEN POLISH—NEW Developed for pens but great for any small lathe turned object. Pen Turning Manual, everything you need to know from wood selection to marketing. A complete line of pen making supplies—many styles of mechanisms, unusual pen turning materials such as dyed stabilized burls and spalted woods. Send for catalog of wood turning and pen supplies. HUT PRODUCTS FOR WOOD. \$1.00. Circle No. 230.

#### PLANS

WOODWORKERS' PLANS AND SUPPLIES—Wood projects are simplified with the high quality plans, specialty hardware and other supplies offered by Armor Products. Over 100 plans are available for making toys, desks, clocks, pool tables, lamps, chests, and other furniture. Movements, dials, moldings, ornaments, dollhouse kits, door harp supplies and tuning pins are also available. ARMOR PRODUCTS. \$1.00. Circle No. 315.

FREE SCROLL SAW PATTERN CATALOG—A beautiful full-color catalog showcasing our full line of woodworking patterns and accessories: shelves, mirrors, videos, books, baskets, blades, clocks, finials, drill bits, doll furniture, footswitches, and much, much more. Too much to list here—you just gotta send for one today! THE BERRY BASKET. Free. Circle No. 323.

"YOU CAN MAKE IT" CATALOG—This comprehensive 60-page catalog is one of the best resource books any woodworker can have. It shows hundreds of project plan ideas for indoor and outdoor furniture, outdoor structures, play gyms and playhouses, rocking horses, toys, doll houses, home improvement and a variety of woodworking books. The catalog also includes handy reference information on fasteners and a \$4.00 catalog rebate coupon. Request #WM96. CRAFT PATTERNS, INC. \$4.00. Circle No. 326.

THE "CADILLAC OF CATALOGS"—You've never seen anything like this—promise! Our catalog has over 2,000 plans and patterns from over 50 companies. The selection seems endless and the quality guaranteed. We are proud to offer so many unusual & unique plans. Many of these plans have been at our customer's request. We also have a new line of "Nothing but..." catalogs featuring ten different related subjects. The second of our series will be "Nothing But Birdhouses And Feeders" (see next listing for details). Catalog. CREATIVECRAFT PLANS. \$4.00. Circle No. 330.

CREATIVECRAFT PLANS—Offers you its newest catalog in the "Nothing But..." series! What is the "Nothing But..." series you ask. Every catalog features nothing but a particular subject, e.g., nothing but Christmas, nothing but bird houses and feeders, nothing but lawn & garden, etc., etc., etc. The second and ready for spring is "Nothing But Birdhouses And Feeders." Don't miss the boat, order your catalog of plans & patterns today. CREATIVECRAFT PLANS. \$2.00. Circle No. 331.

FULL-SIZE FURNITURE PLANS CATALOG—Illustrates and describes over 200 plans for making furniture of quality found in museums and fine furniture stores. Plans include rolltop desk, cradles, dining tables, chairs, buffets, chests, gun cabinets, poker table, children's furniture, rocking horse, spinning wheels, and more. Bill of materials exploded drawings assist the woodworker. FURNITURE DESIGNS, INC. \$3.00. Circle No. 345.

**NEW EXQUISITE BIRD HOUSE**—Now available, as well as our ever popular bird feeder and stand. Two creative designs to add a touch of charm and whimsey to your garden. Welcome the birds in your neighborhood this spring. Send for information. **GOOSE POND MILL.** \$2.00. *Circle No.* 365.

SJÖBERGS WORKBENCH CATALOG—Fullcolor catalog which illustrates the full range of cabinet makers' workbenches from Europe's largest manufacturer. Sjöbergs workbenches are made in Sweden and have many unique features including the holdfast facility. There is a wide range of models to suit all requirements for home or industry. SJÖBERGS. Free. Circle No. 440.

WOOD TOY PATTERNS—Patterns for all ages including children's patterns and executive toys. New catalog has many new patterns to choose from including parts and wheels. Send for new catalog today. TOYS AND JOYS. \$1.00. Circle No. 465.

SCROLLSAW FRETWORK PATTERNS—& supplies catalog. From simple cutouts to 50"tall clocks. Over 300 patterns for the scrollsaw enthusiast. Also clock movements, tools, books, plywood, hardwood, sawblades. Great projects for the hobbyist or for profit. Catalog. WILDWOOD DESIGNS, INC. Free. Circle No. 475.

#### LUMBER

QUALITY EXOTIC LUMBER/TURNING WOODS—We offer a comprehensive selection of fine quality exotic woods. Also available are mechanisms for making wooden barrel pens/pencils/roller balls/fountain pens. Ebony, Kingwood, Tulipwood, Snakewood, African Blackwood, Cocobolo, Bloodwood, Figured Maple, Spaulted Maple, Padauk, etc. Unique and unusual turning woods and burls are also available. Send for catalog. BEREA HARDWOODS, \$1.00. Circle No. 510.

ONE STOP WOOD SHOP—Domestic and exotic hardwood plywood and lumber, marine plywood, over 30 species in stock—all under one roof. Custom cutting services to your exact specifications with little or no waste at competitive prices! We specialize in bundling and shipping. Send for catalog. BOULTER PLYWOOD CORP. Free. Circle No. 512.

STEVE H. WALL LUMBER CO—Quality hardwoods and woodworking machinery for the craftsman and educational institutions. 16-page catalog lists 17 species of popular hardwoods at wholesale prices. Also dealers for MiniMax, Freud and ProCut woodworking machines. STEVE H. WALL LUMBER CO. \$1.00. Circle No. 592.

EXOTIC IMPORTED AND DOMESTIC HARD-WOODS—Select from more than 100 different woods. Lumber, bowl blanks, turning squares and veneer. Samples (½" x 3" x 6") available, fully sanded. Ideal for collectors, craftsmen, furniture and cabinet makers, architects and designers. Custom cutting and thin stock manufactured. Satisfaction Guaranteed. Send for catalog. WOODWORKERS SOURCE. \$1.00. Circle No. 598.

#### VIDEOS

SCROLL SAW TIPS, TECHNIQUES, AND SHORTCUTS—"Scroll Sawing Basics—How To Turn Them Into Cash" reveals the scrolling secrets that will help you sharpen your skills and create beautiful projects. Never before has so much useful information been revealed on video! It's like bringing the classroom into your own home at your convenience! Free information kit. THE BERRY BASKET. Free. Circle No. 605.

JOINTECH CABINET MAKER'S SYSTEM VIDEO—Watch Dr. Roger Cliffe and Dave Morgan demonstrate this patented System that can perform every operation in furniture and cabinet making. See how easy it is to make raised panel doors plus techniques in making dovetails, box joints, drawer construction and even an intricate double-inlay joint. All the operations which would normally

WOOD MAGAZINE JUNE 1996

require the use of a shaper, router and a jointer can now be accomplished with the JOINTECH CabinetMaker's System. JOINTECH, INC. \$5.00. Circle No. 610.

LAGUNA TOOLS VIDEO—Learn why most European workshops are using a central machine center rather than separate machines. 90 min. video presentation of "The Intelligent One Man Shop. The Robland X 31". Send for video. LAGUNA TOOLS. \$6.00. Circle No. 615.

#### GENERAL WOODWORKING CATALOGS

WOODWORKING SUPPLIES—Blocks, pegs, cups, hearts, hardware, bandsaw blades, abrasives, toy parts, glue, clock parts, miniatures, balls, dowels, spindles, knobs, beads, picture hangers, cup hooks, finials, screw eyes, game pieces, novelty items, and much more. BENNY'S WOODWORKS. \$1.00. Circle No. 810.

THE WOODTURNERS CATALOG—48 color pages of the finest woodturning tools, machinery and supplies available. Featuring Henry Taylor, Sorby, Richard Raffan and Dale Nish workshops. Catalog price refunded with order. CRAFT SUPPLIES USA. \$2.00. Circle No. 830.

GRIZZLY IMPORTS, INC.—1995 is our 12th year of providing woodworkers with an incredible selection of machines, tools and accessories at prices you can afford. Send for your free 1995 catalog today and celebrate with tremendous savings on all your woodworking needs. GRIZZLY IMPORTS INC. Free. Circle No. 860.

KREG TOOL CO.—Specializes in pocket hole tools, supplies and how-to videos for pocket hole joinery, including THE KREG JIG. Catalog also includes hinges, drawer slides, Crystalac waterbased stains and finishes, KTC high quality router bits and more. KREG TOOL COMPANY. 50c. Circle No. 877.

MINI POWER TOOL CATALOG—Designed for easy reference, Ryobi's "shirt pocket" Power Tool Catalog includes our complete line of power tools, categorized by type: bench top, cordless, hand-held and stationary models. It features individual tool photographs with specifications and clear descriptions that offer specific uses and benefits. Accessories are also listed. Send for catalog. RYOBI. Free. Circle No. 925.

#### KITS

FACTORY DIRECT SAVINGS—From the world's largest grandfather clock kit company. Free 32-page catalog of clocks and furniture kits. Precision cut solid oak and cherry "Do It Yourself Kits" or fully assembled. Satisfaction guaranteed. EMPEROR CLOCK CO. Free. Circle No. 1030.

SHIP MODELING CATALOG—Historic Ship Models—Museum quality replicas you build yourself. Pre-cut wooden parts, metal and brass fittings, cloth sails, plans and instructions. Send for 80 page color catalog. MODEL EXPO, INC. \$1.00. Circle No. 1075.

BUCKBOARD BENCH KIT—Kit includes steel springs that give a little, metal arms and back rails, hardware, and full-size instructions. New matching trestle table kit. THE ROUDEBUSH CO. 50¢.

#### **PUBLICATIONS**

HOW TO WORK WITH CORIAN® IN THE HOME WORKSHOP—You can see it in the ads on these pages: CORIAN comes to life in the hands of a craftsman. Now get your hands on the information you need to start creating with this remarkably versatile, workable material. Send for your free guide. DUPONT CORIAN. Free. Circle No. 1120.

THE WOODWORKERS LIBRARY—30 pages of the best books on carpentry, joinery, blacksmithing, carving, furniture, design, stairbuilding, wood turning, finishing, and wood and timber. Plus videos. Send \$1.00 for two-year catalog subscription. LINDEN PUBLISHING. \$1.00. Circle No. 1140.

#### SHOP ACCESSORIES

EASY DOES IT—with HTC'S power tool accessories. Discover many unique items, designed only with you, the dedicated woodworker, in mind. Make your machinery safer, increase the working area of your shop and accomplish nearly impossible tasks easily, quickly, accurately. Full-line catalog and price list. HTC PRODUCTS, INC. Free. Circle No. 1245.

WOOD MOISTURE METER—Avoid moisture defects such as cracking, warping, splitting, delamination. The pin-type moisture meter "Mini-Ligno" can read surface or core moisture in any thickness of lumber, from veneer through heavy timbers. A flat surface is not necessarily required, thus the Mini works on rough sawn lumber and curved or round pieces. A most versatile instrument. Many hobbyists and professionals use the Mini-Ligno C or E/C with attachments to monitor lumber during air or kiln drying or use external electrode for depth readings. Catalogue describes complete line of moisture meters. LIGNOMAT USA, LTD. Free. Circle No. 1250.

ROUTER SPEED CONTROL—Reduces speed electronically without reducing torque. Route at the speed that gives best results with the wood and bit you are using. Speed adjustable from full speed to 0 RPM. Less tear out—stops burning—less wear on bits—easy to use. Send today for information. MLCS LTD. Free. Circle No. 1251.

SUPERGRIT® SANDING/REFINISHING CATALOG CLOSE-OUT SHEET—Belts (aluminum oxide, silicone carbide zirconia), discs (plain, PSA, Hook & loop vacuum), sheets (cabinet, crocus, emery, non-loading, waterproof), rolls (cloth or hook & loop), bowl turning & lathe supplies, dust masks, scuff pads, tack cloths, tape. RED HILL CORP. Free. Circle No. 1267.

"WOOD-FRIENDLY"™ L606 MOISTURE METER—uses advanced electromagnetic wave technology to accurately measure wood moisture content from 6% to 30% to a depth of ¾". No pins to "abuse" wood and leave ugly holes. Check out boards from top to bottom in just seconds before you buy and avoid the headaches of splitting, warpage, delaminating and failed glue joints. The Wagner L606's convenient pocket size, easy-to-read analog meter, and low price make it a must for anyone working with wood. Literature. WAGNER ELECTRONIC PRODUCTS, INC. Free. Circle No. 1285.

KEEP YOUR SHOP AND LUNGS CLEAN—Enjoy the benefits of a large yet mobile workbench. The Dust Eliminator Workbench removes dust from sanding before it becomes airborne. For dust created by other tools, common sense tells us that wood, even as dust, has weight and is affected by gravity making it more difficult to be collected above the woodworker's head. This is why it is much more efficient to collect dust particles at waist level. The workbench top is made of select and better grades of hard maple, the traditional choice of wood craftsmen. WOODMARK. \$1.00. Circle No. 1295.

#### BITS, BLADES, CUTTING TOOLS

ASK FOR CMT'S CATALOG AND WE'LL GIVE YOU \$10!—CMT Tools will send you our free, full-color router bit catalog and we'll give you a \$10.00 discount on your first order! CMT bits feature anti-kickback design, non-stick coatings and micrograin carbide cutting edges. Our catalog is packed with accessories, project ideas and safety tips—it's one catalog you'll want to keep! CMT TOOLS, INC. Free. Circle No. 1310.

1996 EAGLE AMERICA WOODWORKING CATALOG—Top Quality American Made cutting tools featuring over 900 router bits. Plus the largest selection of American Made saw blades, shaper cutters, rosettes, brad points and more. Over 2,500 unique and hard to find tools and accessories. EAGLE AMERICA CORP. Free. Circle No. 1320.

FREUD—Premier line of carbide-tipped sawblades, router bits, shaper cutters and other woodworking tools, Freud offers a full-line on anti-kickback carbide-tipped router bits. Send for a free new router bit catalog. FREUD. Free. Circle No. 1321.

SUPER-SMOOTH, EXTRA-DURABLE, CAR-BIDE-TIPPED CIRCULAR SAW BLADES—Get a smooth-as-sanded surface with our all-purpose 40-tooth Woodworker Blade. You will be able to rip and cross-cut 1 – 2 in. rock hards and soft woods with an unbelievably smooth finish. You will also be able to cross-cut oak and birch plyveneers with no bottom splinters. Send today for our information pack. FORREST MFG. CO., INC. Free. Circle No. 1322.

PRODUCTION QUALITY CARBIDE TIPPED ROUTER BITS—Large discounts. New expanded catalog featuring a huge selection of Carbide Tipped Router Bits, Raised Panel Door Sets, Shaper Cutters, Solid Carbide Bits, The Router Speed Control, plus our unique line of clamps, tools and supplies. Save 50% to 70%. Value, quality, and prompt service guaranteed! MLCS LTD. Free. Circle No. 1350.

#### HARDWARE/ WOOD PARTS

FREE WOODCRAFT CATALOG FROM CHERRY TREE!—68 full-color pages of plans, parts, kits and supplies for all skill levels. Clocks, whirligigs, dollhouses, door harps, banks and many more attractive items—plus wooden dowels, pegs, wheels, knobs, & more. Tools, paint supplies, stencils, stamps and much more! Wholesale prices available. Catalog. CHERRY TREE TOYS. Free. Circle No. 1420.

#### INCOME OPPORTUNITIES

SECURE FUTURE IN FURNITURE RESTORA-TION WITH MINUTEMAN—Earn \$200-\$1,000 per day stripping, repairing, refinishing, mirror resilvering, veneering and more at home or in shop; part- or full-time. We provide complete training; no experience necessary. FREE workshop teaches you latest in furniture restoration. Featuring Amity, the first complete line of water-based furniture restoration products. Catalog. MINUTEMAN. Free. Circle No. 1661.

#### MISCELLANEOUS

UNDERBED STORAGE DRESSER—Top quality, solid wood, ready-to-assemble kits provide convenient space-saving storage. Can have 3–16 drawers. Start at \$159.00. FREE freight for limited time. Send for FREE 44-page catalog. ANDERSON MFG. CO. Free. Circle No. 1795.

MECHANISMS FOR MAKING WOODEN BAR-REL PENS—Pencils/Roller Ball Pens/Fountain Pens. High quality. Low prices. Wholesale/Retail. Plus other related items. BEREA HARDWOODS CO. \$1.00. Circle No. 1900.

HOW TO DRILL YOUR OWN WATER WELL—Free! Big information package, including "How to Drill Your Own Water Well" booklet. There's no limit to the wonderful things you can do when you have your own private water system and no water bills. Learn how over 100,000 home water wells have been drilled this easy, low-cost way since 1962. Video also available. DeepRock MFG. CO. Free. Circle No. 1915.

SUNSETTER® RETRACTABLE AWNINGS— Outsmart the weather! Don't let the hot sun or a passing shower stop you from enjoying your deck or patio. Send for our video and information package showing how SunSetter Retractable Awnings let you get far more use of your deck, rain or shine. JIL INDUSTRIES. \$1.00. Circle No. 1978.

SALTER INDUSTRIES—Salter Industries manufacture high quality spiral stairs to meet the design needs of today. Oak and brass options are available to combine with a sturdy steel main frame. Stock or custom stairs range in

diameter from 3'6" to 7'. Brochure. SALTER INDUSTRIES, \$1.00. Circle No. 1995.

STEELMASTER BUILDINGS—are available in almost any size for almost any use. From 10' to 100' wide and any length imaginable. Whether you need a back yard shop... an industrial shop... equipment storage building... whatever your requirements, you'll find a Steelmaster that's just the right size for the job. Our buildings are so easy to construct, most owners opt to construct their buildings themselves which adds up to even bigger savings. Send for information. STEEL-MASTER. \$1.00. Circle No. 2030.

IF YOU ARE INTERESTED IN RESTORING ANTIQUES—this 288-page catalog packed with unusual, hard-to-find items is just for you. Included are hundreds of essential items for antique restoration including top quality brass reproduction hardware, oil lamps and accessories, numerous wood component repair parts and kits, caning and basketry supplies, everything needed for wood refinishing, related tools, books, and a complete line of upholstery equipment and supplies. All at wholesale prices. Send for this informative catalog. VAN DYKE'S RESTORERS. \$1.00. Circle No. 2077.

LEGAL IVORY—Virtually identical to animal ivory. Tagua is the nut from a tropical palm tree. Ideal for jewelry, knobs, small turnings, inlay, or scrimshaw. Available in 3 sizes. Send for information. WOODWORKERS SOURCE. Free. Circle No. 2090.

#### CARVING SUPPLIES

ELECTRIC WOOD CARVING TOOLS—Sugino Auto-Mach electric carving tool chisels wood at up to 10,000 VPM. Safe, lightweight, easy-to-use, the pressure-activated head controls carving speed and depth, speeds carving faster than mallet and chisel methods. Professional quality suitable for novice and journeyman carver. Wide variety of hardened steel cutting blades. Operates on household current. SUGINO CORP. Free. Circle No. 2170.

#### CLAMPS

MERLE ADJUSTABLE CORNER CLAMP— Quick & easy to use. It forces your work into square. Fully adjustable from 2%" x 2%" to 69" x 69" in. Perfect for clamping picture frames, cabinets, or anything that requires 90° corner clamping. The Merle Clamp is cast aluminum & steel construction, a true industrial quality tool. Send today for information. MLCS LTD. Free. Circle No. 2250.

#### CLOCKS

KLOCKIT—The leading supplier of clock-making supplies for over 25 years: Quartz and mechanical movements, clock inserts, dials, easy-to-follow plans and kits for all skill levels. KLOCKIT. Free. Circle No. 2335.

#### FASTENING PRODUCTS

SQUARE DRIVE SCREWS—Thousands agree—once you try them you will never want to use anything else! The square drive recess virtually eliminates work-damaging driver bit "camout," the deep threads result in exceptional holding power, and they are heat treated for strength. Sizes from #4 x %" to #12 x 4", with stainless steel, solid brass, brass plated, and zinc plated available. Quantity discounts. Send for literature. McFEELY'S, \$1.00. Circle No. 2450.

### SHOWS & SEMINARS

WASHINGTON WOODWORKING & HOBBY EXPO—Tools, supplies, factory demonstrations, free seminars, expert advice. See lots of new gear and get the best prices anywhere. Show schedule and info. WASHINGTON WOODWORKING & HOBBY EXPO. \$1.00. Circle No. 2875.

#### WOODWORKER'S RESOURCE

Better Homes and Gardens® WOOD Magazine, June 1996 Dept. JNWO96 P.O. Box 11736 Riverton, NJ 08077-7931

TO ENSURE PROMPT HANDLING OF YOUR ORDER FOLLOW THESE INSTRUCTIONS:

Circle your choice

Phone (Optional): \_

92

- Enclose check or money order for cost of booklets plus \$2.00 service charge (no stamps accepted)
- · NO FOREIGN ORDERS ACCEPTED
- Send coupon and remittance to address above
- · ALLOW 4-6 WEEKS FOR DELIVERY
- Coupon expires June 9, 1997

#### WOOD SUBSCRIPTION

A 1 year WOOD subscription (9 issues) for \$25.00 (U.S. price)—a \$19.55 savings off newsstand rate (Circle No. 4000). Allow 6-8 weeks for first issue. Be sure to include payment with total below. NO FOREIGN ORDERS ACCEPTED ON THIS COUPON.

Circle nur	nbers below corr	responding to ite	ms in this issue.	The Research And Service	CONTRACTOR AND AND	
2\$1.00	92\$1.00	331\$2.00	605Free	108550¢	1320Free	1995\$1.00
3Free	94\$2.00	345\$3.00	610\$5.00	1120Free	1321Free	2030\$1.00
4Free	97Free	365\$2.00	615\$6.00	1140\$1.00	1322Free	2077\$1.00
15Free	99\$1.00	440 Free	810\$1.00	1245Free	1350Free	2090 Free
46Free	101Free	465\$1.00	830\$2.00	1250Free	1420Free	2170Free
73Free	230\$1.00	475Free	860Free	1251Free	1661Free	2250 Free
78\$1.00	315\$1.00	510\$1.00	87750¢	1267Free	1795Free	2335 Free
84Free	323Free	512Free	925Free	1285Free	1900\$1.00	2450\$1.00
86Free	326\$4.00	592\$1.00	1030Free	1295 \$1.00	1915Free	2875\$1.00
91Free	330\$4.00	598\$1.00	1075\$1.00	1310Free	1978\$1.00	4000 \$25.0

ame (please print)		I AM ENCLOSING			
Address		\$_	2.00	for priced item for handling	
State	Zip Code	\$_		_ total remittance	

IS

### 

Continued from page 89

Wants information on router speeds

I would like to know which speed to set my router as I use it on different woods. Can you belp me with this?

-Fred Sullivan, Houston


Fred, for an answer, we talked with Chuck Hedlund, WOOD® magazine's project builder. Here's some things he considers when adjusting router speed:

1 "The density of the wood will affect the speed setting of the router. Maple and cherry, for example, will develop burn marks more quickly than will oak. Slow down your router when dealing with these denser woods.

2 "The profile and size of the router bit influences the speed setting of the router. Larger bits require slower speeds than do small ones. And the more wood removed by a bit, the slower the speed should be." (For example, a ½" radius cove bit will remove almost 23/4 times as much wood as will a 1/2" round-over bit when cutting at full depth, as shown below.) "A good starting point for large-profile bits is in the 8,000 to 10,000 rpm range.

3 "A sharp router bit will cut smoother than a dull one, and can consequently be operated at a higher speed with less chance of burning the wood."

Chuck recommends testing router-bit speed settings on a piece of scrapwood. This will give you an idea of how each bit will perform on that wood.







#### WOOD® LASSIFIED MART

For rates: 1-800/424-3090 Fax 312/464-0512

#### **ACCESSORIES**

UNIQUE NEW DIAL MITER GAUGE! Developed by aerospace engineer. Greater accuracy. Better fitups. Faster setups. Less sanding. Higher productivify. Easy-to-read, 6" diameter dial. Far outperforms conventional miters. For tablesaws, bandsaws, etc. Gobi Labs 1-800/820-2651 VISA/MASTERCARD.

#### CABINETRY

BUY QUALITY K-D CABINETS direct from manufacturer. Easy assembly. Wood or melamine construction. Custom or stock sizes, Call today for pricing! 1-800/528-8628.

#### **CLOCKMAKING SUPPLIES**

THE CLOCKMAKERS SOURCE!! Over 2500 items wholesale! (example: 3 1/8° clockmakers forstner bit only \$19,50!) Color 64 page catalog and two clock plans \$3.00 deposit (credited). Steebar, PO Box 980-BH, Andover, NJ 07821-0980.

#### FINISHING/RESTORATION

QUALITY WOODSTAIN YOU MAKE! Incredible savings, water resistant. Do decks, furniture \$12.95 to: Hubbard Furniture, PO Box 494781, Redding, CA 96049.

SPRAY-ON SUEDE. Free brochure with sample. New mini flocker. DonJer Products, Ilene Court, Bldg. 8W, Bellemead, NJ 08502. 1-800/336-6537.

MAGICALLY CREATE WOOD! INCREDIBLE techniques with new patented tools. Information Video \$4.00: Look-Rite, Dept-15 1020B Sterling Avenue, Independence, MO 64054.

#### HELP WANTED

EASY WORK! EXCELLENT PAY! Assemble Products at Home. Call Toll Free 1-800-467-5566 EXT. 11856.

#### HEALTH/FITNESS

WATERTECH WHIRLPOOL BATHS/SPAS! Factory direct savings. Consumers Digest Best Buy. Call 1-800/289-8827 for free color catalog and pricing.

#### HARDWOODS/LUMBER

THINWOODS 1/16" - 3/8" thickness. Perfect for scroll sawing, crafts, boxes, musical instruments and more. Ash to Zebrawood. Free Brochure Call 1-800/514-3449 or write to: 317 Nebraska Ave., Columbia, MO 65201.

#### OF INTEREST TO ALL

HOW TO CURE GREEN, Thinwood Cuttings Overnight. Store shelf solution. Report, \$2.00 & LSASE to: Concept Plus, Box 1271, Ely, NV 89301.

#### PLANS/KITS/PATTERNS

PUZZLE FURNITURE PLANSI No Nails, No Screws, No Glue, Detailed Instructions.....EASY Assembly. #101 Children's Rocker (2 sizes) \$19.95 s/h incl. #102 Doll Cradle (2 sizes) \$19.95 s/h incl. Order both sets save 10% (CA res. add sales tax) Send check or money order to: Lenders' Woodworking, 21225 Hicks St., Perris, CA 92570. For more info: 909/657-1985.

CARVERSI Beautiful Santa and ornament designs. Patterns include line drawing. 1-4 photos and painting instructions. Send \$2.50 for catalog (refundable with order): Artful Heritage, PO Box 191, N. Plains, OR 97133.

INTARSIA PATTERNS - NEW designs. For brochure send \$2.00 to: SAWDUST & XSTITCH, Dept. WD, PO Box 5034, Topeka, KS 66605-0034.

NEW COLOR CATALOG \$3.00 Arbors, Archways, Trellises, Fences, Gates, Lawn Furniture, Tables, Swings, Wishingwells, Bridges, Bird Houses, Feeders, Five Futons. Specialty Furniture Designs, 797 West Remus Road, Mt. Pleasant, Mt 4858. 517/772-6292.

#### TOOLS/EQUIPMENT

DRUM SANDER using plastic soda bottle and sheet sandpaper with your power drill! Durable, cost saving, user selected size/shape drums. Sanding surface 23.33% greater, 100% faster SFPM than belt sander. Patent pending. SodaSander™ 1-800-422-5048.

SAVE UP TO 45% -- Oneway chucks, sandpaper, project supplies. Pen kits, \$3.75 Canadian = \$2.45 US Free Catalogue, 604/545-7753. Fax: 604/545-7775. Woodturner, 5207 Alain Road, Vernon, BC V1B 3K6.

SAND INTRICATE CURVES/CORNERS fast with "FileSander," an accessory for your pinless scroll saw. \$14.95, guaranteed! "FileSander," PO Box 20662, Indianapolis, IN 46220.

BUILD CLEAN AIR MACHINE under \$30.00. Standard parts and filters. Easy plans \$9.95 (U.S.): R&R Enterprises, PO Box 155, Gainesville, TX 76241.

#### WOOD/LUMBER

HENDERSONVILLE HARDWOODS OF NCI 25 years lumber expertise. Family management team emphasizes top quality Appalachian Hardwoods/Softwoods, professional service, best prices. Small UPS specials, or large carrier orders. Send for our brochure: Hendersonville Hardwoods, PO Box 268, Hendersonville, NC 28793. For information call: 704/697-2929.

MANZANITA DECORATIVE WOOD! Australia/Mexico/USA exotic hardwoods. Banksia pods, Buckeye/Manzanita Burl. Assorted turning squares. Importer direct: POB 111, Potrero, California 91963-0111 - 619/478-5849.

#### **WOOD PARTS/SUPPLIES**

REPRODUCTION HARDWARE: Hoosier, trunks, beds, handles table, caning supplies, etc. 77-page catalog \$2.00: Rufkahrs, 4207 Eaglerock Ct, St. Charles, MO 63304.

#### ATTENTION CLASSIFIED ADVERTISERS

The next closing date for the WOOD® Classified Mart is June 7, 1996 for the September 1996 issue. For rates and information call: 1-800/424-3090 fax: 312/464-0512, or write: WOOD® Classified Mart, 500 N. Michigan Ave., Suite 2010, Chicago, IL 60611

### GREAT [DEAS FOR YOUR SHOP

# AN EASY-TO-MAKE PAIR OF INGIG

utting wedges and ripping thin strips rank among the more dangerous tasks you can perform on a tablesaw. Our two ripping jigs add an extra measure of safety to these operations, plus you only position the fence once to make multiple pieces.


You can build these jigs from any flat pieces of scrapwood. Just follow the guidelines given in the drawing below. To make the handle, cut out the shape given in the WOOD PATTERNS® insert in the center of the magazine. And don't neglect to add the keepers on the blade side of the handle of each jig. These prevent the cut pieces from kicking back.

To use either jig, set the distance from the fence to the inside edge of the blade equal to the width of the rear of the jig. Then, place the workpiece in the notch in the jig, and push the workpiece and the jig together past the blade. With





the fence in the same position, repeat the cutting operations as necessary to get identical wedges or thin strips.





### ASK WOOD-KOTE

# Removing Stains From Hardwood Floors

Q: A planter pot left a dark ring on our oak entry. Is there an effective way to remove such an unsightly stain without refinishing the floor? Sam Burkett, Duluth, MN

A: Water stains can be removed from wood but

the process requires time and patience. A profesional strength wood bleach like Wood  $\bullet$  Kote Lite-N-Up $^{\text{TM}}$ 



should be applied carefully. To avoid bleaching the wood surrounding the stain, use a cotton swab to dab the mixture directly on the affected area. You may reapply the bleach as

soon as the wood dries. Repeat the process only until the stained area matches the adjoining wood.

Have a staining or finishing question? Ask
Wood•Kote!
Please write to Dept. Q.
P.O. Box 17192
Portland, OR 97217
or Fax to (503) 785-8374



"The Professional Woodworker's Choice Since 1945"

Ask For Wood•Kote Products At Paint Stores, Hardware Stores, And Home Centers.



MERICA

510 Center St. WM • Box 1099

Chardon, OH 44024

Call 800-872-2511, FAX 800-872-9471 or mail in your check or money order. Get the whole Dazzling Dozen for only \$129 (Save \$98.88) and we'll throw in FREE Shipping and Handling.

NO DEALERS PLEASE. Offer expires 8/31/96.

Ask for our complete catalog with over 1000 router bits and cutting tools-it's FREE!

Ohio Residents add 5.75% Sales Tax.

# PRODUCTS THAT PERFORM

# Stop extension-cord tangles with this pail

Having fought with tangled extension cords for many years, I was eager to try out the Reel-A-Pail. This device keeps cords neat by winding them inside a large plastic bucket.

The Reel-A-Pail comes in three sizes: RAP-50, RAP-100, and RAP-200. The numbers correspond to the length, in feet, of 12-gauge electrical cord held within the pail. These pails also will hold 25', 50', and 100' lengths of 36"-diameter air hose.

I've been using the RAP-100 on several remodeling job sites for the last six weeks. It saves me a few minutes at the beginning and end of every work day, but more importantly, it keeps the excess cord stored out of the way. And with the cord in the bucket, it's much less likely to get nicked, or cause somebody to trip.


If I could change one thing about the design, I would put a larger extension on the base that you could stand on when reeling the cord in. As it is, you need to use both feet and stand over the bucket when cranking the reel.

—Tested by Rick Markley



#### 

### Router fixture turns anyone into a carver



Most people like carved details on furniture and cabinets. But few of us have the time to acquire the skills to make these carvings. Now, CMT has unveiled a 3D Router Carver that enables you to "carve" intricate patterns in minutes using a plunge router.

The secret of this system is the way the V-groove router bit and cone-shaped guide bushing track in the particleboard templates. As the opening in the template gets wider, the router bit moves downward so the V-groove gets wider. As the opening narrows, the bit moves up and the groove narrows. Result: a three-dimensional carved pattern.

CMT currently offers 46 different template sets including designs for cabinets, entry doors, and rosettes. Some patterns require just a single template that you flip and turn around several times to produce a symmetrical pattern. More complicated designs use a series of two or three templates. To keep the templates correctly aligned during replacement and repositioning, the company

includes a


holding frame that surrounds the template. The templates and template sets cost from about \$25 to \$74. The cone-shaped bushing and V-groove bit cost \$99.40.

In my tests of this system, I found it no more difficult than routing any pattern with a bearing- or bushing-guided bit. What really impressed me is that it took just 6 to 7 minutes to complete the pattern in the photograph above. Beat that with a mallet and gouge! The initial cost of the bit and a template set may be too high to justify for a single project. But if you plan to carve multiple panels or projects, the 3D Router Carver proves well worth the price, and can give your projects tremendous appeal.

—Tested by Dave Henderson

3D Router (	Carve	er			
Performance	*	*	*	*	*
Price	seet	text			
Value	*	*	*	*	*
CMT Tools,	31	0 N	1ears	s B	lvd.

Continued on page 98





Large

Reindeer

(3' Wide x 4' High) Santa (4' High)

# Holiday Cutouts Grace the Season

Decorate the season with these easy-to-build holiday cutouts.

Decorate your yard and home with these impressive holiday cutouts. Build them yourself for years of enjoyment, and a sense of pride and accomplishment. Full-size

Christmas Tree

Christmas Tree (6' High, 4'6" Diameter)

patterns and complete step-by-step instructions make each of these holiday decorations easy to build! Only a few tools and an evening or two are needed for each project. For professional results, just follow the simple cutting, painting and assembly instructions. It's as easy as that! Plus, when the season's over, disassemble and lay the pieces flat for space-saving storage. To assure your success, the experts at *Better Homes and Gardens® WOOD®* magazine designed and built each project.

#### How to order

Order your holiday project plans today by sending your name address and the name of the plan(s) you wish to receive, plus a check or money order (U.S.) for the total amount to: WOOD PLANS, P.O. Box 9255, Dept. WD-696, Des Moines, Iowa 50306.

Each plan is \$12.95. Receive a special discount when ordering multiple plans!! \$2 off your total order when you buy 2 plans. \$4 off your total order when you buy 3 or 4 plans. \$6 off your total order when you buy 5 or more plans.

Postage and handling plus state and local taxes, if applicable, are included. Allow 4-6 weeks for delivery.

Call 1-800-572-9350

Med./Small

Reindeer med. 28"

High, sm.

9" High)

Order today!

Call 1-800-572-9350 for credit card orders. 7 am to 9 pm CST. VISA & MasterCard accepted. Please have your order ready when calling.

Wise Men (50" High)

Sleigh (56" Long x 35" High)

Angels (4' High)



Nativity Scene (Mary 32" High, Joseph 45" High)



100% money-back guarantee if not completely satisfied.

# PRODUCTS THAT PERFORM

### New perforated hardboard hooks won't fall out

You can't beat perforated hardboard for hanging tools, but having your hooks follow the tool off the wall gets aggravating. Talon Toolholders, a much-improved line of nylon holders, anchor themselves firmly.

These tool holders have two pegs on their backsides. One is curved down, and the other is a split shaft with a screw threaded into it from the front. When you push the screw in, the split peg spreads out and grips the back side of the perforated hardboard much like a hollow-wall fastener.

The company offers seven models of tool holder to fit 1/4" holes, including short and long bars, a curved hook, a short hook, an angled bar, a pliers holder, and screwdriver holder. These cost more than the regular steel hold-

ers, but they're less expensive than Windsor Hooks (a steel hook with a steel screw that holds it to the board).


The most unique aspect of the Talon Toolholders is that you can remove and reposition them by backing out the plastic screw. Pulling the split peg through the hole causes a bit of tear-out, but less than any other anchored-hook system except the Windsor Hooks.

When removing some of the hooks, though, I had to use a very light touch to keep the screw threads in contact with their mating surfaces on the back of the peg. This was a tricky maneuver, but, as long as you don't move your hooks around a lot, this shouldn't be a problem.

-Tested by Tom Jackson



#### PRODUCT SCORECARD **Talon Toolholders** Performance \* \* \* \$.49 to \$.69 each Price Value \* \* The Hollingsworth Company, P.O. Box 3757, Chatsworth, CA 91313. Call 818/718-6323.



our free 800 Dutch Square Blvd., Suite 200, Columbia, SC 29210

brochure. 1-800-382-2637 / SC 803-798-1600

Call or

write for

### "CHOOSE A JOB YOU LOVE, AND NEVER WORK ANOTHER **DAYIN YOUR LIFE."**

-CONFUCIUS-



"I've always wanted to be my own boss. Now I have that. Plus, I'm doing what I really like to do. It is very satisfying to restore a customer's cherished piece of furniture to its original beauty."

Mark Boyer, Furniture Medic, Michigan

Your investment starts at \$12,900\*.



We have a future for you with America's leading furniture and wood restoration company servicing the residential and commercial markets.

(800) 877-9933 Fax:(404) 363-0554 http://www.mobilefranchise.com



\*See Prospectus for Details.

#### ORDER 1-800-328-0457 MAIL ORDER HOURS M-F 7:00-5:30 C.S.T. SAT 8:00-1:00 **DEWALT TOOLS** AIRY AIR NAILERS DELTA TOOLS <u>ဗ</u> Description ...... 6" Belv9" Disc Sander... 224-4856 0241SK Brad Nailer 3/8"-1 9/16"....... 180 Model Model Description. Model Description List Sale TERCARD · DISCOVER 6172DWE 3/8" v/spd Drill Kit w/ 2 batt... 220 DW364 7-1/4" Circ. Saw w/brake........ 285 31-695 158 Ш WeVDry Grinder. DW945K 12V cdls Drill Kit w/2 batt ...... 309 DW610 1-1/2 HP 2 handle Router ..... 274 104 159 189 23-710 New Sharpening Center .... 23-680 6\* Bench Grinder 1/4 HP ... 11-950 8\* Drill Press ..... 169 0635SK 1/4" Crown Stapler 1/2"-1-3/8" 310 EZ-1 Multi-purpose nailer & stapler, 180 DW. 152 ם 69 DA391DW 3/8" angle Drill Kit 9.6 volt .... 312 179 DW411 1/4 sheet Palm Sander... 58 (612)11-950 31-050 DW100 3/8" Drill, 4 amp,0-2500 rpm ... 118 Above Nallers come w/case, fasteners, oil & wrenches 68 ◂ 1" Belt sander 2.0 amp .. 78 6095DWE 9.6 volt Drill Kit w/2 batteries 270 139 DW682K Biscuit Joiner with case...... 429 219 DW705 12\* Compound Milre Saw...... 706 359 31-460 0565T Angle Finish Nailer 1"-2-1/2" ., 386 205 Call 6095D 6095DW Drill only & caseSpecial 79 30 I 175 632007-4 9.6 volt Battery......47 02 DW625 3 HP var. spd PlungeRouter .. Sale 11-990 PORTA NAILER 315 305 632002-4 7.2 volt Battery DW625 comes with FREE Fine Depth Adjuster .39 Minn, Porta Nailer complete .......265 205 Face Nailer complete .......265 205 ш 551 DW675K 3-1/8" Planer with case ........... 289 22-540 385 **NEW CORDLESS DRILLS** C DW431 3 x 21 v/spd Belt Sander.......331 184 219 185 ORDER • VISA • MAST DW421 5" Palm Random Orbit Sander 125 WITH HIGH CAPACITY BATTERIES DAVID WHITE O 4 DW444 6" Ran Orb Sander-PSA pad .. 266 139 DW423 NEW Palm Ran Orb Sndr-v/spd170 99 1-800-328-0457 | FAX: (612)224-8263 6202DWG9.6V 3/8" Drill Kit w/ LED batt 390 219 28-190 NEW 12" Band Saw...... 465 399 0 6212DWG 12V 3/8" Drill Kit w/ LED batt.412 228 20" Bench Scroll Saw ............ 466 NEW 6" v/spd Bench Jointer.. 337 ERS Paul. DW443 DW444 w/hook & loop pad ..... 266 6312DWG12V 1/2" Drill Kit w/ LED batt.432 239 DW673K NEW Laminate Trimmer Kit .... 364 6201DWHE 9.6V 3/8" Drill Kit w/ 2 batt .. 351 175 215 14-650 Hollow Chisel Mortiser ...... 668 285 6211DWHE 12V 3/8\* Drill Kit w/ 2 batt...368 185 429 6311DWHE 12V 1/2" Drill Kit w/ 2 batt ... 399 205 S RN DW935K comes with two batteries! 33-055 36-040 36-905 Ö LL100 NEW Finish Line Laser Level 210 **DEWALT CORDLESS DRILLS** SUPER CORDLESS SPECIALS 36-906 50" Delta Unifence...... . 525 305 6073DW 7.2V cdls Drill Kit. Variable speed & ö DW952K 3/8" v/spd w/two 9.6V batt.... 280 145 DW962K-23/8"v/sp w/two 9.6V XR batt. 324 179 RYOBI SPECIALS င္ပ 1119 clutch. Complete with battery, charger, & case. ō 415 IECK - MONEY DW972K-23/8"v/sp w/two 12V XR batt.. 352 .. Super Sale 99 Toll-Free 33-060 399 0 DW904 12 volt flashlight .... 6012HDWE 9.6V cdls Drill Kit. 2 speed & clutch. ... 29.95 37-190 6" Deluxe Jointer...... 8-1/4" Builders Saw ... 554 West DW972K-2 drill & DW904 flashlight Sale 205 AP12 12" Bench Planer... 389 EN 279 Complete with 2 batteries, charger, & case. 159 DW991K 3/8"v/sp w/one 14.4V XRbatt370 199 DW991K-2above drill w/ 2 batteries .....Sale 225 .. Super Sale 119 36-210 10" Compound Mitre Saw ..... 438 265 9 10" Mitr 165 T220DW 9.6 volt Stapler Kit, Complete with ത EVE DW944KQ 1/2" v/spd w/1 14.4V XR batt 450 235 Sliding Table... battery, charger, & case. ...... Super Sale 99 9 CD125KNEW 12V cdlss Drill w/ 2 batt. 175 13" Planer w/ stand 2 HP.... 1513 Ö DW944KQ-2 Above drill w/ 2 batteries., Sale 259 22-661 1239 Call NEW DC380 15" Planer..... 1439 6" Jointer DJ-15 .......1451 Above drill kits come w/ charger & steel case! 픙 5007NBA 7-1/4" Saw w/electric brake ... 263 138 6" Jointer DJ-15 ..... DW991KS-2 DW991K drill, DW935 trim saw, 3" x 21" Belt Sander w/bag .... 344 179 ഗ & case ......Sale 339 9924DB 3" x 24" Belt Sander w/bag....329 189 4301BV Orb. var. spd Jig Saw 3.5A....292 155 JR3000V var. speed Recip Saw w/case 252 139 The following saws have a \$50.00 rebate thru 4/30/96. Price shown is before rebate. HITACHI TOOLS 444 Contractors Table Saw ...... Sale Msxe5362FEIN Triangle Sander v/spd Sale 199 Msx625 FEIN New Air Triangle Sander Sale 189 LPN672 PONY Air Palm Nailer w/gloveSale 94.99 RTM01 ROTOZIP Drywall cut out unitSale 68.95 Purchase any Bosch/Skil tool in this 8-1/2" Slide Compound Saw 1400 489 CSFB 34-445 34-444 Saw w/30" Uniferice Sale 28-283 14" Band Saw 3/4 HP motor ... Sale 28-280V 14" Band Saw 1 HP motor ... Sale Blade Sharpener......394 3-1/4" Planer with case.......244 9820-2 215 N1900B Bonus Miles redeemable toward free travel on Northwest Airlines C10FS and earn 500 World Perks 12-9/32" Planer...... 1470 14" Band Saw 1/2 HP ..... 55 P12RA ..... 1940 Planer/Joiner.... 995 QUAL-CRAFT PRODUCTS 4-1/2" Grinder 6.9 amp .......... 160 79 Fram Nailer 2 - 3-1/2 Full Head700 399 G12SA 36-250 NEW 10" Slide Compound Saw825 489 36-230 NEW 12" Compound Mitre Saw480 359 Pump Jack Brace ... 2708W 8-1/4" Table Saw 585 309 NR83A 20 10" Table Saw with brake .... 1067 599 2201 6405 3/8" Drill Rev. 0-2100 rpm......112 68 6510LVR 3/8" Drill Rev. 0-1050 rpm......168 98 MILWAUKEE TOOLS 39 NEW Sawzall with case........320 above Sawzall w/wired cord .. 316 12V Drill w/kyls chuck & 2 batt...... 6527 6013BR 1/2" Drill Rev. 6 amp.........280 149 9401 4" x 24" Belt Sander w/bag....378 239 5007NB 7-1/4" Circular Saw 13 amp...232 124 DN10DYK 9.6V right angle Drill Kit....... 350 159 108 0408-6 Lots of 4 deduct additional 10% 0406-1 BIESEMEYER FENCES PORTER CABLE 5007NBK 5007NB Saw w/ plastic case Sale 129 50" Commer. Saw Fence .... 345 329 0234-1 139 T-SQUARE 52 52" Homeshop Fence.... 279 265 LS1011 10° Slide Compound Saw.....946 479 0235 12" Slide Cmpd Saw......1550 795 LS1211 T-SQUARE 40 40" Homeshop Fence .... 259 235 142 690 3901 Plate Joiner Kit ......372 209 T-SQUARE 28 28" Homeshop Fence... 249 225 690 Router w/ steel case ...... 1-1/2 HP Router D-handle ...... 285 0222-1 119 0228-SENCO AIR NAILERS JORGENSEN ADJUSTABLE HANDSCREWS 0375-1 693 178 SFN1+ Finishing Nailer 1" - 2" w/ case448 335 0379-1 1/2" close quarter Drill ... 158 Jaw Open Item#Length Cap cdls Scrwdyr 200 & 400 rpm.. 141 6546-1 w/bils, 1/4" chuck, & cse176 1/2" D-hdle Hammer Drill Kit.. 332 SN325 List Sala of 6 SLP20 4-1/2" 20.35 12.10 66.95 696 135 5399 Stapler 5/8" - 1-1/2"......390 351 352 352VS 159 165 10" #1 23.30 6" 12,90 71.95 Original SawZall with case..... 264 3.8" var. spd Hammer Drill Kit 255 SN70 Fram. Nailer Clip Hd 2"-3-1/2" 690 459 12" 8-1/2" 26.75 83.95 3x21 Belt Sander w/bag v/spd 305 3" x 24" Belt Sander with bag , 365 3" x 24" Belt Sander w/o bag .. 345 5397-169 Fram. Nailer-Full Hd 2"-3-1/2".638 449 **SN60** 5371-1 1/2" var. sod Hammer Drill Kit 340 188 SNES 15% more power than SN60...709 479 PONY CLAMP FIXTURES 1/2" v/spd right angle Drill Kit. 399 228 Drywall Gun 0-4000 5.4 amp. 196 114 1/2" var. spd right angle Drill .. 356 214 Router 2 HP w/ 1/4" & 1/2" collets362165 3107-1 Model List Sale of 12 50 3/4" Black Pipe Clamps 15.45 8,10 92.50 52 1/2" Black Pipe Clamps 12.90 6.95 74.95 SFN40 NEW Finish Nailer 1-1/4 - 2-1/2571 389 362 3300-1 97751 9118 158 BOSTITCH AIR NAILERS 4-1/2" Grinder w/cse & access 208 7-1/4" Circular Saw 13 amp ... 218 N80S-1 Stick Nailer ..... 505 1/2 sheet Pad Sander... ..... 230 128 BOSCH Top handle Jig Saw 4.8 amp .. 270 Speed Block Sander 1/4 sheet 110 Biscuit Joiner w/5556 till tenceSale 6365 RN45 Coil Roof Nailer 3/4 - 1-3/4 .... 845 369 7549 134 6365 w/fence,carb. blde,& cse249 Top Handle Jig Saw.....264 6368 Description. List Sale ......650 335 Model 1587VS Top Hand "CLIC"Jig Saw......292 149 556 139 6490 10" Mitre Saw. 345 109 1584VS Barrel\*CLIC\*Jig Saw......285 149 Bosch Metal Case for above Jig Saws.....34 32 10" Milre Saw. 444 49 849 6490 W carbide blade & bag. 532 325 10" Compound Milre Saw. 444 319 12 U brill w/ 2 batteries. 385 229 15 NEW Top Handle Jig Saw. 315 185 NEW 10" Slide Compound Saw1050 615 165 CWC100 1 HP Pancake Compressor ...463 9647 MIIIFS Flooring Stapler 15 gauge ..... 931 529 S32SX-1 Finish Stapler - 1/2" - 1-3/8" .. 275 155 Bosch 30 blade assortment for Jig Saws..... 28.99 1584VS or 1587VS 0431-1 148 with steel case and 30 Bosch blades Sale 189 3270DVS 3" x 21" v/spd belt sander......270 165 1276D NEW 4" x 24" Belt Sander ......379 219 S32SX-1KS32SX-2 with case & oil ....... 269 165 7518 3-1/4HP v/spd Plunge Router, 510 5.6 amp Drywall Culout Unit... 140 5.6 amp Laminate Trimmer..... 165 7539 269 FREUD CARBIDE TIPPED SAW BLADES SKIL TOOLS 5/8" Bore - Industrial Grade Description Teeth L 1275DVSNEW 3" x 24" v/spd Belt Sndr.379 219 2735-04 12 volt cordless Drill Kit ... 7310 2736-04 2735-04 with keyless chuck......269 148 1276DVSNEW 4" x 24" v/spd Belt Sndr.408 97310 Laminate Trimmer Kit comp.... 360 198 Gen Pur. A.T.B.10" 40 Cut-off 10" 60 Comb 10" 50 LU72M010 5" Rndm Orbit Sndr w/ case ... 245 7335 w/ case & dust pick-up... 274 10" Table Saw - Bench Top ...... 270 189 1347AK 4-1/2" Grinder w/cs & access. 185 1194VSR1/2" var. speed Hammer Drill...282 105 Famous 7-1/4" Worm Drive Saw Sale 144 155 LU84M011 ITEM 7336 6" Rndm Orbit Sander w/ case 250 139 1194VSRKabove Hammer Drill w/case .313 169 1609KX Deluxe Installers kit .......405 234 77M NEW 77 Mag Worm Saw LISSMOTO Super Cut-off10" 80 Ripping 10" 24 Cut off 10" 60 59 38 97366 73333 TOOLS 2 lbs lighter than Model 77 ...... Sale 159 1-3/4 HP 2 Handle Router ..... 250 142 LU73M010 45 9853K 164 12V 1/2" 2 spd,v/sp Drill Kit .... 335 12V battery for above drills.... Sale Palm Grip Rndm Orbit Sander 120 Thin Kerl 10" Thin Kerl 10" 1604AK same as above w/cse & acc...318 185 LU87M010 42 45 68 54 49 PANASONIC CORDLESS EVERY 9855 1-3/4 HP D-handle Router.....295 179 EY6181CRKW 9.6V Drill Kit w/ 2 batteries. 1613EVS 2HP v/spd Plunge Router,.....359 199 1615EVS 3 HP v/spd Plunge Router,....505 298 ICED . U98M010 74 79 79 185 345 Ultimate 10" 128 332 1 hour charger, & case .......305 165 픋 010 Compnd Mitre 10" 60 Quiet Blade 10" 40 Quiet Blade 10" 80 7-1/4" Finishing 40 above Sander with dust bag... 135 333 Sander with PSA pad ..... 135 HISTMOTO 233 EY6181EQK 9.6 volt Drill with 15 min. charger. . 0 case & Ironman battery ......315 169 1613EVS & 1615EVS come with FREE NO F810 74 PR RA1051 Deluxe Router Guide! Pocket cutter with case...... 330 EY6100CRKW 12 volt Drill Kit with 2 batteries. TK303 25 7700 10" "Lazerloc" Mitre Saw ...... 634 GHT 1634VSK NEW Recip Saw 10.5 amp....225 159 3300K NEW 12V Drill Kit w/ 2 batt.....348 189 1 hour charger, & case .......358 188 310 347 347K Production Laminate Trimmer 250 7-1/4" "Framers" Circ Saw...... 225 50 145 STATES 8" Dado - Carbide EY6100CQKW Same as EY6100CRKW but AMERICA'S LOWEST SD308 48" Dado - Carbide 6" carbide W/case & shims 8" carbide W/case & shims 2-1/8" x 3/4" Biscuit 1000 Qty 2-3/4" x 1" Biscuit 1000 Qty Assorted Biscuits 1000 Qty 3310K NEW 12V T-handle Drill Kit ....348 3110K NEW 9.6V T-handle Drill Kit ....320 179 SD506 292 155 has 15 minute charger........420 EY6100EQKW 12 volt Drill kit with 2 fronman ....420 198 347 Saw w/ plastic case ....... 250 134 743 129 FR 3107DVSNEW 5" Random Orbit Sander165 3107DVSK 3107DVS with case...........195 98 F10 batteries, 15 min. charger, & case.......375 199 EY6101SQK 12 volt 1/2" Drill w/ 15 min. charger, 115 9743 139 F20 29 FREE 3725DVS NEW 5" Random Orbit Sander258 149 3727DVS NEW 6" Random Orbit Sander268 154 347 Saw with brake ... ..... 225 134 INENTAL diagnostic battery, & case ..... 420 249 16 piece Forstner Bit Set 447 Saw-left hand version..... 5 pc. Router Bit Door System 320 10" Slide Cmpd Mitre Saw 688 NEW Router Table 495 159 94-100 B3915 NEW 10' Slide Compund Saw1025 619 PASLODE IMPULSE GUNS Corner Detail Sander 289 159 TR215 369 289 7810 B1650K Biscult Joiner .... IM250 Trimpulse Finish Nailer Kit....... 849 548 New Tiger Recipro Saw IM325 Impulse Framing Nailer Kit ...... 849 548 B7001 B7000 w/ variable speed ..... Sale 89.95 The following tool has a \$20.00 rebate thru 5/31/96 FT2000E3-1/4 HP v/sp Plunge Router 410 205 CONT **New Porter Cable Pneumatic Nailers** WAGNER PAINT & SPRAYER PRODUCTS BN125 Brad Nailer -18 ga, 5/8"- 1-1/4"144 The following tools have a \$30.00 rebate

HVLP Fine coat finishing HVLP System195 159 CS2000Pro fine finish HVLP System .... 339 278

48

thru 5/31/96

Biscult Jointer w/ case

# FINISHINGTOUGHES

#### A PRETTY PRANCER THE FIRST TIME OUT

WOOD® magazine reader Ron Norris always had an artistic bent, but other than one painting, never put his hand to anything creative until his retirement. "In the publishing business, I used to work with graphic artists and designers all the time," says Ron, 62, of Valley Center, California. "But I was never inspired enough to try to create something on my own."

Then one day, he visited a friend who had just built a wooden rocking horse. That was inspiration enough for Ron.

"I had never carved before, but thought 'I can do that,' and decided to tackle a carousel horse," he recalls. So Ron made a rough drawing, bought some basswood for the body, maple for the legs, carving chisels and a mallet, and then went to work.



It took Ron about 40 hours to carve just the head and neck, shown unfinished above. In all, he invested about four months in the project, working a few hours each day for two or three days every week.

Ron entered the carving in a local art show and took second prize in sculpture as well as the popular-choice award. Not bad for a beginner, Ron!



When it was completed, Above: Ron Norris' painted and polyurethaned fullsized carousel horse features details such as a carved quiver with arrows and turquoise insets on the bridle. Even the "leather" looks real. Above left: The head and neck took about 40 hours to carve. To create his project, Ron used only a mallet and carving chisels, then hand-sanded it all.

#### Still time to build a toy for tots

You've got four months left to craft a toy entry for WOOD magazine's 1996 Build-A-Toy® contest. The deadline is September 1, and it's our biggest contest ever! Your entry benefits needy kids next Christmas, and you'll be eligible for one or more of the \$23,000 in tool or woodworking-supply prizes. For contest and prize details, see the October 1995 issue, or write Build-A-Toy, WOOD magazine, 1912 Grand Ave., Des Moines, IA 50309-3379.

Contest entries, such as this firetruck, are auctioned to benefit needy kids.



### Now, dream shops for rent

If you're a wanna-be-a-better woodworker and happen to live in the Washington, D.C., or Boca Raton, Florida, areas, you now can rent a dream shop. And for some extra change, hire expert guidance, too.

The Woodworkers Club, with a pilot facility in Vienna, Virginia, and the Florida franchise, offers a state-of-the-art woodworking shop, instructors, classes, and a store for stock and supplies. The store and classes are open to the public. Woodworkers use the shop facilities on a variable-membership

menu (\$125-\$400 annual fee plus \$25-\$38 a month) or pay-as-you-go basis (\$9-\$12 per hour).

Mark Wirthlin, the company's founder, has been so encouraged by the public's response that he's planning nationwide franchises. Says Wirthlin, "We're committed to only opening stores that we believe will succeed, based on the right location and owner."

For information, write The Woodworkers Club, 216 Dominion Rd., NE, Vienna, VA 22180. Call 703/255-1044. Fax 703/255-1046.

#### **CARVING CONGRESS TURNS 30**

For 29 years, carvers from across the continent have converged on Davenport, Iowa, each June for the International Woodcarvers Congress. The oldest competitive show of its kind, the Congress offers hands-on carving seminars as well as an exhibit of the entries vying for \$16,000 in awards.

Photographs: Ron Norris; John Hetherington

Held at Davenport's Putnam Museum, the Congress runs June 20-23. Seminars, open to members of Affiliated Wood Carvers, Ltd., the organizing body, are held from June 17 to June 22. For more show information, call Larry Yudis, Congress chairperson, at 319/359-9684.



#### **Precision work begins** with precision tools

Your quality materials and careful work deserve the precision and control which are only possible with tools engineered and manufactured to the most rigid specifications possible. That's why you should never settle for less than the Hitachi ProSeries.

For example: The Hitachi C10FC 10" compound miter saw will add the versatility of perfect miter cuts, bevel cuts, and compound cuts to your projects. With the C10FC

you can create the precision joints that add beauty and value to everything you make.

Ten positive miter stops make it easy to reproduce cuts while the extended base and vise assembly give you absolute control over material positioning. Plus, standard features such as a 24-tooth thin kerf anti-kickback blade, dust collection bag, and electric brake make the compact C10FC even more of a value-and those are just a few of the benefits of a professional compound saw.

systems; dual slide compound saws that can easily cross-cut a 2x12 or compound cut a 2x8; circular saws with automatic electric brake systems; jig saws with specialized grips which minimize fatigue and maximize control; reciprocating saws with full 1-3/16" strokes and powerful 6.5 AMP motors; as well as drills, sanders, planers, cordless tools, and even pneumatic tools.

Don't you deserve 5 the ProSeries advantage?

Compare. There's no comparison.

For the Hitachi dealer nearest you, call: 1-800-546-1666 For information, call: 1-800-59-TOOLS.















# THEY

Sand

Buff

Cut

Grind

Polish

Scrape

# SAND BUFF CUT GRIND POLISH SCRAPE



brand of rotary tool. When others bog down, this tool hangs tough. The Multi-Tool includes more bits, plus a carrying case. Yet it costs less. So for more power – and value – pick Ryobi.

RYOBI Exceed Your Expectations

